INSTRUCTIONS FOR ORDERING SPARE PARTS

To avoid delay through inaccurate interpretation, it is of great importance that the information detailed in the following paragraphs be strictly adhered to when placing orders.

CAR TYPE

Always quote the engine and chassis numbers except when Stock Orders are placed, in which case the Year and Model must be indicated.

If Gearbox components are required it is necessary to quote on the order the serial number of the Gearbox, together with any prefix or suffix letters which may be indicated.

The Serial numbers are stamped on a brass plate which is fitted on the right-hand side of the Engine Compartment and also on the Units referred to above.

DETAILS OF PARTS REQUIRED

When ordering, the most complete information should be given to enable us to deal with your requirements expeditiously and to minimise delay in the despatch of the goods. Therefore we strongly recommend that the following procedure be adopted:—

- (1) Identify part with technical description in catalogue.
- (2) On order, quote (a) part number, (b) technical description.

Note: In no case should the illustration plate number be given.

- (3) If doubt exists as to the part number or technical description, a dimensioned sketch will assist in the interpretation of the order, or, alternatively, the old part should accompany the order as a pattern. When patterns are sent, it is most important that they be labelled, indicating the name and address of the sender, together with any reference such as order number, etc. Patterns will not be returned unless instructions to that effect accompany the order. In the absence of such instructions, patterns will be scrapped after retention for a period of ONE WEEK.
- (4) To order in "sets" is misleading. Please, therefore, state the specific quantity required.

SPECIAL ATTENTION

Particular attention is drawn to the fact that when such items as wings, doors, door glasses, etc., are required, care should be taken to indicate whether they are located on the left-hand or right-hand side of the car. The position is determined by the driver's own left or right hand when seated in the car.

Orders for any coloured parts such as carpets, casings, etc., should clearly state the precise colour required.

DESPATCH INSTRUCTIONS

The full address of the destination to which the goods are to be sent, together with that of the customer, should be clearly defined.

Whilst every effort will be made to observe customers' wishes as to the mode of transport, it is the normal custom to utilize the quickest possible method, whether it be post, passenger train or road transport, this being dependent upon the size and weight of the package and the destination to which it is to be sent.

PRICES

Current retail prices shown in the Jaguar Parts Master Price List are subject to alteration without notice, and are for delivery at Works. Postage, carriage and packing will be charged extra.

DAMAGE BY FIRE OR ACCIDENT

Whilst every precaution is taken, we do not accept liability for damage which may be caused by fire to any motor car or part thereof entrusted to us for any purpose whatsoever. Nor is liability accepted for accidental damage.

INDEX TO SECTIONS

			DESCR	IPTION	OF S	ECTIO	ONS						PAGE No.	PLATE
ACCELERATOR CON	TROL	5 (R.F	I. DR	IVE)									44 — 46	9
ACCELERATOR CON	TROL	S (L.H	. DR	VE)									48 — 50	10
IR CLEANER INSTA	LLAT	ION											41 — 42	8
ODY FITTINGS (OP	EN CA	RS)									•••		176 211	38 — 43
ODY FITTINGS (FIX	ED HE	AD C	OUPE)									232 268	46 — 50
ODY SHELL (OPEN	CARS)												164	_
ODY SHELL (FIXED													219 221	_
ODY UNDERFRAMI	AND	A C	NELS	(OPEN	CAR	S)							165 — 173	36 — 37
ODY UNDERFRAMI	AND	AQ (NELS	(FIXED	HEA	D C	OUPE)				•		222 — 229	44 — 45
RAKE CONTROLS													118 — 122	26
RAKE SERVO RESE	RVAC	TAN	K	• • •									116	25
RAKE SERVO UNIT	•												114	24
ARBURETTERS AND	PETI	ROL	FILTE	R								•••	32 — 38	7
LUTCH CONTROLS													56 62	13
LUTCH UNIT (STA	NDARD))											52	11
LUTCH UNIT (CON	1PETITIC	ON)											54	12
OOLING SYSTEM				•••							• • •	• • •	148 — 150	32
YLINDER BLOCK					• • • •								1_6	1
YLINDER HEAD													16-24	5
LECTRICAL EQUIPM	IENT		٠					•••			•••		276 — 304	51 — 53
XHAUST SYSTEM													153 — 154	33
NAL DRIVE UNIT												•••	83 — 84	19
RONT BRAKES					•••					•••			105 — 106	22
RONT FRAME													161 — 162	35
RONT SUSPENSION	4		•••						•••	•••			87 — 92	20
													156 — 158	34
EARBOX (SHAVED (•••				64 — 69	14 — 15
EARBOX (CLOSE RA	TIO G	ROUN	D G	ARS)		,							73 — 77	16 — 17
ANDBRAKE CONT	ROL		•••										125 — 126	27
EATER AND DEMIS	STER I	NST	LLA.	TION									310 - 318	55
YDRAULIC BRAKE	PIPES	(R.H.	DRI	/E)			• • •						128 132	28
YDRAULIC BRAKE	PIPES	(L.H.	DRIV	'E)				• • •		•••			134 138	29
IL CLEANER													10	3
IL PUMP									•••				8	2
PTIONAL EXTRAS	•••			•••								•••	320 — 322	_
ROPELLOR SHAFT			• • •				• • • •						80	18
EAR BRAKES	• • •			•••,	• • •				• • • •	• • • •			109 — 112	23
EAR SUSPENSION		• • •	•••	• • •	•••							•••	94 —100	21
DAD WHEELS					• • • •	•••				• • •			102 103	
EERING COLUMN												•••	144 — 146	31
TEERING UNIT							•••				• • • •		141 — 142	30
MING GEAR	•••		•••								• • • •		27 30	6
OOL KIT			•••	•••	•••		• • • •	• · ·					274	_
ATER PUMP							•••			• • •			13 14	4
INDSCREEN WASH	IER												308	54

Description	Page No.	Plate	Description	Page No.	Plate
A			B—Continued		
Accelerator Connecting Lever	48	10	Boot Lid Lock Striker	199 — 261	41 & 49
Accelerator Control Rods	44 - 50	9 & 10	Boot Lid Prop	261	49
Accelerator Drop Arm	48	10	Boot Lid Seal	199 & 204	41 & 42
Accelerator Drop Arm Housing	48	10	Boot Trim	200 — 201	41
Accelerator Fulcrum Lever Assembly	44 & 49	9 & 10	Bottom Timing Chain	28 28 & 29	6
Accelerator Fulcrum Lever Stop Accelerator Pedal	44 & 49 44 & 48	9 & 10 9 & 10	Bottom Timing Chain Vibration Damper Brake Fluid Level Indicator	128 & 134	6 28 & 29
Accelerator Pedal Accelerator Pedal Housing	44	9	Brake Fluid Level/Handbrake Warning	1 120 0 151	20 00 27
Accelerator Pedal Lever	44	9	Light	287	52
Accelerator Pedal Link	48	10	Brake Fluid Reservoirs	128 & 134	28 & 29
Air Balance Pipe	22	5	Brake Fluid Reservoir Bracket	128 & 134	28 & 29
Air Cleaner Air Intake Box	41 42	8	Brake Linkage Nylon Bushes	119 — 121 129 — 136	26 28 & 29
Air Cleaner Air Intake Box Base Air Cleaner Bracket	41	8	Brake Master Cylinders Brake Master Cylinder Balance Link	120 & 121	26
Air Cleaner Paper Element	41	8	Brake Master Cylinder Bracket	121	26
Air Duct Lower Panel	171 & 227	37 & 4 5	Brake Master Cylinder Repair Kit	130 & 136	_
Air Intake Stone Guard	179 & 234	38 & 46	Brake Pedal	118	26
Ammeter	283	52	Brake Pedal Housing	118 & 119	26
Anti Drum Material	204 & 267 188 & 243	39 & 4 7	Brake Pedal Housing Gasket Brake Pedal Pads	118 & 119 118	26 26
Ash Tray (Front Finisher Panel) Ash Tray Panel	188 & 243	39 & 47 39 & 47	Brake Pedal Return Spring	118	
		11	Brake Pedal Shaft	119	26
			Brake Pedal Shaft Bearings	118 & 119	26
	Į l		Brake Pedal Shaft Connecting Lever	119	26
	 		Brake Pedal Shaft Connecting Lever	120	26
D.			Fork End Brake Pedal Shaft Connecting Lever	120	26
В	300	r.,	Serrated Pin	120	26
Battery	299 299 — 300	53	Brake Pedal Tufnol Washer	119	-
Battery Clamp	299 299	53	Brake Servo Bracket	122	26
Battery Rod	299	53	Brake Servo Bracket Rubber Seal	122	26
Battery Tray	299	53	Brake Servo Hoses Brake Servo Operating Arm	116 120	25 26
Battery Tray Carrier Bracket	182 & 238	38 & 46	Brake Servo Operating Arm Brake Servo Operating Arm Eccentric	120	20
Battery Tray Drain Tube	299	53	Barrel Nut	120	26
Big End Bearing	3 164 & 219	1	Brake Servo Reservac Hose Adaptor	22	5
Body Shell Body Underframe Assembly	165 & 222		Brake Servo Reservac Tank	116	25
Bonnet Balance Link	179 & 235	38 & 4 6	Brake Servo Unit	114	24
Bonnet Beading	178 & 233	38 & 46	Breather Cover	20	5 5
Bonnet Centre Panel	171 & 227	37 & 45	Breather Pipe	21	
Bonnet Diaphragms	171 & 227 171 & 227	37 & 45 37 & 45	By-Pass Hose	13	4
Bonnet Front Under-Panel Bonnet and Front Wings Assembly	171 & 227	37 & 43			
Bonnet Grille	180 & 235	38 & 46			
Bonnet Hinges	172 & 228	37 & 45			
Bonnet Hinge Bushes	172 & 228	37 & 45		1	
Bonnet Locks	180 & 236	38 & 46	· C		
Bonnet Lock Bracket Bonnet Lock Escutcheon	181 & 236 180 & 236	38 & 46 38 & 46	Cable Clips	303 — 304	_
Bonnet Rest Rubber	181 & 238	38 & 46	Cable Sleeves	302	
Bonnet Rubber Buffer	182 & 238	38 & 46	Cable Strapping	303	
Bonnet Safety Catch	180 & 235	38 & 46	Camshafts	18	5
Bonnet Safety Catch Bracket	180 & 235	38 & 46	Camshaft Bearings	18 19	5 5 5
Bonnet Valances Bonnet Valance Seal	171 & 227 180 & 236	37 & 45 38 & 46	Camshaft Covers Camshaft Sprockets	27	6
Boot Floor Boards	200	41	Canopy Rail Beading	209	43
Boot Floor Mat	201	_	Cantrail Chrome Beading	255	_
Boot Lid	169 & 226	36 & 44	Cantrail Crash Padding	255	48
Boot Lid Aperture Drain Tube	199 & 261		Cantrail Panels	225	44 44
Boot Lid Aperture Lower Trim Panel	224 257	44 49	Cantrail Panel Drip Bead Extension Cantrail Seal	225 — 226 253 — 254	48
Boot Lid Aperture Lower Trim Panel Boot Lid Aperture Sealing Rubber	259 & 267	49 & 50	Cantrail Seal Recainers	253 — 254	48
Boot Lid Aperture Support Panel	226	44	Cantrail Trim	254	47
Boot Lid Casing	259 — 260	49	Cap Screws	1	_
Boot Lid Complete	258	40	Carburetter Body	34	7 7
Boot Lid Glass	258 — 259 258	49 49	Carburetter Float Carburetter Float Chamber	32 & 33 32 & 33	7
Boot Lid Glass Boot Lid Glass Seal	258	49	Carburetter Float Chamber Lid	32 - 34	7
Boot Lid Glass Seal Finishers	258	49	Carburetter Insulator	37	7
Boot Lid Gutter Finisher	258	49	Carburetter Jet Assembly	32 & 33	7
Boot Lid Hinges	169 — 226	36 & 44	Carburetter Jet Bearing	32 & 33	7 7
Boot Lid Lock	199 & 260 199	41 & 49 41	Carburetter Jet Housing Carburetter Jet Needle	32 34 32 & 33	7
			s acouretter jet iveedie	ו כניאט ו	
Boot Lid Lock Bracket					7
	199 260	41	Carburetter Needle and Seat Carburetter Overflow Pipes	32 & 33 37	7 7 7

Description	Page No.	Plate	Description	Page No.	Plate
C—Continued			D —Continued		
Carburetter Suction Chamber	32 & 33	7	Demister Elbows	317	55
Carburetter Suction Chamber Damper	32 & 33	7	Demister Hoses	317	5 5
Carpets	205 & 265	42 & 50	Dipstick Adaptor Tube	1	_
Casing (below Quarter Light)	255 — 256	48	Direction Indicator/Headlamp Flasher	1 1	
Casing Pocket	256	48	_ Switch	296	53
Chain Tensioner	29	6	Direction Indicator Switch Striker Plate	145	31
Chain Tensioner Filter Gauze	2	1	Direction Indicator Warning Light	287	52
Chain Tensioner Repair Kit	29	-	Distributor	278	51
Choke Cable Adaptor (Carburetters) Choke Connecting Rods (Carburetters)	35 34	7 7	Distributor Cap	278	51
	288	52	Distributor Cap Brush and Spring	278 278	51
the Communication of the Commu	288	52	Distributor Condenser Distributor Contact Set	278	51 51
Choke Control Cable Sleeve	288	52	Distributor Contact Set Distributor Rotor Arm	278	51 51
Choke Lever	288	52	Distributor Sealing Ring	1 1	1
Choke Lever Ball Bearing	288	52	Distributor Suction Pipe	279	51
Choke Lever Bracket	288	52	Distributor Vacuum Unit	278	_
Choke Lever Escutcheon	287	52	Door Casing	197 & 250	40 & 48
Choke Lever Knob	288	52	Door Check Arms	168 & 224	36 & 44
Choke Warning Light	287	52	Door, Complete	192 — 247	_
hoke Warning Light Switch	287	52	Door Hinges	168 & 224	36 & 44
igar Lighter	286	52	Door Inside Handle	194 & 248	40 & 48
lutch Flexible Hose	58	13	Door Inside Handle Escutcheons	194 & 248	40 & 48
Clutch Fluid Reservoir	59 & 60	13	Door Lock	193 & 247	40 & 48
Clutch Fluid Reservoir Bracket	60	13	Door Lock Remote Control	193 — 248	40 & 48
Clutch Fork Return Spring	57	13	Door Lock Striker	198 & 250	40 & 48
Clutch Housing	56	13	Door Outside Handle	193 & 247	40 & 48
Clutch Housing Cover Plate	56	13	Door Seals	197 — 251	40 & 48
Clutch Housing Oil Seal Clutch Housing Support Brackets	56 56	13 13	Door Seal Filler Block	196	40
Market Market Michael	57 — 59	13	Door Shell Door Sill Finisher	167 — 224 198 & 250	36 & 44 40 & 48
Share but from Dominion 11	59	13	D 7 5: 11 (0 11)	196	40
Sutch Master Cylinder	58 & 59	13	B T (C) (F) ()	197 & 250	40 & 48
lutch Master Cylinder Repair Kit	59		Door Trim Chrome Finishers Door Upper Trim Panel	197 & 250	40 & 48
Sutch Operating Fork	57	13	Drain Tap (Cylinder Block)	2 2 2 30	1
Clutch Operating Rod	57	13	Drip Moulding	208 & 209	43
lutch Operating Rod Adjuster	57	13	Dynamo	276	51
Clutch Pedal	61 & 62	13	Dynamo Adjusting Link	29 & 30	6
Clutch Pedal Bush	61 & 62	13	Dynamo Armature	276	_
Clutch Pedal Housing	61	13	Dynamo Bracket	2	1
Stutch Pedal Housing Gasket	61	13	Dynamo Brushes	276	_
lutch Pedal Pads	62	13	Dynamo Fan	277	51
lutch Pedal Return Spring	61	_	Dynamo Field Coils	276	
Clutch Shaft	57	13	Dynamo Pulley	276	51
lutch Slave Cylinder	57	13			
Clutch Slave Cylinder Repair Kit	57]	
lutch Unit	52 & 54	11 & 12			
onnecting Rods onnecting Rod Bearings	3 3	1		}	
Samuel Samuel Contact Discourse	3	1			
Connecting Rod Gudgeon Pin	280	51			
ontrol Box	279 - 280	51			
ontrol Box Bracket	280	51	E		
ontrol Box Cover	279 — 280	-	_	202	
ontrol Box Resistance	279 — 280		Earth Cables	302	_
rankshaft	2	1	Earth Connections	302	_
rankshaft Damper	2	i	Electric Clock	285	E2
rankshaft Pulley	3	1	Electric Clock Remote Control Electrical Cables	285 301	52
rankshaft Thrust Washers	2	1	E1	300 — 301	
Subby Box	186 & 242	_		16	
ylinder Block	1 1 1	1	Engine Overhaul Gaskets Engine Overhaul Gaskets	6	
ylinder Block Core Plugs	1 1	1	Exhaust Camshaft Flanged Plug	18	5
ylinder Block Liner	1 1 1	_	Exhaust Camshaft Oil Thrower	18	5
ylinder Head	16	5 5	Exhaust Camshaft Sealing Ring	18	5 5 5
ylinder Head Gasket	16		Exhaust Down Pipes	153	33
ylinder Head Oil Pipe	20	5 1	Exhaust Down Pipe Flange	153	_
ylinder Head Studs	'	1	Exhaust Down Pipe Sealing Ring	153	33
	1		Exhaust Flexible Pipe	153	
			Exhaust Manifolds	21	5
			Exhaust Manifold Sealing Ring	21	5 5 5
			Exhaust Manifold Studs	16	5
			Exhaust Mufflers	153 — 154	33
Sail Assess	402 5:5		Exhaust Pipe Clips	153 154	33
Dash Aperture Covers	183 — 240	2/ 0 //	Exhaust Silencer	153	33
Dash Side Exterior Panels	167 & 223	36 & 44	Exhaust System Rubber Mountings	153 — 154	33
Dash Top Corner Panels	173 & 229	37 & 45	Exhaust Tail Pipes	153 — 15 4	33

Description	Page No.	Plate	Description	Page No.	Plate
F			F—Continued		
Facia Panel	186 & 241	39 & 4 7	Front Suspension Anti-Roll Bar Bushes	l 91	20
Fan	149	32	Front Suspension Anti-Roll Bar Links	l 9i l	20
Fan Cowl	149	32	Front Suspension Assemblies	87	20
Fan Motor	149 & 296	32 & 53	Front Suspension Camber Shims	87	_
Fan Motor Relay	296	53	Front Suspension Lower Ball Pin	88	20
Fan Motor Thermostat	149	32	Front Suspension Lower Ball Pin Gaiter	89	20
Final Drive Unit Breather	83	19	Front Suspension Lower Ball Pin Socket	88	20
Final Drive Unit Crown Wheel and	l l		Front Suspension Lower Ball Pin Spigot	88	20
Pinion	83 & 84	19	Front Suspension Lower Wishbone	88	20
Final Drive Unit Crown Wheel Lock	ا ما	40	Front Suspension Lower Wishbone	ا م ا	
Straps	83	19	Fulcrum Blocks	88	_
Final Drive Unit Companion Flange	83 84	19	Front Suspension Lower Wishbone		20
Final Drive Unit Differential Assembly Final Drive Unit Differential Adjusting	07		Fulcrum Shaft	88	20
	83	19	Front Suspension Lower Wishbone	88	20
Shims Final Drive Unit Differential Bearings	83	19	Fulcrum Shaft Bush	88	20 20
Final Drive Unit Differential Case	84	19	Front Suspension Shock Absorbers Front Suspension Shock Absorber Rub-	*	20
Final Drive Unit Differential Friction	67	17		88	20
Discs	84	19	Front Suspension Stub Axle Carrier	89	20
Final Drive Unit Differential Friction	"	17		89	20
Plates	84	19	Front Suspension Stub Axle Shaft	89	20
Final Drive Unit Drive Shafts	83	19	Front Suspension Stub Axle Shaft Seal Front Suspension Torsion Bar	92	20
Final Drive Unit Drive Shaft Bearings	83	19	Front Suspension Torsion Bar Rear	'2	20
Final Drive Unit Drive Shaft Bearing	"	17	B 1 1 2	92	20
Shims	83	19	Front Suspension Upper Ball Pin	87	20
Final Drive Unit Drive Shaft Flanges	83	19	Front Suspension Upper Ball Pin Gaiter	87	20
Final Drive Unit Drive Shaft Flange Oil		.,	Front Suspension Upper Ball Pin Socket	87	20
Seal	83	19	Front Suspension Upper Wishbone	l ", l	20
Final Drive Unit Filler and Drain Plugs	83	19	Assemblies	87	20
Final Drive Unit Gear Carrier	83	19	Front Suspension Upper Wishbone	"	
Final Drive Unit Gear Carrier Cover	83	19	Fulcrum Blocks	l 87	_
Final Drive Unit Half-Shaft Bolts	83	19	Front Suspension Upper Wishbone		
Final Drive Unit Pinion Bearings	83	19	Fulcrum Shafts	87	20
Final Drive Unit Pinion Bearing Shims	83	19	Front Suspension Upper Wishbone		
Final Drive Unit Pinion Mate Gears	84	19	Fulcrum Shaft Bushes	87	20
Final Drive Unit Pinion Mate Gear Shaft	84	19	Front Suspension Upper Wishbone	i - I	
Final Drive Unit Pinion Oil Seal	83	19	Pinch Bolts	87	20
Final Drive Unit Side Gears	84	19	Front Timing Cover	1 1	1
Final Drive Unit Side Gear Ring	84	19	Front Wings	171 & 227	37 & 45
Flasher Unit	293	53	Fuse Box	280	51
Floor	165 & 222	36 & 44		i i	
Floor Mat	190 & 246	47			
Flywheel	3	. 1		1	
Front Brake Calipers	105	22		!	
Front Brake Caliper Bleed Screw and	105	22		1 1	
Ball	105 105	22 22		i i	
Front Brake Caliper Bridge Pipe	105	22			
Front Brake Caliper Shims Front Brake Disc	106	22	<u>~</u>	1 1	
	106		G	1 1	
Front Brake Piston and Cylinder Ass-	1 100	_	Gearbox Access Plugs	189 & 244	
	105	22	Gearbox Breather Plug	66 & 74	14 & 16
Front Brake Wheel Cylinder Repair	'03	22	Gearbox Case	64 & 73	14 & 16
Kit	105 & 106	_	Gearbox Change Speed Forks	66 & 74	14 & 16
Front Bumper Assembly	176 & 232	38 & 4 6	Gearbox Change Speed Lever	67 & 76	14 & 16
Front Bumper Bar	176 & 232	38 & 46	Gearbox Change Speed Lever Bushes	67 & 76	14 & 16
Front Bumper Extensions	176 & 232	38 & 46	Gearbox Change Speed Lever Housing	66 & 74	14 & 16
Front Bumper Overider	176 & 232	38 & 46	Gearbox Change Speed Lever Knob	67 & 76	14 & 16
Front Bumper Seal	176 & 232	38 & 46	Gearbox Change Speed Selector	66 & 74	14 & 16
Front Engine Mountings	5	1	Gearbox Constant Pinion Bearing	64 & 73	14 & 16
Front Engine Mounting Brackets	5	1	Gearbox Constant Pinion Shaft	68 & 77	15 & 17
Front Finisher Panel	188 & 243	39 & 47	Gearbox Countershaft (Class	69 & 77	15 & 17
Front Flasher Lamp Bulb	290	53	Gearbox Countershaft Gears (Close	77	47
Front Flasher Lamp Lens	290 — 291	53	Ratio) Gearbox Countershaft Gear Unit	77	17
Front Frame Cross Member	161	35	(6)	69	15
Front Frame Side Members	161	35	(Shaved Gears) Gearbox Countershaft Thrust Washers	69 & 77	15 & 17
Front Frame Side Member Reaction	1 4.5	25	Gearbox Counterstialt Tillust vvasilers	189 & 244	39 & 47
Plate	162	35	Complete Day 10 Bl	64 & 73	14 & 16
Front Frame Undershield	182 & 238	38 & 46	Caraba Ellas Blas	64 & 73	14 & 16
Front Hub	90	20	Gearbox Mainshaft	68 & 76	15 & 17
Front Hub Bearings	89	20	Gearbox Mainshaft Bearing	64 & 73	14 & 16
Front Hub Cap	90	20	Gearbox Mainshaft Bearing Circlips	64 & 73	14 & 16
Front Lamp Harness Connector	301		Gearbox Mainshaft Gears	68 & 76	15 & 17
	1 1				
Front Number Plate Carrier	178 & 234	_	Gearbox Mainsnatt Oberating Sieeves	י ח/ אסס ו	13.64.17
Front Number Plate Carrier Front Sub-Frame	178 & 234 161	35	Gearbox Mainshaft Operating Sleeves Gearbox Rear End Cover	68 & 76 64 & 73	15 & 17 14 & 16

Description	Page No.	Plate	Description	Page No.	Plate
—Continued			H—Continued		
Gearbox Remote Control Shaft	66 & 75	14 & 16	Hood Cloth	209	43
Gearbox Remote Control Shaft Seal	66 & 75	14 & 16	Hood Envelope	211	43
Gearbox Reverse Gear	69 & 77	15 & 17	Hood Envelope Hook Plate	209	43
Gearbox Reverse Slipper	69 & 77	15 & 17	Hoodsticks	206	43
Gearbox Reverse Spindle	69 & 77	15 & 17	Hoodstick Cantrail Channels	206	43
Gearbox Selector Finger	66 & 75	14 & 16	Hoodstick Main Head Pillars	206	43
Gearbox Selector Lever	67 & 75	14 & 16	Hoodstick Pivot Bolts	207	
Searbox Selector Lever Bush	67 & 76	14 & 16	Hoodstick Pivot Brackets	207	43
earbox Selector Lever Pivot Jaw	67 & 75	14 & 16	Hood Toggle Clamp	210	43
Gearbox Side Panels	166 & 223	36 & 44	Hood Toggle Clamp Sockets	211 295	43 .53
Searbox Striking Rods	66 & 74	14 & 16	Horns Horn Contact	145	31
Searbox Synchronising Sleeves	68 & 76 65 & 74	15 & 17 14 & 16		145	31
Searbox Top Cover	68 & 76	15 & 17	Horn Contact Holder Horn Contact Insulating Strip	145	31
rab Handle	186 242	39 & 47	Horn Contact Nipple	144	31
The Francis III	100 - 112	37 (4 17	Horn Contact Pin	144	31
	}		Horn Contact Pin Bushes	144	31
	[[Horn Earth Contact	145	31
	1		Horn Push	295	53
			Horn Relay	295	53
4			Horn Slip Ring	144	31
andbrake Cable Anchor Spring	126	_	Horn Slip Ring Rotor	144	31
landbrake Cable Assembly	125	27	Hydraulic Brake Flexible Hoses	131 & 137	28 & 29
landbrake Cable Grommet	125	27	Hydraulic Brake Hose Brackets (Front	[₀₄ [
landbrake Compensator	126	27	Suspension)	91 130 — 138	28 & 29
landbrake Lever Assembly	125	27	Hydraulic Brake Pipes	130 138	28 & 29
landbrake Mechanism	110 — 112	23	Hydraulic Brake Pipe Clips Hydraulic Brake Pipe Connector	131 & 137	28 & 29
landbrake Mechanism Repair Kit	112	_	Hydraulic Brake 3-Way Union	132 & 138	28 & 29
landbrake Mechanism Retraction Plate	110 & 112	23	Hydraulic Brake 4-Way Union	130 & 136	28 & 29
andbrake Operating Levers	110 & 111	23	Hydraulic Fluid Reservoir Heat Shield	134	29
andbrake Pad Carriers	110 112	23	Try draune ridia resolvent rises since		
landbrake Pad Carrier Bolt	110 & 111	23		1	
landbrake Warning Light	287	52		! !	
landbrake Warning Light Switch	125 & 287	27 & 52		Í I	
landbrake Warning Light Switch Striker	125	27			
leadlamps	289 — 290 177 & 233	53 38 & 46	1		
leadlamp Aperture Finisher	289 — 290	53	Idlan Canaskat	27	6
eadlamp Bulb eadlamp Dipper Switch	286	52	Idler Sprocket Idler Sprocket Eccentric Shaft	27	6
Headlamp Dipper Switch Headlamp Flasher Switch	296	53	Ignition Barrel	281	52
Headlamp Glass	177 & 233	38 & 46	Ignition Coil	277	51
Headlamp Glass Rubber Seal	177 & 233	38 & 46	Ignition Coil Bracket	277	51
Headlamp Light Unit	289 290	53	Ignition Switch	281	52
leadlamp Recess Panel	177 & 233	38 & 46	Ignition Switch Adaptor Plate	281	52
lead Lining	254	_	Ignition Timing Pointer	5	1
leater Adaptors	312 & 315	55	Inlet Camshaft Seal	18	5
leater Air Intake Extension	180 & 236	38 & 46	Inlet Manifolds	21 & 22	5
leater Air Intake Extension Rubber			Inlet Manifold Studs	16	5
Seal	180 & 236	38 <u>&</u> 46	Inner Steering Column	144	31
eater Case	310	55	Instrument Panel	281	52
leater Case Air Flap Seals	311	55	Instrument Panel Face	281 205 — 266	5 2 —
leater Case Air Flap Springs	310	55	Insulating Felts	298	53
leater Case Air Intake Mesh	312 310	55 55	Interior Light	283	52
eater Case Air Release Duct	310	55 55	Interior Light Switch Interior Mirror	298 — 299	53
eater Case Bracket eater Case Seal (Dash)	310	55 55	Interior Trimming	203 & 267	
eater Case Seal (Dash) eater Case Side Panel	310	55 55	Intermediate Sprocket	28	6
eater Control Cables	315 — 316	55	Intermediate Sprocket Shaft	28	6
leater Control Cable End Fittings	316	55	oriniodiate opi dende ande		
eater Control Levers	315	55			
eater Control Lever Trunnions	316	55			
eater Doors	316	55			
eater Fan	312	55		1	
eater Fan Switch	282	52			
eater Hoses	317	55	Jacking Brackets	167 & 223	_
eater Motor	312	55	'Jaguar' Emblem (Boot Lid)	199 & 259	41 & 49
eater Motor Mounting Grommets	312	55			
leater Motor Resistance	312	55		1	
leater Pipes	313 — 314	55		1	
leater Radiator	310	55 55			
feater Radiator Seals	311 313	55 55			
leater Water Control Valve	313	55 55	L	1	
laster Water Control Value Coaling Di					
leater Water Control Valve Sealing Ring			Licence Holder	185 & 240	~~~
leater Water Control Valve Sealing Ring leatshields ligh Tension Leads	190 — 245 23	39 & 47	Licence Holder Lower Steering Column	185 & 240 1 4 6	31

Description	Page No.	Plate	Description	Page No.	Plate
L-Continued Lower Steering Column Universal Joints Luggage Compartment Floor Rubber Beading	146 263 263 264 263 257	31 49 49 49 49 49	P—Continued Petrol Pipe Clips Petrol Pipe Bulkhead Connector Petrol Pump Petrol Tank Petrol Tank Cover Petrol Tank Drain Plug Petrol Tank Forward Bracket Petrol Tank Gauge Unit Petrol Tank Mounting Pads Petrol Tank Sump	158 158 156 & 279 156 & 279 156 263 156 157 156 & 289 157 156	34 34 34 & 51 34 & 51 34 49 34 34 34 35 34
Main Bearings	2 298 286 196 & 249 282 27 176 & 232 182 — 239 182 — 239	1 53 52 40 & 48 52 6 38 & 46 38 & 46	Petrol Tank Vent Hose Pistons Piston Rings Propeller Shaft Flange Bolts Propeller Shaft Flange Yokes Propeller Shaft Journals Propeller Shaft Sleeve Yoke Propeller Shaft Tunnel Finisher	156 3 & 4 3 & 4 80 80 80 80 80 189 & 243	35 1 1 18 18 18 18 39 & 47
N Number Plate Illumination Lamp	294	53	Quarter Light Catch Quarter Light Glass Quarter Light Hinge Pillar Quarter Light Hinge Plate Quarter Light Sealing Rubber	253 251 — 252 252 252 252 252	48 48 48 48 48 & 50
Oil Cleaner Oil Cleaner Element Oil Filler Cap Oil Gallery Plugs Oil Pressure Gauge Element Oil Pressure Gauge Element Oil Pump Oil Pump Drive Gear Oil Sump Drive Gear Oil Sump Baffle Oil Sump Drain Plug Oil Sump Drain Plug Oil Sump Filter Basket Oil Sump Hose	10 10 19 1 283 283 8 8 2 4 4 4 4 4 4	3 3 5 1 52 52 2 2 1 1 1 1 1 1	Rack and Pinion Assembly Rack and Pinion Rubber Mounting Radiator Block Radiator Block Drain Tap Radiator Block Mounting Pads Radiator Duct Shield Radiator Header Tank Radiator Header Tank Bracket Radiator Header Tank Filler Cap Radiator Header Tank Overflow Pipe Radiator Header Tank Tie Bars Radiator Hoses Radiator Hose Connecting Pipe Radiator Hose Connecting Pipe Radiator Seals Radio Aperture Finisher Radio Aperture Finisher Radio Installation Rear Brake Caliper Bleed Screw and Ball Rear Brake Caliper Bridge Pipe Rear Brake Caliper Bridge Pipe Rear Brake Caliper Bliss Rear Brake Caliper Shims	141 142 148 148 148 149 148 148 148 148 150 150 150 19 188 & 244 188 & 244 188 & 244	30 30 32 32 32 32 32 32 32 32 32 32 32 32 32
Panel Assembly, Lower Rear	170 & 227 282 183 240 37 & 158 169 & 225 201 & 262 156 156 170 & 227 200 & 262 38 & 158 38 & 158 283 157 158	36 & 44 52 7 & 34 36 & 44 34 34 36 & 44 7 & 34 7 & 34 52 34	Rear Brake Disc Rear Brake Friction Pad Kit Rear Brake Friction Pad Kit Rear Brake Piston and Cylinder Assembly Rear Brake Wheel Cylinder Repair Kit Rear Bulkhead Mat Rear Bulkhead Panel Rear Bumper Bar Rear Bumper Overiders Rear Bumper Cylinder Block) Rear Cover (Cylinder Block) Rear End Rear Engine Mountings Rear Engine Mounting Bracket Rear Floor Cover Plate Rear Floor Cross Member Rear Hubs Rear Hub Bearings	112 110 109 110 192 166 176 & 232 176 & 232 176 & 232 176 & 232 166 & 223 6 6 166 & 222 200 & 262 166 & 222 96	23 23 36 38 & 46 38 & 46 38 & 46 1 1 1 36 & 44 49 36 & 44 21

Description	Page No.	Plate	Description .	Page No.	Piate
R.—Continued			S—Continued		
Rear Hub Bearing Spacers	97	21	Seat Cushion	189 & 245	39 & 47
Rear Hub Carrier	96	21	Seat Slides	190 & 245	39 & 47
Rear Hub Carrier Fulcrum Shafts	96	21	Shut Pillars	166 & 222	36 & 44
Rear Hub Carrier Fulcrum Shaft Bearings	96	21	Shut Pillar Closing Panel	166 & 223	36 & 44
Rear Hub Carrier Fulcrum Shaft Seals	96	21	Shut Pillar Reinforcement Panel	166 & 223	36 & 4 4
Rear Hub Carrier Grease Cap	96	21	Shut Pillar Trim	191 & 246	39 & 47
Rear Hub Oil Seals	97	21	Side/Flasher Lamps	290 — 291	53
Rear Hub Oil Seal Seating Rings	97	21	Sidelamp Bulb	290	53
Rear Number Plate	201 & 262	_	Sidelamp Warning Light (Italy only)	286	-
Rear Number Plate Illumination Lamp	294	53	Sill Closing Panel	166 & 223	36 & 44
Rear Number Plate Panel Chrome	[]		Sill Panel (Outer)	167 & 223	36 & 44
Beading	202	41	Sill Panel Reinforcement	166 & 223	36 & 44
Rear Number Plate Panel Plugs	201 & 262		Spare Wheel Clamp	201 & 262	41 & 49
Rear Shock Absorbers	98 & 99	21	Spare Wheel Cover	262	49
Rear Shock Absorber Mounting Shaft	99	~	Spare Wheel Cover Mat	263	49
Rear Suspension Anti-Roll Bar	99	21	Sparking Plugs	23	_
Rear Suspension Anti-Roll Bar Bushes	99	21	Sparking Plug Leads	23	
Rear Suspension Anti-Roll Bar Link	99	21	Sparking Plug Lead Conduit	23	
Rear Suspension Bump Stops	99	21	Sparking Plug Terminals	284 — 285	52
Rear Suspension Camber Shims	98	21	Speedometer	285	52 52
Rear Suspension Coil Springs	98 99	21 21	Speedometer Cable Right Angle Gearbox Speedometer Driven Gear	65 & 73	14 & 16
Rear Suspension Coil Spring Seats		21		68 & 76	15 & 17
Rear Suspension Cross Member	94	21		285	52
Rear Suspension Cross Member Bracing	ا ہے ا	21	Speedometer Flexible Cable Speedometer Trip Mileage Remote Con-	205	32
Plate	94	21		285	52
Rear Suspension Cross Member Rubber	94	21		5	1
Mountings	98	21	Stabilising Link Stabilising Link Bearing Brackets	6	i
Rear Suspension Half Shafts	98	21		5	i
Rear Suspension Half Shaft Journals	98	21	Stabilising Link Bush Stabilising Link Rubber Mounting	5	i
Rear Suspension Half Shaft Yokes	95	21	Stabilising Link Stepped Washers	š	i
Rear Suspension Inner Fulcrum Shafts	"	21	Starter Motor	277	51
Rear Suspension Inner Fulcrum Shaft	95	21	Starter Motor Terminal Boot	303	
Bearings Short	73	21	Starter Solenoid	277	51
Rear Suspension Inner Fulcrum Shaft	94	21	Starter Solenoid Bracket	277	51
Mountings Shoft	'7	21	Starter Solenoid Terminal Boots	303	-
Rear Suspension Inner Fulcrum Shaft	95	21	Starter Switch	282	52
Sealing Rings	100	21	Steering Column Lock and Ignition Switch	144	
Rear Suspension Radius Arms Rear Suspension Radius Arm Safety Straps	100	21	Steering Column Seal	183 — 239	38 & 4 6
Rear Suspension Wishbones	95	21	Steering Tie Rods	141	30
Rear Wheel Arch Panels	166 & 222	36 & 44	Steering Tie Rod Ball Joint Gaiters	142	30
Rear Wheel Arch Seals	202 — 203	41	Steering Tie Rod Ends	142	30
Rear Wheel Arch Valances	166	36	Steering Tie Rod Levers	91	20
Rear Wings	168 & 227	36 & 44	Steering Wheel	145	31
Reflex Reflector	291 — 293	53	Steering Wheel Shaft	144	31
Reverse Lamp	294	53	Steering Wheel Split Cone	145	31
Reverse Lamp Bulb	294	53	Stoneguard Frame	173 & 229	37 & 45
Reverse Lamp Housing	294		Stop Lamp Switch	296	53
Reverse Lamp Lens	294	5 3	Stop/Tail/Flasher Lamps	291 293	53
Reverse Lamp Switch (Gearbox)	294	53	Stop/Tail/Lamp Brackets	170 227	_
Rev. Counter	285	52	Stop/Tail Lamp Seating Panel	170 — 171	36
Rev. Counter Generator	19 & 286	5 & 52	Stop/Tail Lens	291 — 293	53
Rev. Counter Generator Adaptor	19	5	Sun Visors	240	
Rev. Counter Generator Driving Dog	19	5	Switches	281 — 296	52
Rev. Counter Generator 'O' Ring	19	5	Switch Indicator Strip	281	52
Rev. Counter Generator Oil Seal	18	.5	Switch Indicator Strip Finisher	281	52
Road Lights Switch	282	52] [
Road Lights Switch Lever	282	52			
Road Wheels	102 & 103	-		, [
Roof Gutter Finishers	258	49			
Roof Panel	225	44	_	[
Roof Reinforcement Rail	225	44	Т		
Rubber Grommets	302	_	Tacking Strips	209	
Rubber Plugs and Boots	303	-	Tail Panel	224	44
	1 1		Tappet Guide	16	44 5 43 5 7
	[]		Tension Rod (Centre of Screen)	211	43
			Thermostat	22	5
	1		Throttle Control Rods	36	
_			Throttle Control Rod Levers	35	7
S	} I		Throttle Return Springs (Carburetters)	35	7
Screen Rail Facia	185 & 241	39 & 47	Throttle Return Spring Anchor Brackets	1 _ 1	
Scuttle Casings	187 243	39 & 47	(Carburetters)	35	7
Scuttle Top Panel	172 & 229	37 & 45	Throttle Return Spring Levers	[_ [
Seal Retainers	208 & 268	_	(Carburetters)	35	7
Sealing Rubbers	204 & 267	42 & 50	Throttle Slave Shafts	45 50	9 & 10
	189 — 245	39 & 47	Throttle Slave Shaft Bush	45 & 49	9 & 10

Page No	Plate	Description	Page No.	Plate
age No.	1 late			
36 46 & 50 2 29 27 209 169 166 169 192 274 169 28 28 & 29	7 9 & 10 1 6 6 6 43 36 36 36 36 36 36 36 6 6	W—Continued Windscreen Washer Switch Windscreen Washer Tee Piece Windscreen Wiper Arms Windscreen Wiper Blades Windscreen Wiper Link Set Windscreen Wiper Motor Windscreen Wiper Switch Windscreen Wiper Switch	308 282 308 297 — 298 298 297 297 320 282	54 52 54 53 53 53 53 53 52
144 144 145 & 146 144	31 31 31 31			
17 17 17 16 16 17 17 283	5 5 5 5 5 5 5 5 5			
23 22 13 13 13 13 13 13 283 283 191 — 192 195 & 249 195 & 249 195 & 249 195 & 249 196 & 249 196 & 249 194 — 248 194 — 248 194 & 248 194 & 248 197 184 & 240 184 & 240	5 5 4 4 4 4 52 52 52 39 40 & 48 40 & 40 40 & 4			
	146 & 50 2 29 27 209 169 169 169 169 169 169 274 169 28 28 & 29 144 144 145 & 146 17 17 17 17 17 17 17 17 17 17	36	W Continued Windscreen Washer Jet Assembly Windscreen Washer Switch Windscreen Washer Switch Windscreen Washer Tee Piece Windscreen Wiper Arms Windscreen Wiper Blades Windscreen Wiper Blades Windscreen Wiper Blades Windscreen Wiper Blades Windscreen Wiper Wiper Windscreen Wiper Wiper Windscreen Wiper Wiper Windscreen Wiper Blades Windscreen Wiper Blades	W-Continued Section Section

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17212/1	CYLINDER BLOCK ASSEMBLY	1- 1	1	Fitted from Engine No.
C.15867 C.317	Plug (Screwed) for Oil Filter Flange Core Plug (Welch Washer) at right-hand side of		1 1	R.1001 to R.7194.
C.315	Cylinder Block Core Plug (Welch Washer) at each side and at rear	1- 2	7	
C.5022	of Cylinder Block Plug (1" Briggs) on right-hand side of Cylinder Block, sealing aperture for heater element		1	
C.2352	Plug (1" A.N.F.) at right-hand side of Cylinder Block, sealing oil gallery apertures		6	
C.2296/3 C.13479	Washer (Copper) on Plugs Dowel, between Bearing Caps and Cylinder Block		6 14	
C.8614/1 C.16862	Front Timing Cover Expansion Plug for Oil Filter Flange	1- 3	1	
UFS.131/3R	Screw, Set, for Water Jet hole	1-4	4	
FW.105/E C.17522	Copper Washer, on Setscrews Dipstick Adaptor Tube	1- 5	1	
C.19291	CYLINDER BLOCK ASSEMBLY		1	Fitted to Engine No.
C.13479	Dowel (small) between Bearing Caps and		7	R.7195 and subs.
C.19340	Cylinder Block Dowel (large) between Bearing Caps and Cylinder Block		7	
	All other items are as for Cylinder Block C.17212/1.			
C.2305 C.2157 C.2296/2 C.11530	Plug (3" A.N.F.) in front end of oil gallery Headed Plug (3" A.N.F.) in rear end of oil gallery Washer (Copper) on Plug Screwed Plug at rear of Cylinder Block	1- 6	1 1 1	
C.11531 C.13479	Washer (Copper) for Screwed Plug Dowel for location of Timing Cover on front of Cylinder Block	1- 7	1 2	
C.13478	Dowel for location of Clutch Housing on rear face of Cylinder Block	1- 8	2	
C.2269 C.2270	Stud (Plain) for fixing of Cylinder Head to Block Stud (Dowel) for fixing of Cylinder Head to Block	1- 9 1-10	13 1	
C.16317/S	Cover Assembly on rear face of Cylinder Block	1-11	1)
C.2373 UFS.131/7R	Ring Dowel, between Rear Cover and Cylinder Block Screw, Set, Centre, securing Rear Cover to Cylinder Block	1–12 1–13	2 1	Fitted from Engine No. R.1001 to R.2563.
UFB.131/9R FG.105/X	Bolt, Outer, securing Rear Cover to Cylinder Block Spring Washer, on Bolts and Setscrew	1–14	2	K.1001 to K.2363.
C.19648 C.19654	Cover Assembly, on rear face of Cylinder Block		1 2	
C.19686	Oil Seal (asbestos) inside Cover Assembly Cap Screw (centre) securing Rear Cover to Cylinder Block		1	Fitted to Engine No.
C.19625	Cap Screw (outer) securing Rear Cover to Cylinder Block		2	R.2564 and subs.
C.2373 C.2394	Ring Dowel, between Rear Cover and Cylinder Block Ring Dowel, between Sealing Ring and Rear Cover		2 2)
C.2470	Cap Screw, securing Sealing Ring to Rear Cover		2	
C.5846 C.4146	Union, connecting oil feed pipe to Cylinder Block Washer (Copper) at each side of Union	1–15 1–16	1 2	
C.2430 UFS.125/4R	Sealing Ring, in Distributor aperture on Cylinder Block	1–17	1	•
C.724	Screw, Set, securing Distributor in Cylinder Block Washer, Shakeproof, on Setscrew		1	
FW.104/T UFS.119/2R	Washer, Plain, on Setscrew Plug, in aperture for Distributor drive lubrication		1	
AW.102/E	Washer (Copper) on Plug		1 14	
C.2262 C.21171	Bolt , securing Bearing Caps Washer, locking bolts on centre, intermediate and front		11	
C.21172	Bearing Caps Washer, locking bolts on rear Bearing Cap		2	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.13457	FILTER GAUZE, IN CYLINDER BLOCK, BEHIND HYDRAULIC CHAIN TENSIONER	1-18	1	
C.2354	WATER DRAIN TAP FOR LEFT-HAND SIDE OF CYLINDER BLOCK	1–19	1	
C.2296/3 C.316	Washer (Copper) on Drain Tap Washer (Fibre) on Drain Tap	1–20 1–21	1 2	
C.14917	DYNAMO MOUNTING BRACKET	1-22	. 1	Fitted from Engine No. R.1001 to R.1509.
C.18228	DYNAMO MOUNTING BRACKET		1	Fitted to Engine No. R.1510 and subs.
UFS.137/6R FG.106/X	Screw, Set, securing Mounting Bracket to Cylinder Block Washer, Spring, on Setscrews		3 3	N.1310 and subs.
UFB.131/8R C.8737/2	Bolt, securing Dynamo to Mounting Bracket Nut, on Bolts		2 2	
C.4808/1	CRANKSHAFT	1-23	1	Fitted from Engine No. R.1001 to R.2563.
C.4283	Screwed Plug, in Crankshaft Journals	1–24	6	
C.18350/1	CRANKSHAFT		1	Fitted to Engine No. R.2564 and subs.
C.4283	Screwed Plug, in Crankshaft Journals		6	
C.2226	Bush, in rear end of Crankshaft, for Gearbox Primary Shaft	1–25	1	
C.2316 C.2316/1	Thrust Washer, for Centre Bearing Cap (.091"/.093") Thrust Washer, for Centre Bearing Cap (.095"/.097")	1-26 1-26	2 2	Oversize Thrust Washers to be used for service replacements if required.
C.16293	Main Bearing, on front, centre and rear journals of Crankshaft (standard size)	1–27	6 halves	
C.16294	Main Bearing, on intermediate Journals of Crankshaft (standard size)	1–28	8 halves	
	MAIN BEARINGS are obtainable in the following undersizes:—010"020"030"040"			
	When ordering, please quote Part No. and undersize required (e.g. C.16293/20 for .020" undersize)			
C.15274	CRANKSHAFT DAMPER ASSEMBLY	1–29	1	
C.2466	Cone, for centre of Hub	1–30	1	
C.2173 C.2283 C.2170 C.2314 C.757	Distance Piece, on Crankshaft, behind Damper Oil Thrower, behind Distance Piece Gear, for Timing Chain Gear, for Oil Pump Drive Key, locking Cone to Damper Hub and Crankshaft, and Gears for Timing Chain and Oil Pump to Crankshaft	1-31 1-32 1-33 1-34 1-35	1 1 1 1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.14589	PULLEY, ON CRANKSHAFT, FOR FAN BELT	1–36	1	Fitted from Engine No. R.1001 to R.1458.
C.18703	PULLEY, ON CRANKSHAFT, FOR FAN BELT	1–36	1	Fitted from Engine No. R.1459 to R.5249.
C.19517	PULLEY, ON CRANKSHAFT, FOR FAN BELT	1-36	1	Fitted to Engine No. R.5250 and subs.
UFB.131/12V C.725	Bolt, securing Pulley to Damper Hub Washer, Shakeproof, on Bolts	1-37 1-38	4 2	
C.5896 C.2468 C.2467	Bolt, securing Damper to Crankshaft Washer, behind Bolt Tab Washer, locking Bolt	1-39 1-40 1-41	1 1 1	
C.7917	CONNECTING ROD (LESS BEARINGS)	1-42	6	Fitted from Engine No. R.1001 to R.7103.
C.7917/2	CONNECTING ROD (LESS BEARINGS)		6	Fitted to Engine No. R.7104 and subs.
C.17164 C.3944 C.2361 L.103.5/8U	Bearing, Small End Bolt, securing Caps to Connecting Rod Nut, on Bolts Split Pin, locking Nuts		6 12 12 12	
C.16295 C.18712	Bearing, Big End (standard size) Bearing, Big End (standard size)			S SUPERSEDED BY C.18712. S SUPERSEDES C.16295
	BIG END BEARINGS are obtainable in the following undersizes:—010"020"030"040"			AT ENGINE No. R.3162.
	When ordering please quote Part No. and under- size required (e.g. C.16295/20 for .020" undersize)			
C.14921	FLYWHEEL (LIGHTENED)	1–44	1	STANDARD FITMENT.
C.20310	FLYWHEEL (LIGHTENED)		1	FOR COMPETITION CARS ONLY.
C.2313 C.1782	Dowel, in centre of Flywheel Dowel, on outer face of Flywheel	1-45 1-46	2 2	
C. 48 55 C. 48 10	Screw, Set, securing Flywheel to Crankshaft Plate, locking Setscrews	1 -4 7 1 -4 8	10 1	
C.14806/1	PISTON, COMPLETE	1-49	6	FOR 8:1 COMPRESSION RATIO ENGINES from R.1001 to R.7103.
C.13794/1	PISTON, COMPLETE		6	FOR 9:1 COMPRESSION RATIO ENGINES from R.1001 to R.7103.
C.13796 C.13797 C.13798 C.13827 C.3964	Pressure Ring, Upper (Chromium plated) Pressure Ring, Lower Scraper Ring (Maxigroove) Gudgeon Pin, retaining Piston to Connecting Rods Circlip, securing Gudgeon Pins in Pistons	1-50 1-51 1-52 1-53 1-54	6 6 6 12	
C.14806/2	PISTON, COMPLETE		6	FOR 8:1 COMPRESSION RATIO ENGINES R.7104 and subs.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.13794/2	PISTON, COMPLETE		6	FOR 9:1 COMPRESSION RATIO ENGINES R.7104 and subs.
C.20846 C.13797 C.20847 C.13827 C.3964	Pressure Ring, Upper (Chromium plated) Pressure Ring, Lower Scraper Ring (Maxiflex) Gudgeon Pin, retaining Piston to Connecting Rods Circlip, securing Gudgeon Pins in Pistons		6 6 6 12	
	PISTONS AND RINGS are obtainable in the following oversizes:— +.010" +.020" +.030"			
	When ordering, please state Part No. and over- size required (e.g. C.14806/1/20 for .020" oversize)			
C.16750	ALUMINIUM OIL SUMP	1–55	1	
C.16319 C.8593 C.16315 C.2364 C.2296/1 C.14170 UFS.131/6R C.725	Gasket, between Oil Sump and Cylinder Block Seal, at front end of Oil Sump Seal (Cork Rubber) at rear of Oil Sump Drain Plug, for Oil Sump Washer (Copper) on Oil Sump Drain Plug Screw, Set, securing Oil Sump to Cylinder Block Screw, Set, securing Oil Sump to Cylinder Block Washer, Shakeproof, on Setscrews	1-56 1-57 1-58	2 halves 1 1 1 1 1 25 26	
C.16741	BAFFLE ASSEMBLY, INSIDE OIL SUMP	1-59	1	
C.16751 UFN.131/L FG.105/X	Stud, for fixing of Baffle to Sump Nut, securing Baffle Washer, Spring, under Nuts	1–60	6 6 6	
C.16752	FILTER BASKET ASSEMBLY, INSIDE OIL SUMP	1–61	1	
UFN.125/L C.72 4	Nut, securing Filter Basket to Baffle Washer, Shakeproof, under Nuts		6	
C.16753	ADAPTOR ASSEMBLY, AT R.H. SIDE OF SUMP, FOR CONNECTION OF HOSE FROM OIL CLEANER	1–62	1	
C.16756 C.16757 UFN.125/L FG.104/X	Gasket, under Adaptor Stud, for fixing of Adaptor to Oil Sump Nut, securing Adaptor Washer, Spring, under Nuts	1–63 1–64	1 3 3 3	
C.15949	HOSE, FROM OIL SUMP TO OIL CLEANER	1–65	1	
C.2905/2	Clip, securing Hose	1-66	2	
C.15841	DIPSTICK ASSEMBLY FOR OIL SUMP	167	1	SUPERSEDED BY C.21251.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16758	IGNITION TIMING POINTER ON OIL SUMP	1–68	1	
UCS.125/4R C.724 FW.104/T	Screw, Set, securing Timing Pointer to front of Oil Sump Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers		2 2 2	
C.15849	BRACKET ASSEMBLY FOR LEFT-HAND FRONT ENGINE MOUNTING	1–69	1	
C.15850	BRACKET ASSEMBLY FOR RIGHT- HAND FRONT ENGINE MOUNTING	1–70	1	
UFS.143/6R	Screw, Set, securing Engine Mounting Brackets to		6	
C.727	Cylinder Block Washer, Shakeproof, on Setscrews		6	
C.18556	FRONT ENGINE MOUNTING (RUBBER)	1-71	2	
UFS.150/7R FW.108T FG.108/X C.18242 UFS.131/6R	Screw, Set, securing Engine to Rubber Mounting Washer, Plain, on Setscrews Washer, Spring, on Setscrews Packing Plate, under Rubber Mountings Screw, Set, securing Rubber Mountings to Flange Sup-	1-72	2 2 2 As req'd 4	
C.8667/2	port Brackets Nut, Self-Locking, on Setscrews		4	
C.12890	STABILISING LINK AT REAR OF CYLINDER BLOCK	1-73	1	
C.10940 UFB.143/14R C.8737/4	Bush, in Stabilising Link Bolt, securing Stabilising Link to Bearing Brackets Nut, Self-Locking, on Bolt	1–74	1 1 1	
C.11607	Stepped Washer, on Stabilising Link, at top of Rubber Mounting	1–75	1	
C.11688 C.8667/3	Stepped Washer, on Stabilising Link, at bottom of Rubber Mounting Nut, Self-Locking, securing Stabilising Link to Rubber	1–76	1	
	Mounting			
C.18 44 1	RUBBER MOUNTING FOR STABILISING LINK AT TOP	1-77	1	SUPERSEDED BY
UFS.131/6R C.19267 C.725 FW.105/T	Screw, Set, securing Rubber Mounting to Dash Tapped Plate, for fixing of Rubber Mounting Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers		2 1 2 2	C.20217 AND C.20201 IN SETS.
C.20217	RUBBER MOUNTING FOR STABILISING LINK AT TOP		1	SUPERSEDES
UFS.131/6R C.20201 C.725 FW.105T	Screw, Set, securing Rubber Mounting to Dash Tapped Plate, for fixing of Rubber Mounting Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers	4	2 1 2 2	C.18441 AND C.19267 IN SETS.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.14922	BEARING BRACKET, L.H., ON CLUTCH HOUSING, FOR MOUNTING OF STABILISING LINK AT BOTTOM	1–78	1	
C.14923	BEARING BRACKET, R.H., ON CLUTCH HOUSING, FOR MOUNTING OF STABILISING LINK AT BOTTOM	1-79	1	
UCS.131/6R C.725	Screw, Set, securing Bearing Brackets to Clutch Housing Washer, Shakeproof, on Setscrew		4	
C.17769	SUPPORT BRACKET ASSEMBLY FOR REAR ENGINE MOUNTING (UNDER GEARBOX)	1–80		Fitted from Chassis No. 850001 to 850168. 875001 to 875590. 860001 to 860009. 885001 to 885050. USE C.19430 FOR ALL REPLACEMENTS.
C.19430	SUPPORT BRACKET ASSEMBLY FOR REAR ENGINE MOUNTING (UNDER GEARBOX)		1	Fitted from Chassis No. 850169 to 850648. 875591 to 878888. 860010 to 861061. 885051 to 888081.
UFS.131/5R FG.105/X	Screw, Set, securing Support Bracket to Body Floor Washer, Spring, on Setscrews		5 5)
C.12677	RUBBER MOUNTING UNDER GEARBOX	1–81	2	Fitted from Chassis No. 850001 to 850648. 875001 to 878888.
C.8737/3 FW.106/T	Nut, Self-Locking, securing Rubber Mountings to Gear- box and Support Bracket Washer, Plain, under Nuts		4	860001 to 861061. 885001 to 888081.
C.21333	SUPPORT BRACKET ASSEMBLY FOR REAR ENGINE MOUNTING (UNDER GEARBOX)		1	Fitted to Chassis No. 850649 and subs. 878889 and subs.
C.12335 C.12265	Spring Seat (Rubber) inside Bracket Centre Bush (Rubber)		1 1 .	861062 and subs. 888082 and subs. (See note below)
C.12299	COIL SPRING FOR REAR ENGINE MOUNTING		1	Fitted to Chassis No. 850649 and subs.
C.19119 C.21336	Retainer, at top of Coil Spring Pin Assembly, securing Retainer to Gearbox and locating Support Bracket		1	878889 and subs. 861062 and subs. 888082 and subs. (See note below)
8668	GASKETS PACKAGE FOR COMPLETE ENGINE OVERHAUL (SD.1111)		1	

NOTE: The following cars were fitted with Support Bracket C.19430 and Rubber Mountings C.12677:

Open R.H. Drive 850653, 850654.

Open L.H. Drive 878895, 878900, 878907, 878908, 878913, 878914, 878915, 878926, 878936, 878937, 878939, 878958, 878986, 879005, 879024, 879024, 879049.

Fixed Head R.H. Drive 861087.

Fixed Head L.H. Drive 888086, 888096, 888101, 888103, 888109, 888113, 888117, 888118, 888120, 888134, 888157, 888178, 888238.




PLATE 1

OIL PUMP

Part No.	Description	Plate No.	No. per Unit	Remarks		
C.17655	OIL PUMP COMPLETE (HE.4707)		1			
C.17656 C.17665	Body only (HE.4708) Rotor Assembly (HE.4723) (comprising Inner Rotor, Outer Rotor, Driving Shaft and Locking Pin)	2- 1 2- 2	1 1	SUPPLIED ONLY ASSEMBLY.	AS A	COMPLETE
C.17657	Cover, at bottom of Pump (HE.4/09)	2- 3	1	AGGETTELL		
UCS.131/6R UCS.131/14R	Screw, Set, securing Cover Screw, Set, securing Cover	2- 4 2- 5	2 2			
FG.105/X	Washer, Spring, on Setscrews	2- 6	4			
C.8649	'O' Ring, in Oil Pump Body and Cover	2- 7	2			
C.8646	Drive Shaft, between Distributor and Coupling Shaft	2-8	1			
C.8647 C.2393	Bush, on Drive Shaft Washer, on Drive Shaft (at bottom of Bush)	2- 9 2-10	1			
C.2152	Helical Gear, driving Oil Pump and Distributor	2-11	i			
C.753	Key, locking Helical Gear on Drive Shaft	2-12	1			
UFN.256/L	Nut, at bottom of Drive Shaft	2–13	1			
C.2151 C.8648	Special Washer, locking Nut Shaft, coupling Driving Gear in Pump and Drive Shaft for Distributor	2–14 2–15	1			
C.9294 C.7263	Dowel Bolt, securing Oil Pump to Bearing Cap Tab Washer, on Bolts	2-16 2-17	3			
C.2220 UFB.131/6R C.7263	OIL DELIVERY PIPE FROM PUMP TO CYLINDER BLOCK Gasket, between Flange of Delivery Pipe and Cylinder Block Bolt, securing Delivery Pipe to Cylinder Block Tab Washer, locking Bolts	2–18 2–19	1 2 2			
C., 203	Tab Washer, totaling botto		·			
C.16760	OIL SUCTION PIPE FROM OIL SUMP TO PUMP	2–20	1			
C.6824	Clip, securing Suction Pipe to Struts	2-21	2			
C.8665	Strut, on Pump, supporting Suction Pipe	2-22 2-23	1 1			
C.16761	Strut, on Bearing Cap, supporting Suction Pipe					
C.16761 UFS.125/5R FW.104/T	Screw, Set, securing Clips to Struts Washer, Plain, on Setscrews		2 2			
C.16761 UFS.125/5R FW.104/T C.3968/1	Screw, Set, securing Clips to Struts Washer, Plain, on Setscrews Nut, Self-Locking, on Setscrews	2.24	2			
C.16761 UFS.125/5R FW.104/T	Screw, Set, securing Clips to Struts Washer, Plain, on Setscrews	2–24 2–25	2			




PLATE 2

OIL CLEANER

Part No.	Description	Plate No.	No. per Unit	Remarks
C.15839	OIL CLEANER COMPLETE (FA.2746)	3- 1	1	
7984	Canister Assembly (125429)	3- 2	1	
6159	Spring, at bottom of Canister (160441)	3- 3	1	
6160	Washer, Plain, at top of Spring (174660)	3- 4	1	
6161	Washer, Felt, under Pressure Plate (141251)	3- 5	1	
6886	Pressure Plate (134477)	3- 6	1	
8705	Bolt, through Canister (46387)	3- 7	1	
6158	Washer (Rubber) under Head of Bolt (137574)	3- 8	1	
6163	Spring Clip, on Bolt (174966)	3- 9	1	
1526	Element (FG.2306)	3-10	1	
6883	Sealing Ring, between Filter Head and Canister (137493)	3–11	1	
8750	Filter Head (41077/101)	3-12	1	
8104	Balance Valve Assembly, in Filter Head (50011)	3-13	i	
8103	Washer, under Head of Valve (27612)	3-14	i	
2714	Relief Valve (118261)	3–15	i	
8105	Spring, for Relief Valve (160698)	3-16	i	
8106	Spider and Pin Assembly, under Spring (44128)	3–17	i	
8108	Adaptor, retaining Relief Valve and for connection of Hose to Oil Sump (104702)	3–18	1	
8107	Washer, under Adaptor (140150)	3-19	1	
8751	Drain Plug, at bottom of Filter Head (21665-281)	3-20	1	
8752	Washer, on Drain Plug (140085)	3-21	1	
C.15962	Gasket, between Cylinder Block and Oil Cleaner	3-22	1	
UFB.131/21R	Bolt, securing Oil Cleaner to Cylinder Block		4	
FW.105/E	Washer (Copper) on Bolts		4	
FW.105/T	Washer (Steel) on Bolts		4	
·	. ,			
C.15949	HOSE, BETWEEN OIL CLEANER AND SUMP	3–23	1	
C.2905/2	Clip, securing Hose	3-24	2	




PLATE 3

WATER PUMP

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.15694	WATER PUMP, COMPLETE		1		To a
C.14944	Body only	4- 1 4- 2	1		
C.8167 C.8011	Spindle, complete with Bearing Screw (Allen Head) retaining Bearing in Pump Body	4-3	1		
UFN.225/L	Nut, locking Screw	4- 4	i		
C.8256	Thrower, on long end of Spindle, adjacent to Bearing	4- 5	1		
C.6773	Seal, on long end of Spindle, adjacent to Thrower	4-6	1		
C.7675 C.17654	Impeller Carrier, for Pulley, on short end of Spindle	4- 7 4- 8	1		
C.2303	Gasket, between Water Pump and Cylinder Block	4- 9	1		
C.17421	Adaptor, on Water Pump, for Heater Hose connection		1		
C.799 C.2296/1	Plug, sealing redundant aperture in Pump Body Washer (Copper) on Adaptor and Plug	4–11 4–12	1 2		
C.14588	PULLEY FOR WATER PUMP	4-13	1	Fitted from Engine No. R.1001 to R.5249.	
C.20176	PULLEY FOR WATER PUMP		1	Fitted to Engine No. R.5250 to R.9999.	
UFS.131/5R	Screw, Set, securing Pulley to Carrier	4_14	4	RA.1001 and subs.	
FG.105/X	Washer, Spring, on Setscrews	4–15	4		
C.15840	BELT, DRIVING PULLEY	4 –16	1	Fitted from Engine No. R.1001 to R.5249.	
C.1952 4	BELT, DRIVING PULLEY		1	Fitted to Engine No. R.5250 to R.9999. RA.1001 and subs.	
C.7548	BY-PASS WATER HOSE	4–17	1		
C.2905/12	Clip, securing By-pass Hose	4–18	2		
	THE ITEMS LISTED BELOW ARE THE HEATER CONNECTIONS FROM THE WATER PUMP AND INLET MANIFOLD.				
C.14999/1	HOSE, BETWEEN ADAPTOR ON WATER PUMP AND FRONT RETURN PIPE	4 –19	1		
C.2905/2	Clip, securing Hose	4-20	2		

WATER PUMP

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.16871	FRONT RETURN PIPE ALONG SIDE OF CYLINDER BLOCK	4-21	. 1		
C.16964 C.16963 UFS.119/8R UFN.119/L C.723/A	Clip, front, securing Front Return Pipe to Cylinder Block Clip, rear, securing Front Return Pipe to Cylinder Block Screw, Set, securing clips to Front Return Pipe Nut, on Setscrews Washer, Shakeproof, under Nuts	4-22 4-23	1 1 2 2 2 2		-
C.4399	HOSE, BETWEEN FRONT AND REAR RETURN PIPES	4-24	1		
C.2905/2	Clip, securing Hose to Return Pipes	4-25	2		
C.17421	ADAPTOR, IN INLET MANIFOLD, FOR	4-26	1		
C.2296/1	WATER FEED TO HEATER UNIT Washer (Copper) on Adaptor	4–27	1		
C.18987	HOSE, BETWEEN ADAPTOR AND R.H. FEED PIPE BEHIND DASH PANEL	4-28	1		
C.2905/2	Clip, securing Hose to Adaptor and R.H. Feed Pipe	4–29	2		




PLATE 4

Part No.	Description	Plate No.	No. per Unit	Remarks
8377	CYLINDER HEAD ASSEMBLY, COMPLETE (SD.1105)		1.	
	(Comprising Cylinder Head, Valves, Valve Inserts, Guides, Springs, Tappets, Tappet Guides, Adjust- ing Pads, Camshafts, Camshaft Covers, Filler Cap, Rev. Counter Generator, Breather Cover, etc.)			
C.14957	CYLINDER HEAD	5- 1	1	
C.2326	Stud, in Cylinder Head, for fixing of Camshaft Bearing Caps and Covers	5- 2	16	
C.2373	Ring Dowel, on Studs	5- 3	16	
C.2323	'D' Washer, on Studs	5- 4	16	
UFN.131/L FG.105/X	Nut, securing Bearing Caps Washer, Spring, under Nuts		16 16	
C.2157	Core Plug (headed) on top of Cylinder Head	5 5	3	
C.2296/2	Washer (Copper) under Headed Core Plug	5- 6	3	
C.15509	Guide, for Inlet Valve	5⊶ 7	6	
C.15506 C.12507	Guide, for Exhaust Valve Insert, for Inlet Valve	5- 8	6 6	
C.9865	Insert, for Exhaust Valve	J- 0	6	
C.7262	Guide, for Tappets	5- 9	12	
C.11530 C.11531	Core Plug, on Inlet Face of Cylinder Head Washer (Copper) on Core Plugs		2	
C.13795 C.19113	Gasket, between Cylinder Head and Cylinder Block Gasket, between Cylinder Head and Cylinder Block	5–10	1 1	SUPERSEDED BY C.19113.
C.2189	Stud (Short) for fixing of Cylinder Head to Timing Cover and Cylinder Block	5–11	4	
UFN.131/L FG.105/X	Nut, on Studs Washer, Spring, under Nuts at Cylinder Head		4 2	
FW.105/E	Washer (Copper) under Nuts at Timing Cover		2	
C.2325	Stud, in Cylinder Head, for fixing of Exhaust Manifolds	5–12	15	
C.7624	Stud, in Cylinder Head, for fixing of Exhaust Manifolds	5-13	1	
UFN.131/Q FG.105/X	and Dipstick Retaining Clip Nut (Bronze) for Exhaust Manifold Studs Washer, Spring, under Nuts		16 16	
C.11761	Stud, in Cylinder Head, for fixing of Inlet Manifolds	5-14	18	
C.4202/2	Nut, on Inlet Manifold Studs	5-17	18	•
FG.105/X	Washer, Spring, under Nuts		18	
C.6727/1	Stud, in front end of Cylinder Head, for fixing of Cam-	5–15	6	
C.6727	shaft Covers Stud, in front face of Cylinder Head, for fixing of Breather Housing	5–16	4	
C.317	Core Plug for Exhaust face of Cylinder Head		2	
C 2220	Dome Nut, securing Cylinder Head to Cylinder Block		14	
C.2328 C.2385	'D' Washer, under Dome Nuts		10	
FW.207/T	Washer, Plain, under Dome Nuts		4	
8667	GASKETS PACKAGE FOR DECARBONISING ENGINE (SD.1110)		1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.12444	INLET VALVE	5–17	6	
C.7708	EXHAUST VALVE	5–18	6	
C.7137	VALVE SPRING, INNER	5–1 9	12	
C.7136	VALVE SPRING, OUTER	5–20	12	
C.2181 C.2159 C.430	Seat, for Valve Springs Collar, at top of Valve Seats Cotter, retaining Collar to Valve Seats	5-21 5-22 5-23	12 12 24	
C.7213/1	TAPPET	5-24	12	
	VALVE ADJUSTING PADS			
C.2243/A C.2243/B C.2243/C C.2243/E C.2243/F C.2243/F C.2243/H C.2243/I C.2243/I C.2243/I C.2243/L C.2243/N C.2243/N C.2243/P C.2243/P C.2243/S C.2243/S C.2243/V C.2243/V C.2243/V C.2243/V C.2243/Y C.2243/Y C.2243/Y C.2243/Y C.2243/Y C.2243/Y C.2243/Y C.2243/Y	Adjusting Pad (.085" thick) Adjusting Pad (.086" thick) Adjusting Pad (.088" thick) Adjusting Pad (.088" thick) Adjusting Pad (.089" thick) Adjusting Pad (.090" thick) Adjusting Pad (.090" thick) Adjusting Pad (.091" thick) Adjusting Pad (.092" thick) Adjusting Pad (.092" thick) Adjusting Pad (.094" thick) Adjusting Pad (.095" thick) Adjusting Pad (.096" thick) Adjusting Pad (.096" thick) Adjusting Pad (.099" thick) Adjusting Pad (.099" thick) Adjusting Pad (.100" thick) Adjusting Pad (.101" thick) Adjusting Pad (.102" thick) Adjusting Pad (.102" thick) Adjusting Pad (.105" thick) Adjusting Pad (.108" thick) Adjusting Pad (.109" thick) Adjusting Pad (.109" thick)	5-25 5-25	12 12 12 12 12 12 12 12 12 12 12 12 12 1	SELECTIVE SIZES. Choose the Pad of the desired thickness.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.14985	INLET CAMSHAFT	5–26	1	Fitted from Engine No. R.1001 to R.1216 R.5001 and subs.
C.17138	INLET CAMSHAFT		1	Fitted from Engine No. R.1217 to R.5000.
C.13081	EXHAUST CAMSHAFT	5–27	1	
C.2288	Bearing, for Camshafts	5–28	16 halve	\$
C.2324	OIL THROWER, AT REAR END OF EXHAUST CAMSHAFT	5–29	1	
UFS.137/4R FW.106/E	Screw, Set, securing Oil Thrower to Exhaust Camshaft Washer (Copper) on Setscrew	5–30 5–31	1	
C.2312 C.2312/1 C.19044	Sealing Ring, at rear end, between Exhaust Camshaft Cover and Cylinder Head Sealing Ring (Oversize) at rear end, between Exhaust Camshaft Cover and Cylinder Head Sealing Ring, at rear end, between Exhaust Camshaft Cover and Cylinder Head	5–32 5–32	1 1 1	Fitted from Engine No. R.1001 to R.2599. Fit C.2312/1 only if necessary to prevent oil leak. Fitted to Engine No. R.2600 and subs.
C.2154/1	FLANGED SEALING PLUG AT LEFT- HAND REAR OF CYLINDER HEAD	5–33	1	Fitted from Engine No. R.1001 to R.2599.
C.19043	FLANGED SEALING PLUG AT LEFT- HAND REAR OF CYLINDER HEAD		1	Fitted to Engine No. R.2600 and subs.
C.7134/2 FW.105/E	Screw, Set, securing Flanged Plug to Cylinder Head Washer (Copper) on Setscrews		2 2	
C.14991	SEAL, BETWEEN REAR BEARING CAP AND R.H. (INLET) CAMSHAFT, FOR ELECTRIC REV. COUNTER GENER- ATOR	5–34	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16771	ADAPTOR, AT END OF R.H. (INLET) CAMSHAFT, FOR ELECTRIC REV. COUNTER GENERATOR	5-35	1	
C.16772	DRIVING DOG, COUPLING ADAPTOR TO ELECTRIC REV. COUNTER GENERATOR	5–36	1	
C.16773	Circlip, securing Driving Dog to Adaptor	5 -37	1	
C.14996	GENERATOR, ON INLET CAMSHAFT, FOR ELECTRIC REV. COUNTER	5–38	1	
9993 9994 AS.306/2.5H AG.106/X	Connector Moulding Assembly (41-161-105-00) Gasket, under Moulding (31-754-707) Screw, Set, securing Moulding (30-232-089-11) Washer, Spring, on Setscrews (30-282-010-11)		1 1 2 2	
C.14990 C.14992 C.15918 C.15919	'O' Ring on Generator Screw (Allen Head) securing Generator to Cylinder Head Plate Washer, on Screws, adjacent to Cylinder Head Lock Washer, between head of Screws and Plate Washer	5-39 5-40 5-41 5-42	1 3 1 3	
C.14987/1	COVER FOR R.H. (INLET) CAMSHAFT	5-43	1	
C.7186/1	COVER FOR L.H. (EXHAUST) CAMSHAFT	5-44	1	Fitted from Engine No. R.1001 to R.2599.
C.19042	COVER FOR L.H. (EXHAUST) CAMSHAFT		1	Fitted to Engine No. R.2600 and subs.
C.6735	Gasket, between L.H. Camshaft Cover and Cylinder	5-45	1	
C.14988	Head Gasket, between R.H. Camshaft Cover and Cylinder Head	5-46	1	
C.2327 FW.104/E	Dome Nut, securing Camshaft Covers to Cylinder Head Washer (Copper) under Dome Nuts	5–47 5–48	22 22	
C.1022	OIL FILLER CAP ON LEFT-HAND CAMSHAFT COVER	5-49	1	
C.419	Washer (Fibre) on Filler Cap	5-50	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.5849	OIL PIPE FROM CYLINDER BLOCK TO REAR OF CYLINDER HEAD	5–51	1	
C.5846	Banjo Bolt, securing Oil Pipe to Cylinder Head and	5-52	3	
C.4146	Block Washer (Copper) at each side of Banjos	5-53	6	
C.8048	FRONT COVER AND BREATHER HOUSING	5–54	1	Fitted from Chassis No.
C.2391 C.2390 C.2227 C.2327 FG.104/X	Pipe, in Cover Baffle, behind Cover Gasket, at front and rear of Baffle Dome Nut, securing Cover to Cylinder Head Washer, Spring, under Dome Nuts	5-55 5-56 5-57 5-58 5-59	1 1 2 4 4	850001 to 850091. 875001 to 875385. 860001 to 860004. 885001 to 885020.
C.2 4 85/1	FLEXIBLE PIPE FOR BREATHER ON FRONT COVER (27" LONG)	5–60	1	1
C.2905/3 C.1040/21 UFS.125/4R UFN.125/L C.724	Clip, securing Flexible Pipe to Front Cover Clip, securing Flexible Pipe to L.H. Undershield Screw, Set, securing Clip to L.H. Undershield Nut, on Setscrew Washer, Shakeproof, under Nut	5–61 5–62	1 1 1 1	Fitted from Chassis No. 850001 to 850091. 875001 to 875385. 860001 to 860004. 885001 to 885020.
C.18584	FRONT COVER AND BREATHER HOUSING ASSEMBLY		1	
C.18604/1 C.2227 C.2327 FG.104/X	Gauze Filter Assembly, behind Front Cover Gasket, at front and rear of Filter Dome Nut, securing Cover to Cylinder Head Washer, Spring, under Dome Nuts		1 2 4 4	Fitted to Chassis No.
				850092 and subs. 875386 and subs. 860005 and subs. 885021 and subs.
C.18591	ELBOW HOSE, BETWEEN TOP OF BREATHER HOUSING AND BREATHER PIPE		1	
C.15886/8	Clip, securing Elbow Hose		2	J

Part No.	Description	Plate No.	No. per Unit	Remarks
C.19002	BREATHER PIPE FROM ELBOW HOSE TO ADAPTOR ON AIR BOX BASE		1 .	
C.19007 UFS.119/4R UFN.119/L C.723/A	Clip, on Inlet Manifold Stud, securing Pipe Screw, Set, through Clip Nut, on Setscrew Washer, Shakeproof, under Nut		1 1 1	
C.18589	HOSE, BETWEEN BREATHER PIPE AND ADAPTOR ON AIR BOX BASE		1	Fitted to Chassis No. 850092 and subs. 875386 and subs.
C.15886/8	Clip, securing Hose		2	860005 and subs. 885021 and subs.
C.19003	ADAPTOR, ON AIR BOX BASE, FOR CONNECTION OF HOSE FROM BREATHER		1	
C.19006 UFN.125/L FG.104/X	Gasket, under Adaptor Nut, securing Adaptor Washer, Spring, under Nuts		1 2 2	
C.18396	EXHAUST MANIFOLD, FRONT	5-63	1	
C.18397	EXHAUST MANIFOLD, REAR	5-64	1	
C.2318 C.15848 C.11583	Gasket, between Exhaust Manifolds and Cylinder Head Clip, under Manifold nut, retaining Dipstick Distance Piece, under Clip	5–65 5–66	2 1 1	
C.2369 C.17916 FG.106/X	Stud, in outlet flanges of Exhaust Manifolds, for attachment of Exhaust Down Pipes Nut, securing Exhaust Pipes to Manifold Washer, Spring, under Nuts	5–67	8 8 8	
C.18405/1	Sealing Ring, between outlet flanges of Manifolds and Exhaust Down Pipes	5–68	2	
C.1***	INLET MANIFOLD, FRONT	5–69	1	
C.15832	INLET MANIFOLD, CENTRE	5-70	1	

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.15833	INLET MANIFOLD, REAR	5–71	1		
C.14127	Gasket, between Inlet Manifolds and Cylinder Head	5-72	3		
C.2496	Stud, in Inlet Manifold, for attachment of Water Outlet and Air Balance Pipes		12		
C.6570 C.4202/2 FG.105/X	Stud, in Inlet Manifold, for attachment of Carburetters Nut, on Studs Washer, Spring, under Nuts		12 24 24		
C.14918	AIR BALANCE PIPE	5–73	1	Fitted from Engine No. R.1001 to R.2933.	
C.18945	AIR BALANCE PIPE		1	Fitted to Engine No. R.2934 and subs.	
C.11577 C.12472	Gasket, between Air Balance Pipe and Inlet Manifolds Stud, in Balance Pipe, for attachment of Brake Servo Adaptor	5–74 5–75	3	K.4754 and Subs.	
C.14746	ADAPTOR, AT REAR OF AIR BALANCE PIPE, FOR CONNECTION OF BRAKE SERVO VACUUM HOSE	5–76	1		*
C.14089 UFN.125/L FG.104/X	Gasket, between Adaptor and Balance Pipe Nut, securing Adaptor Washer, Spring, under Nuts	5–77	1 2 2		
C.15905	WATER OUTLET PIPE	5 78	1		
C.11577	Gasket for Water Outlet Pipe	5-79	3		
C.2496	Stud, in Water Outlet Pipe, for attachment of Outlet Elbow		2		
C.12867/2	THERMOSTAT IN WATER OUTLET PIPE (OPENING TEMPERATURE 159° TO 168° F)	5–80	1	Fitted from Engine No. R.1001 to R.8299.	
•					
C.20766/2	THERMOSTAT IN WATER OUTLET PIPE (OPENING TEMPERATURE 159° TO 168° F)	5–80	1	Fitted to Engine No. R.8300 and subs.	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17345	BLANKING PLATE, IN WATER OUT- LET PIPE, SEALING REDUNDANT CHOKE THERMOSTAT APERTURE	581	1	
C.2475	Gasket, between Blanking Plate and Water Outlet Pipe	5–82	1	
C.7134/1 C.723/A	Screw, Set, securing Blanking Plate to Water Outlet Pipe Washer, Shakeproof, on Setscrews		3. 3	
C.12422	WATER OUTLET ELBOW	5–83	1	
C.4985	Gasket for Water Outlet Elbow	5-84	1	
C.4202/2 FG.105/X	Nut, securing Water Outlet Elbow to Outlet Pipe Washer, Spring, under Nuts		2 2	
UN.12Y	SPARKING PLUG (CHAMPION)		6	
	HIGH TENSION SPARKING PLUG LEADS			
C.4976 C.4977 C.4978 C.4979 C.4980 C.4981 C.4741	Lead to No. 1 Sparking Plug Lead to No. 2 Sparking Plug Lead to No. 3 Sparking Plug Lead to No. 4 Sparking Plug Lead to No. 5 Sparking Plug Lead to No. 6 Sparking Plug Lead to No. 6 Sparking Plug Lead to Ignition Coil		1 1 1 1 1 1	Fitted from Engine No. R.1001 to R.3854. USE 5520/1 FOR ALL REPLACEMENTS.
5520/1	HIGH TENSION CABLE TO SPARKING PLUGS AND COIL (21'-0" LONG)		1	Fitted to Engine No. R.3855 and subs.
C.16979	TERMINAL FOR SPARKING PLUG LEADS (INCORPORATING SUPPRESSOR)		6	
C.17456	TERMINAL FOR SPARKING PLUG LEADS		. 6	FOR EXPORT ONLY.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18285	RUBBER SLEEVE FOR SPARKING PLUG TERMINALS		6	
C.2451	CONDUIT, ALONG CENTRE OF CYLINDER HEAD, ENCLOSING SPARKING PLUG LEADS		1	
C.4983	SPACER FOR SPARKING PLUG LEADS (THICK)		2	
C.4984	SPACER FOR SPARKING PLUG LEADS (THIN)		3	Fitted from Engine No. R.1001 to R.3854.
C.4982	CLIP AROUND THICK SPACER		1 .	
C.19890 3204 UFB.131/15R C.2155	CLIP, ON TIMING COVER BOLT, RETAINING SPARKING PLUG LEADS Grommet, in Clip Bolt, securing Clip Distance Piece, on Bolt		1 1 1 1	Fitted to Engine No.
C.19889	SLEEVE (P.V.C.) FOR SPARKING PLUG AT FRONT OF CYLINDER HEAD		1	R.3855 and subs. MAY BE USED TO REPLACE C.4983, C.4984 and C.4982.




PLATE 5

.

.

TIMING GEAR

Part No.	Description	Plate No.	No. per Unit	Remarks
C.2169	SPROCKET FOR CAMSHAFTS	6- 1	2	
C.2329 C.2191	Adjusting Plate, inside Camshaft Sprockets Clamping Plate, on Adjusting Plates	6- 2 6- 2	2 2	SUPPLIED ONLY AS AN ASSEMBLY TO PART No. 1003.
C.2193	Circlip, retaining Adjusting Plates in Sprockets	6- 3	2	
C.2178	Guide Pin, through Adjusting Plates	6- 4 6- 5	2 2	
C.2194 C.2261	Star Washer, on Guide Pin, behind Adjusting Plates Circlip, retaining Guide Pins	6- 6	2	
C.2310	Screw, Set, securing Adjusting Plates and Sprockets to Camshafts		4	
C.4128/1	FRONT MOUNTING BRACKET FOR TIMING GEAR	6- 7	1	
C.4129	REAR MOUNTING BRACKET FOR TIMING GEAR	6- 8	1	
.C.2182	Stud, for fixing of front and rear Mounting Brackets		4	
UFN.125/L	Nut, securing Brackets on Studs		4	
C.724 C.7424	Washer, Shakeproof, under Nuts Bolt (Long) securing Mounting Bracket to Cylinder Block		4	
C.740	Washer, Shakeproof, on Bolts		4	
C.2166	Bolt (Short) securing rear Mounting Bracket and Inter- mediate Chain Damper to Cylinder Block		2	
C.16831	Tab Washer, retaining Bolts		1	
C.2308	IDLER SPROCKET (21 TEETH) BETWEEN MOUNTING BRACKETS	6- 9	1	
C.2319	Bush, for Idler Sprocket		1	
C.2177	ECCENTRIC SHAFT, THROUGH IDLER SPROCKET, FOR ADJUSTMENT OF	6–10	1	
	UPPER TIMING CHAIN			
C.2282	Plug, in end of Eccentric Shaft	6–11	1	
C.4404	ADJUSTMENT PLATE, ON FACE OF FRONT MOUNTING BRACKET, FOR	6–12	1	
	MICRO ADJUSTMENT OF UPPER TIMING CHAIN			
	Nut, securing Adjustment Plate to Eccentric Shaft		1	
C.3338/4 C.742	Washer, Shakeproof, under Nut		•	
	Washer, Shakeproof, under Nut Plunger Pin, in front Mounting Bracket, holding Adjustment Plate in tension	6–13	1	

TIMING GEAR

Part No.	Description	Plate No.	No. per Unit	Remarks
C.2309	INTERMEDIATE SPROCKET (20 TEETH) AT BOTTOM OF UPPER TIMING CHAIN		1	SUPERSEDED BY C.17154. USE
C.2320	Bush, for Sprocket		1	C.17154 FOR ALL REPLACEMENTS.
C.2307	INTERMEDIATE SPROCKET (28 TEETH) AT TOP OF LOWER TIMING GEAR		1	SUPERSEDED BY C.17154. USE C.17154 FOR ALL REPLACEMENTS.
C.926	Key, locking Intermediate Sprockets together		1	J SINDS ON ALL INC.
C.17154	INTERMEDIATE SPROCKET ASSEMBLY AT TOP OF LOWER TIMING CHAIN	6–15	1	SUPERSEDES C.2309 AND C.2307.
C.2320	Bush, for Sprocket		1	
C.2161	SHAFT, HOLDING INTERMEDIATE SPROCKETS	6–16	1	
C.2335	Circlip, retaining Shaft	6–17	1	
C.2256	TOP TIMING CHAIN	6–18	1	
C.13616	L.H. DAMPER ASSEMBLY FOR UPPER TIMING CHAIN	6–19	1	
C.13617	R.H. DAMPER ASSEMBLY FOR UPPER TIMING CHAIN	6–20	1	
C.13660	Distance Piece, for Upper Dampers	6–21	4	
C.13615	INTERMEDIATE DAMPER ASSEMBLY FOR UPPER TIMING CHAIN		1	SUPERSEDED BY C.13615/1. USE C.13615/1 FOR ALL REPLACEMENTS.
C.13615/1	INTERMEDIATE DAMPER ASSEMBLY FOR UPPER TIMING CHAIN	6–22	1	SUPERSEDES C.13615 at Engine No. R.5533.
C.2255	BOTTOM TIMING CHAIN	6–23	1	
C.13614	VIBRATION DAMPER FOR LOWER TIMING CHAIN		1	Eitrad from Engine No
UFS.131/5R C.7436	Screw, Set, securing Damper to Cylinder Block Tab Washer, on Setscrews		2	Fitted from Engine No. R.1001 to R.8138.

TIMING GEAR

Part No.	Description	Plate No.	No. per Unit Remarks
C.13614/1	VIBRATION DAMPER FOR LOWER TIMING CHAIN	6-24	1 Firthed to Engine No.
UFS.131/5R C.20397	Screw, Set, securing Damper to Cylinder Block Tab Washer, locking Setscrews		Fitted to Engine No. R.8139 and subs.
C.10332	HYDRAULIC CHAIN TENSIONER ASSEMBLY	6–25	1
6029	Tab Washer, securing Adjuster Plug		1
C.9766 UFB.125/11R	Shim, for adjustment of Hydraulic Chain Tensioner Bolt, securing Hydraulic Chain Tensioner to Cylinder	6–26	As req'd 2
C.10333	Block Tab Washer, retaining Bolts		1
6265	REPAIR KIT FOR HYDRAULIC CHAIN TENSIONER (SD.1042)		1
	(Comprising Cylinder Barrel, Spring, Plug and Tab Washer)		
C.13457	FILTER GAUZE, IN CYLINDER BLOCK, BEHIND HYDRAULIC CHAIN TENSIONER	6–27	1
C.8614/1	FRONT TIMING COVER	6–28	1
C.8615 C.8593	Gasket, between Timing Cover and Cylinder Block Oil Seal, between Timing Cover and Crankshaft	6–29 6–30	2 halves
C.2183 C.2184	Stud, in Front Timing Cover, for fixing of Cylinder Head Stud, in Front Timing Cover, for fixing of Water Pump		2 3
C.2325 UFN.131/L	Stud, in Front Timing Cover, for fixing of Oil Sump Nut, on Studs		4 9
FG.105/X C.725	Washer, Spring, under Nuts Washer, Shakeproof, at Oil Sump fixing		5 4
UFB.131/9R UFB.131/26R	Bolt, securing Timing Cover to Cylinder Block Bolt, securing Timing Coverand Water Pump to Cylinder		1 2
UFB.131/14R UFB.131/21R	Block Bolt, securing Timing Cover to Cylinder Block Bolt, securing Timing Cover and Water Pump to		 1 required after Engine No. R.1509. 4 required after Engine No. R.1509.
UFB.131/22R	Cylinder Block Bolt, securing Timing Cover, Water Pump and Dynamo		1 Up to Engine No. R.1509.
FG.105/X	Adjusting Link to Cylinder Block Washer, Spring, on Bolts		9
UFB.137/11R FG.106/X UFB.131/15R	Bolt, securing Timing Cover to Cylinder Block Washer, Spring, on Bolts Bolt, securing Timing Cover to Cylinder Block		 3 required after Engine No. R.1845. 3 required after Engine No. R.1845. 1 For Engine No. R.1845 and subs.
C.1 4924	DYNAMO ADJUSTING LINK		1 Fitted from Engine No.
FW.105/T	Washer, Plain, for Adjusting Link		1 R.1001 to R.1509.

TIMING GEAR

Part No.	Description	Plate No.	No. per Unit	Remarks
C.2286	DYNAMO ADJUSTING LINK		1]	Fitted from Engine No.
C.18307 UFB.131/20R	Distance Piece, behind Adjusting Link Bolt, for Adjusting Link		1]	R.1510 to R.1844.
C.18850	DYNAMO LINK	6-31	1	Fitted to Engine No.
C.18307 UFB.131/20R	Distance Piece, behind Link Bolt, securing Link	6–32	1	R.1845 to R.9999. RA.1001 and subs.
C.18732	BRACKET ASSEMBLY MOUNTING AUTOMATIC FAN BELT TENSIONER	6–33	1	
UFB.137/13R	Bolt, securing Bracket and Timing Cover to Cylinder		1	
UFB.137/14R	Block Bolt, securing Bracket and Timing Cover to Cylinder Block		1 .	Fitted to Engine No. > R.1845 to R.9999.
FG.106/X	Washer, Spring, on Bolts		2	RA.1001 and subs.
C.18447	TORSION SPRING AUTOMATICALLY ADJUSTING TENSION ON FAN BELT	6–34	1 .	
C.18835	CARRIER FOR JOCKEY PULLEY	6–35	1 -	Fitted from Engine No.
C.8737/2 C.18454	Nut, Self-Locking, securing Carrier to Bracket Thrust Washer, under Nut		1 .	R.1845 to R.9999. RA.1001 to RA.1099.
C.21330	CARRIER FOR JOCKEY PULLEY		1 .	Fitted to Engine No. RA.1100 and subs.
C.8737/2 C.21326	Nut, Self-Locking, securing Carrier to Bracket Thrust Washer and Stop, under Nut		1	May be used IN PAIRS to replace C.18835 and C.18454.
C.18733	JOCKEY PULLEY ASSEMBLY FOR FAN BELT		.1	Fitted from Engine No.
C.3968/2	Nut, Self-Locking, securing Pulley to Carrier		1 .	R.1845 to R.5249.
C.19521	JOCKEY PULLEY ASSEMBLY FOR FAN	6–36	1 .	Fitted to Engine No.
				> R.5250 to R.9999.




PLATE 6

Part No.	Description	Plate No.	No. per Unit	Remarks	
C 45035	EDON'T CARRUPETTER ACCEMBLY	7 4	4		
C.15835	FRONT CARBURETTER ASSEMBLY (HD.8)	7– 1	1		
8762	Body only (AUC.8271)	7- 2	1		
7090	Adaptor, for Ignition Union (AUC.2044)	7- 3	1		
7091	Gasket, under Adaptor (AUC.2014)	7- 4	1		
5618	Screw, securing Adaptor (AUC.2175)		2		
C.723	Washer, Shakeproof, on Screws (AUA.4643)		2		
7106	Ignition Union (AUC.4490)	7- 5	1		
8763	Suction Chamber and Piston Assembly (AUC.8063)	7- 6	1		
7093	Screw, holding Jet Needle in position (AUC.2057)		1		
8764	Damper Assembly in Suction Chamber (AUC.8115)	7- 7	1		
7095	Washer, for Damper (AUC.4900)	7-8	1		
7871	Spring, assisting return of Piston (AUC.2107)	7- 9	1		
7872	Skid Washer, under Spring, at bottom of Piston	7-10	1		
	(AUC.1048)		4		
5618	Screw, securing Suction Chamber to Carburetter Body (AUC.2175)		7		
C.18439	Jet Needle (UM)	7–11	1		
7860	Jet Assembly (AUC.8156) (comprising Jet Unit, with Diaphragm and Cup)	7–12	1		
6958	Jet Bearing (AUC.2001)	7-13	1		
6959	Nut, locking Jet Bearing (AUC.2002)	7-14	i		
8765	Spring, under Jet Diaphragm (AUD.2093)	7–15	i		
8766	Jet Housing Assembly (AUC.8655)	7-16	i		
8759	Shoe and Rod Assembly, for operation of Throttle during Cold Starting (AUC.8962)	7-17	i		
8760	Return Spring for Shoe and Rod Assembly (AUC.2020)	7–18	1		
8761	Plate, at top of Shoe and Rod Assembly (AUC.2019)	7-19	1		
7879	Screw, securing Plate (AUC.4790)	7-17	i		
C.723	Washer, Shakeproof, on Screw (AUA.4643)		1		
7048	Screw, in Plate, for operation of Choke/Throttle opening (AUC.2521)	7–20	1		
7049	Spring, on screw (AUC.2451)	7-21	1		
6993	Float Chamber Assembly (AUC.2009)	7-22	1		
7115	Bolt , securing Float Chamber to Carburetter Body (AUC.2110)		4		
C.723	Washer, Shakeproof, on Bolts		4		
7117	Lid for Float Chamber (AUC.4261)	7-23	i		
1090	Float (AUC.1123)	7-24	1		
6970	Needle and Seat, controlling Petrol Flow to Float	7–25	1		
7118	Chamber (AUC.8170) Lever, operating Float Needle (AUC.1980)	7-26	1		
1153	Pin, securing Lever to Float Chamber Lid	7-27	i		
7 119	(AUC.1152)	728	1		
5832	Gasket, under Float Chamber Lid (AUC.1147)	7-28 7-29	1		
1298	Cap Nut, securing Lid (AUC.1867) Serrated Washer (Fibre) on Cap Nut adjacent to Lid (AUC.1928)	7-29	1		
7120	Alum Washer, on Cap Nut (AUC.1557)	7-31	1		
479	Filter, in Inlet Connection on Float Chamber Lid (AUC.2139)	7–32	i		
C.11488	Banjo Bolt, securing Feed Pipe to Float Chamber (AUC.2698)	7–33	1		
C.11489	Fibre Washer, on Banjo Bolt (AUC.2141)	7-34	2		
6967	Valve, for slow-running adjustment (AUC.2028)	7-35	î		
6966	Spring, for slow-run Valve (AUC.2027)	7-36	i		
6968	Gland Washer, for slow-run Valve (AUC.2029)	7-37	i		
6969	Dished Washer (Brass) at top of Gland Washer	7–38	1		

C.15836 CENTRE CARBURETTER ASSEMBLY (HD.8) 8767 Body only (AUC.8272) 1 8763 Suction Chamber and Piston Assembly (AUC.8063) 1 8769 Screw, holding Jet Needle in position (AUC.2057) 1 8764 Damper Assembly, in Suction Chamber 1 (AUC.8115) Washer, for Damper (AUC.4900) 1 87871 Spring, assisting return of Piston (AUC.2107) 1 87872 Skid Washer, under Spring, at bottom of Piston 1 (AUC.1048) 1 868 Screw, securing Suction Chamber to Carburetter 4 (AUC.2175) 1 87860 Jet Needle (UM) 1 87860 Jet Assembly (AUC.8156) (comprising Jet Unit, with Diaphragm and Cup) 1 8785 Spring, under Jet Diaphragm (AUC.2002) 1 8765 Spring, under Jet Diaphragm (AUC.2003) 1 8766 Jet Housing Assembly (AUC.8554) 1 8769 Shoe and Rod Assembly, for operation of Throttle during cold starting (AUC.8962) 1 8760 Return Spring, for Shoe and Rod Assembly 1 (AUC.2020) 8761 Plate, at top of Shoe and Rod Assembly (AUC.8054) 1 8760 Return Spring, for Shoe and Rod Assembly 1 (AUC.2020) 1 8761 Plate, at top of Shoe and Rod Assembly 1 8769 Screw, securing Plate (AUC.4790) 1 8769 Screw, securing Plate (AUC.4790) 1 8769 Screw, in Plate, for operation of Choke/Throttle opening (AUC.2021) 5 8769 Spring, on Screw (AUC.2451) 1 8750 Abutment Bracket, for Choke Control Outer Cable (AUC.1288) 1 8757 Cable Clamp, for Abutment Bracket (AUC.2102) 1 8758 Spring, on Screw (AUC.2451) 1 8759 Cable Clamp, for Abutment Bracket (AUC.2102) 1 8768 Washer, Spring, under Nut (AUC.2246) 1 87115 Bolt, securing Float Chamber to Carburetter Body 4 8715	
### Body only (AUC.8272) ### Suction Chamber and Piston Assembly (AUC.8063) ### Suction Chamber and Piston Assembly (AUC.8063) ### Sucrew, holding Jet Needle in position (AUC.2057) ### Damper Assembly, in Suction Chamber	
8763 Suction Chamber and Piston Assembly (AUC.8063) 1 7093 Screw, holding Jet Needle in position (AUC.2057) 1 8764 Damper Assembly, in Suction Chamber (AUC.8115) 1 7095 Washer, for Damper (AUC.4900) 1 7871 Spring, assisting return of Piston (AUC.2107) 1 7872 Skid Washer, under Spring, at bottom of Piston (AUC.1048) 1 5618 Screw, securing Suction Chamber to Carburetter (AUC.2014) 4 688 Jet Needle (UM) 1 7860 Jet Assembly (AUC.8156) (comprising Jet Unit, with Diaphragm and Cup) 1 6958 Jet Bearing (AUC.2001) 1 8765 Spring, under Jet Diaphragm (AUD.2093) 1 8768 Jet Housing Assembly (AUC.8654) 1 8759 Shoe and Rod Assembly (AUC.8962) 1 8760 Return Spring, for Shoe and Rod Assembly (AUC.2019) 1 8761 Plate, at top of Shoe and Rod Assembly (AUC.2019) 1 7879 Screw, securing Plate (AUC.4790) 1 7043 Screw, in Plate, for operation of Choke/Throttle opening (AUC.2281) 1<	
1993 Screw, holding Jet Needle in position (AUC.2057) 1	
### Spring assembly, in Suction Chamber (AUC.8115) Washer, for Damper (AUC.4900) 7871 Spring, assisting return of Piston (AUC.2107) \$\$ kid Washer, under Spring, at bottom of Piston (AUC.1048) \$\$ crew, securing Suction Chamber to Carburetter (AUC.2175) C.18439 Jet Needle (UM) 1	
7871 Spring, assisting return of Piston (AUC.2107) 1 7872 Skid Washer, under Spring, at bottom of Piston (AUC.1048) 1 5618 Screw, securing Suction Chamber to Carburetter (AUC.2175) 4 C.18439 Jet Needle (UM) 1 7860 Jet Readle (UM) 1 6958 Jet Bearing (AUC.8016) 1 6958 Jet Bearing (AUC.2002) 1 6959 Nut, locking Jet Bearing (AUC.2002) 1 8765 Spring, under Jet Diaphragm (AUD.2093) 1 8768 Jet Housing Assembly (AUC.8654) 1 8759 Shoe and Rod Assembly, for operation of Throttle during cold starting (AUC.8962) 1 8760 Return Spring, for Shoe and Rod Assembly (AUC.2019) 1 8761 Plate, at top of Shoe and Rod Assembly (AUC.2019) 1 7879 Screw, securing Plate (AUC.4790) 1 7043 Screw, in Plate, for operation of Choke/Throttle opening (AUC.2021) 1 7049 Spring, on Screw (AUC.2451) 1 8757 Cable Clamp, for Abutment Bracket (AUC.2102) 1 8803 <td></td>	
7872 Skid Washer, under Spring, at bottom of Piston (AUC.1048) 1 5618 Screw, securing Suction Chamber to Carburetter (AUC.2175) 4 C.18439 Jet Needle (UM) 1 7860 Jet Assembly (AUC.8156) (comprising Jet Unit, with Diaphragm and Cup) 1 6958 Jet Bearing (AUC.2001) 1 6959 Nut, locking Jet Bearing (AUC.2002) 1 8765 Spring, under Jet Diaphragm (AUD.2093) 1 8768 Jet Housing Assembly (AUC.8654) 1 8759 Shoe and Rod Assembly, for operation of Throttle during cold starting (AUC.8962) 1 8760 Return Spring, for Shoe and Rod Assembly 1 8761 Plate, at top of Shoe and Rod Assembly (AUC.2019) 1 8779 Screw, securing Plate (AUC.4790) 1 C.723 Washer, Shakeproof, on Screw (AUA.4643) 1 7049 Spring, on Screw (AUC.2251) 1 8756 Abutment Bracket, for Choke Control Outer Cable (AUC.1288) 1 8757 Cable Clamp, for Abutment Bracket (AUC.2102) 1 5803 Bolt, securing Cable Clamp (AUC.2694) 1	
(AUC.1048) Screw, securing Suction Chamber to Carburetter (AUC.2175) C.18439 Jet Needle (UM) 7860 Jet Assembly (AUC.8156) (comprising Jet Unit, with Diaphragm and Cup) 6958 Jet Bearing (AUC.2001) 8765 Nut, locking Jet Bearing (AUC.2002) 8765 Spring, under Jet Diaphragm (AUD.2093) 1 8768 Jet Housing Assembly (AUC.8654) 8759 Shoe and Rod Assembly, for operation of Throttle during cold starting (AUC.8962) 8760 Return Spring, for Shoe and Rod Assembly (AUC.2020) 8761 Plate, at top of Shoe and Rod Assembly (AUC.2019) 8779 Screw, securing Plate (AUC.4790) C.723 Washer, Shakeproof, on Screw (AUA.4643) Screw, in Plate, for operation of Choke/Throttle opening (AUC.2521) 7049 Spring, on Screw (AUC.2451) 8756 Abutment Bracket, for Choke Control Outer Cable (AUC.1288) 8757 Cable Clamp, for Abutment Bracket (AUC.2102) 1 8768 Bolt, securing Cable Clamp (AUC.2694) Nut, on Bolt 1 Float Chamber Assembly (AUC.2088) 1 17115 Bolt, securing Float Chamber to Carburetter Body	
C.18439	
7860 Jet Assembly (AUC.8156) (comprising Jet Unit, with Diaphragm and Cup) 1 6958 Jet Bearing (AUC.2001) 1 6959 Nut, locking Jet Bearing (AUC.2002) 1 8765 Spring, under Jet Diaphragm (AUD.2093) 1 8768 Jet Housing Assembly (AUC.8654) 1 8759 Shoe and Rod Assembly, for operation of Throttle during cold starting (AUC.8962) 1 8760 Return Spring, for Shoe and Rod Assembly (AUC.2019) 1 8761 Plate, at top of Shoe and Rod Assembly (AUC.2019) 1 7879 Screw, securing Plate (AUC.4790) 1 C.723 Washer, Shakeproof, on Screw (AUA.4643) 1 7048 Screw, in Plate, for operation of Choke/Throttle opening (AUC.2521) 1 7049 Spring, on Screw (AUC.2451) 1 8756 Abutment Bracket, for Choke Control Outer Cable (AUC.1288) 1 8757 Cable Clamp, for Abutment Bracket (AUC.2102) 1 5803 Bolt, securing Cable Clamp (AUC.2694) 1 AN.102/L Nut, on Bolt 1 5648 Washer, Spring, under Nut (AUC.2246) 1 </td <td></td>	
with Diaphragm and Cup) 6958	
6959 Nut, locking Jet Bearing (AUC.2002) 1 8765 Spring, under Jet Diaphragm (AUD.2093) 1 8768 Jet Housing Assembly (AUC.8654) 1 8759 Shoe and Rod Assembly, for operation of Throttle during cold starting (AUC.8962) 1 8760 Return Spring, for Shoe and Rod Assembly (AUC.2019) 1 8761 Plate, at top of Shoe and Rod Assembly (AUC.2019) 1 7879 Screw, securing Plate (AUC.4790) 1 C.723 Washer, Shakeproof, on Screw (AUA.4643) 1 7048 Screw, in Plate, for operation of Choke/Throttle opening (AUC.2521) 1 7049 Spring, on Screw (AUC.2451) 1 8756 Abutment Bracket, for Choke Control Outer Cable (AUC.1288) 1 8757 Cable Clamp, for Abutment Bracket (AUC.2102) 1 5803 Bolt, securing Cable Clamp (AUC.2694) 1 AN.102/L Nut, on Bolt 1 5648 Washer, Spring, under Nut (AUC.2246) 1 7115 Bolt, securing Float Chamber to Carburetter Body 4	
8765 Spring, under Jet Diaphragm (AUD.2093) 1 8768 Jet Housing Assembly (AUC.8654) 1 8759 Shoe and Rod Assembly, for operation of Throttle during cold starting (AUC.8962) 1 8760 Return Spring, for Shoe and Rod Assembly (AUC.2019) 1 8761 Plate, at top of Shoe and Rod Assembly (AUC.2019) 1 7879 Screw, securing Plate (AUC.4790) 1 C.723 Washer, Shakeproof, on Screw (AUA.4643) 1 7048 Screw, in Plate, for operation of Choke/Throttle opening (AUC.2521) 1 7049 Spring, on Screw (AUC.2451) 1 8756 Abutment Bracket, for Choke Control Outer Cable (AUC.1288) 1 8757 Cable Clamp, for Abutment Bracket (AUC.2102) 1 5803 Bolt, securing Cable Clamp (AUC.2694) 1 AN.102/L Nut, on Bolt 1 5648 Washer, Spring, under Nut (AUC.2246) 1 7114 Float Chamber Assembly (AUC.2088) 1 7115 Bolt, securing Float Chamber to Carburetter Body 4	
8768 Jet Housing Assembly (ÄUC.8654) 1 8759 Shoe and Rod Assembly, for operation of Throttle during cold starting (AUC.8962) 1 8760 Return Spring, for Shoe and Rod Assembly (AUC.2019) 1 8761 Plate, at top of Shoe and Rod Assembly (AUC.2019) 1 7879 Screw, securing Plate (AUC.4790) 1 C.723 Washer, Shakeproof, on Screw (AUA.4643) 1 7048 Screw, in Plate, for operation of Choke/Throttle opening (AUC.2521) 1 7049 Spring, on Screw (AUC.2451) 1 8756 Abutment Bracket, for Choke Control Outer Cable (AUC.1288) 1 8757 Cable Clamp, for Abutment Bracket (AUC.2102) 1 5803 Bolt, securing Cable Clamp (AUC.2694) 1 AN.102/L Nut, on Bolt 1 5648 Washer, Spring, under Nut (AUC.2246) 1 7115 Bolt, securing Float Chamber to Carburetter Body 4	
8759 Shoe and Rod Assembly, for operation of Throttle during cold starting (AUC.8962) 1 8760 Return Spring, for Shoe and Rod Assembly (AUC.2019) 1 8761 Plate, at top of Shoe and Rod Assembly (AUC.2019) 1 7879 Screw, securing Plate (AUC.4790) 1 C.723 Washer, Shakeproof, on Screw (AUA.4643) 1 7048 Screw, in Plate, for operation of Choke/Throttle opening (AUC.2521) 1 7049 Spring, on Screw (AUC.2451) 1 8756 Abutment Bracket, for Choke Control Outer Cable (AUC.1288) 1 8757 Cable Clamp, for Abutment Bracket (AUC.2102) 1 5803 Bolt, securing Cable Clamp (AUC.2694) 1 AN.102/L Nut, on Bolt 1 5648 Washer, Spring, under Nut (AUC.2246) 1 7114 Float Chamber Assembly (AUC.2088) 1 7115 Bolt, securing Float Chamber to Carburetter Body 4	
Second	
(AUC.2020) 8761	
7879 Screw, securing Plate (AUC.4790) 1 C.723 Washer, Shakeproof, on Screw (AUA.4643) 1 7048 Screw, in Plate, for operation of Choke/Throttle opening (AUC.2521) 1 7049 Spring, on Screw (AUC.2451) 1 8756 Abutment Bracket, for Choke Control Outer Cable (AUC.1288) 1 8757 Cable Clamp, for Abutment Bracket (AUC.2102) 1 5803 Bolt, securing Cable Clamp (AUC.2694) 1 AN.102/L Nut, on Bolt 1 7114 Float Chamber Assembly (AUC.2246) 1 7115 Bolt, securing Float Chamber to Carburetter Body 4	
C.723 Washer, Shakeproof, on Screw (ÁUA.4643) 1 7048 Screw, in Plate, for operation of Choke/Throttle opening (AUC.2521) 1 7049 Spring, on Screw (AUC.2451) 1 8756 Abutment Bracket, for Choke Control Outer Cable (AUC.1288) 1 8757 Cable Clamp, for Abutment Bracket (AUC.2102) 1 5803 Bolt, securing Cable Clamp (AUC.2694) 1 AN.102/L Nut, on Bolt 1 5648 Washer, Spring, under Nut (AUC.2246) 1 7114 Float Chamber Assembly (AUC.2088) 1 7115 Bolt, securing Float Chamber to Carburetter Body 4	
7048 Screw, in Plate, for operation of Choke/Throttle opening (AUC.2521) 7049 Spring, on Screw (AUC.2451) 1 8756 Abutment Bracket, for Choke Control Outer Cable (AUC.1288) 8757 Cable Clamp, for Abutment Bracket (AUC.2102) 1 5803 Bolt, securing Cable Clamp (AUC.2694) 1 AN.102/L Nut, on Bolt 1 5648 Washer, Spring, under Nut (AUC.2246) 1 7114 Float Chamber Assembly (AUC.2088) 1 7115 Bolt, securing Float Chamber to Carburetter Body 4	
7049	
8756 Abutment Bracket, for Choke Control Outer Cable (AUC.1288) 1 8757 Cable Clamp, for Abutment Bracket (AUC.2102) 1 5803 Bolt, securing Cable Clamp (AUC.2694) 1 AN.102/L Nut, on Bolt 1 5648 Washer, Spring, under Nut (AUC.2246) 1 7114 Float Chamber Assembly (AUC.2088) 1 7115 Bolt, securing Float Chamber to Carburetter Body 4	
8757 Cable Clamp, for Abutment Bracket (AUC.2102) 1 5803 Bolt, securing Cable Clamp (AUC.2694) 1 AN.102/L Nut, on Bolt 1 5648 Washer, Spring, under Nut (AUC.2246) 1 7114 Float Chamber Assembly (AUC.2088) 1 7115 Bolt, securing Float Chamber to Carburetter Body 4	
5803 Bolt, securing Cable Clamp (AUC.2694) 1 AN.102/L Nut, on Bolt 1 5648 Washer, Spring, under Nut (AUC.2246) 1 7114 Float Chamber Assembly (AUC.2088) 1 7115 Bolt, securing Float Chamber to Carburetter Body 4	
AN.102/L	
7114 Float Chamber Assembly (AUC.2088) 1 7115 Bolt, securing Float Chamber to Carburetter Body 4	
7115 Bolt, securing Float Chamber to Carburetter Body 4	
(113 6.2110)	
C.723 Washer, Shakeproof, on Bolts 4	
7117 Lid, for Float Chamber (AUC.4261)	
1090 Float (AUC.1123) 1 6970 Needle and Seat, controlling Petrol Flow to Float 1 Chester (AUC.9170)	
Chamber (AUC.8170) 7118 Lever, operating Float Needle (AUC.1980) 1	
7115 Pin, securing Lever to Float Chamber Lid (AUC.1152) 1	
7119 Gasket, under Float Chamber Lid (AUC.1147) 1	
5832	
1298 Serrated Washer (Fibre) on Cap Nut adjacent to 1 Lid (AUC.1928)	
7120 Alum Washer, on Cap Nut (AUC.1557) 1	
479 Filter, in Inlet Connection on Float Chamber 1 (AUC.2139)	
C.11488 Banjo Bolt, securing Feed Pipe to Float Chamber 1 Lid (AUC.2698)	
C.11489 Fibre Washer, on Banjo Bolt (AUC.2141) 2	
6967 Valve, for slow-running adjustment (AUC.2028) 1	
6966 Spring, for slow-run Valve (AUC.2027) 1	
6968 Gland Washer, for slow-run Valve (AUC.2029)	
6969 Dished Washer (Brass) at top of Gland Washer 1 (AUC.2030)	

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.16650	REAR CARBURETTER ASSEMBLY (HD.8)	7–40	1		
8766 7116	Jet Housing Assembly (AUC.8655) Lid, for Float Chamber (AUC.4260)		1		
4	All other items for Rear Carburetter are as for Centre Carburetter C.15836, except that Abutment Bracket (8756) and Cable Clamp (8757) are not fitted.				
8762	BODY FOR FRONT CARBURETTER (AUC.8271)	7-2	1		
8767	BODY FOR CENTRE AND REAR CARBURETTERS (AUC.8272)		2		
7862 7863 6964 7865 7866	Piston Lift Pin (AUC.2065) Spring, for Lift Pin (AUC.2066) Seating Washer, for Lift Pin (AUC.2098) Brass Washer at top of Seating Washer (AUC.4944) Circlip, securing Washers and Spring on Lift Pin (AUC.1250)		3 3 3 3		
8758	CHOKE CONNECTING ROD, BETWEEN REAR AND CENTRE CARBURETTERS (AUC.1427)	7-41	1		
C.10700	CHOKE CONNECTING ROD, BETWEEN CENTRE AND FRONT CARBURETTERS (AUC.2872)	742	1		
8755	FORK END, FOR FIXING OF CONNECTING RODS TO CARBURETTERS (AUC.2256)	7-43	3		
AN.102/L 5511 AW.102/T L.102/5U	Nut, securing Fork Ends on Rods (AUC.2156) Clevis Pin, retaining Fork Ends to Front and Rear Carburetters (AUC.2108) Washer, on Clevis Pins Split Pin, retaining Clevis Pins, and for retention of Connecting Rod to centre Fork End	7–44	3 2 2 4		

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18832	ADAPTOR, SECURING CHOKE CONTROL CABLE TO CENTRE CARBURETTER (AUC.5058)	7 -4 5	1	
C.18833	Special Screw, securing Cable in Adaptor (AJD.7026)	7 -4 6	1	
C.14371	LEVER, ON CARBURETTER SPINDLES, FOR CONNECTION OF THROTTLE RETURN SPRINGS (AUC.8405)	7-47	3	
5803 5614 7966	Bolt, through Levers (AUC.2694) Nut, on Bolts (AUC.2156) Washer, under Nuts (AUC.8396)		3 3 3	
C.14366	THROTTLE RETURN SPRING	7 -4 8	3	
C.15963	BRACKET ASSEMBLY, UNDER FRONT AND REAR CARBURETTERS, ANCHORING RETURN SPRING	7-49	2	
C.15844	BRACKET ASSEMBLY, UNDER CENTRE CARBURETTER, ANCHORING RETURN SPRING	7–50	1	
C.17631	LEVER ASSEMBLY, ON CARBURETTER SPINDLES, FOR CONNECTION OF THROTTLE CONTROL RODS	7-51	3	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17635	CONTROL ROD, LINKING CARBUR- ETTER LEVERS WITH SLAVE SHAFTS	7–52	3	
C.13824	Clip, securing Control Rods	7-53	6	
C.14103	LEVER, ON SLAVE SHAFTS, FOR CON- NECTION OF CONTROL RODS	7-54	. 3	
5803 5614 7966	(AUC.4054) Bolt, through Levers Nut, on Bolts Washer, under Nuts	-	3 3 3	
C.14145	THROTTLE SLAVE SHAFT ASSEMBLY, FRONT	7-55	1	
C.18537	THROTTLE SLAVE SHAFT ASSEMBLY, CENTRE	7–56	1	
C.18443	Distance Piece, on Centre Slave Shaft, adjacent to Lever for Centre Carburetter	7-57	1	
4833	COUPLING, BETWEEN FRONT AND	7-58	1	
5801 673 4812	Bolt, through Coupling (AUC.2669) Nut, on Bolts (AUC.2673) Washer, under Nuts (AUC.4612)		2 2 2	
C.18905	THROTTLE SLAVE SHAFT ASSEMBLY, REAR	7-59	1	R.H. DRIVE CARS ONLY.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18540	THROTTLE SLAVE SHAFT ASSEMBLY, REAR		1	L.H. DRIVE CARS ONLY.
C.17413	INSULATOR BETWEEN CARBUR- ETTERS AND INLET MANIFOLDS	7-60	3	
C.7221	Gasket at each side of Insulators	7–61	6	
C.16873	OVERFLOW PIPE FOR FRONT CARBURETTER	7-62	1	
C.16874	OVERFLOW PIPE FOR CENTRE CARBURETTER	7-63	1	
C.16875	OVERFLOW PIPE FOR REAR CARBURETTER	7–64	1	
C.14090	Clip, on Oil Cleaner Bolt, securing Overflow Pipes	7–65	1	
C.12336	SUCTION PIPE FROM FRONT CAR- BURETTER TO DISTRIBUTOR VACUUM CONTROL	7-66	1	
C.15823	PETROL FEED PIPE ASSEMBLY LINKING CARBURETTERS	7-67	1	

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.17335	PETROL PIPE ASSEMBLY, BETWEEN FEED PIPE AND FILTER	7–68	1		
C.13681	PETROL FILTER ASSEMBLY (AC.7950001)	7–69	1		
7297 7298	Filter Casting Sealing Washer between Filter Casting and	7-70 7-71	1		
7299 7300 7301	Glass Bowl Filter Gauze Glass Bowl Retaining Strap Assembly	7-72 7-73 7-74	1 1 1		
C.13705 C.784	Banjo Bolt, securing Petrol Pipes to Filter Fibre Washer, at each side of Banios	7-75 7-76	2		
	•				
C.17354	BRACKET, ON FRONT FRAME FIXING BOLT, FOR MOUNTING OF PETROL FILTER	7-77	1		
UFS.131/6R UFN.131/L FG.105/X	Screw, Set, securing Filter to Bracket Nut, on Setscrews Washer, Spring, under Nuts		2 2 2		




PLATE 7

AIR CLEANER INSTALLATION

Part No.	Description	Plate No	No. per Unit	Remarks	
C.17545	AIR CLEANER ASSEMBLY (AC.7955780)		1		
8420 8419 8417 8416 8418	Shell Assembly, for Air Cleaner (7955783) Retaining Plate Assembly, for Element (7955782) Gasket, at top and bottom of Element (7955504) Element (A.4847) Top Plate Assembly (7955781)	8- 1 8- 2 8- 3 8- 4 8- 5	1 1 2 1 1		
C.17651	BRACKET, MOUNTING AIR CLEANER	8- 6	1		
UFS.131/4R C.725 FW.105/T	Screw, Set, securing Bracket to Air Cleaner Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers		2 2 2		
UFS.125/4R C.72 4 FW.104/T	Screw, Set, securing Bracket to Body Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers		2 2 2		
C.17652	SUPPORT BRACKET FOR AIR CLEANER	8- 7	1		
C.12705 UFN.131/L C.725 FW.105/T	Stud, for fixing of Support Bracket to Air Cleaner Nut, on Stud Washer, Shakeproof, under Nut Washer, Plain, under Shakeproof Washer	8- 8	1 1 1		
UFS.131/3R C.725	Screw, Set, securing Support Bracket to Body Washer, Shakeproof, on Setscrews		2 2		
C.17546	RUBBER GROMMET, BETWEEN AIR CLEANER AND AIR INTAKE BOX	8- 9	1		
C.17533	AIR INTAKE BOX ASSEMBLY	8~10	1		

AIR CLEANER INSTALLATION

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17540	BASE ASSEMBLY FOR AIR INTAKE BOX (COMPLETE WITH TRUMPETS)	8–11	1	Fitted from Chassis No. 850001 to 850091. 875001 to 875385. 860001 to 860004. 885001 to 885020.
C.19012	BASE ASSEMBLY FOR AIR INTAKE BOX (COMPLETE WITH TRUMPETS)		1	Fitted to Chassis No. 850092 and subs. 875386 and subs. 860005 and subs. 885021 and subs.
C.17539 C.12734 C.17544	Gasket (Neoprene) between Base and Air Intake Box Wing Nut, securing Air Intake Box to Base Special Washer, under Wing Nuts	8–12 8–13 8–14	1 2 2	
C.7164 C.4202/2 FG.105/X	Gasket, between Base and Carburetters Nut, securing Base to Carburetters Washer, Spring, under Nuts	8–15	3 6 6	




PLATE 8

ACCELERATOR CONTROLS (R.H. DRIVE CARS ONLY)

	(
Part No.	Description	Plate No.	No. per Unit	Remarks
C.17840	ACCELERATOR PEDAL ASSEMBLY		1	Fitted from Chassis No. 850001 to 850474. 860001 to 860374 except 860365.
C.20223	ACCELERATOR PEDAL ASSEMBLY	9– 1	1	Fitted to Chassis No. 850475 and subs.
C.14366	Return Spring, for Accelerator Pedal	9- 2	1	860375 and subs., also 860365.
C.17844	HOUSING ASSEMBLY FOR ACCELERATOR PEDAL	9- 3	1	
C.17851	Pivot Bush, at each side of Housing		2	
C.17848 C.18721	Stud, for fixing of Housing to Scuttle Stop Plate, on Studs, for pedal travel adjustment	9- 4	3 1	Fitted from Chassis No. 850001 to 850474.
C.20639	Stop Plate, on Studs, for pedal travel adjustment	9- 5	1	860001 to 860375 except 860365. Fitted to Chassis No. 850475 and subs. 860375 and subs., also 860365.
C.8667/1 FW.104/T BD.19706	Nut, Self-Locking, securing Housing to Scuttle Washer, Plain, under Nuts Gasket, under Accelerator Pedal Housing		3 3 1	000373 and 5005., also 600505.
C.18302	ACCELERATOR PEDAL LEVER ASSEMBLY	9- 6	1	
C.3767	Ball Pin, in end of Lever		1	
UFB.137/16R C.410 C.18273 C.989	Bolt, securing Pedal and Lever in Housing Special Washer, under head of Bolt Spacing Collar, on Bolt Special Washer, on Boss of Pedal Lever		1 1 1	Fitted from Chassis No. 850001 to 850248.
C.19915 C.19914	Spacing Collar, on Pivot Bolt Special Washer, on Boss of Pedal Lever		1	860001 to 860020. Fitted to Chassis No. 850249 and subs. 860021 and subs. MAY BE USED TOGETHER TO
C.8737/3	Nut, Self-Locking, on Bolt		1	REPLACE C.18273 AND C.989.
C.17867	CONTROL ROD, BETWEEN PEDAL LEVER AND FULCRUM LEVER	9- 7	1	
C.17858	FULCRUM LEVER ASSEMBLY	9 8	1	
C.3767	Ball Pin, in ends of Lever		2	
C.18292	Bracket Assembly, on Brake Servo fixing Studs, for mounting of Fulcrum Lever	9- 9	1	
1.102.5/8U BD.1708/5 FW.104/T	Split Pin, retaining Fulcrum Lever on Bracket Washer, D.C. Spring, under Split Pin Washer, Plain, under D.C. Spring Washer		1 1 1	
C.18275 UFB.125/10R C.724 FW.104/T	Eccentric Sleeve, for Fulcrum Lever Stop Adjustment Bolt. securing Sleeve to Fulcrum Mounting Bracket Washer, Shakeproof, on Bolt Washer, Plain, under Shakeproof Washer	9–10	1 1 1	

ACCELERATOR CONTROLS (R.H. DRIVE CARS ONLY)

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17868	CONTROL ROD, BETWEEN FULCRUM LEVER AND THROTTLE REAR SLAVE SHAFT	9-11	1	
C.18905	REAR SHAFT SLAVE ASSEMBLY FOR THROTTLE OPERATION		1	Fitted from Engine No. R.1001 to R.2933.
C.3767	Ball Pin, in Lever of Rear Slave Shaft		1	
C.18938	REAR SLAVE SHAFT ASSEMBLY FOR THROTTLE OPERATION	9–12	1	Fitted to Engine No. R.2934 and subs.
C.3767	Ball Pin, in Lever of Rear Slave Shaft		1	
C.13605	BUSH ASSEMBLY, SUPPORTING END OF REAR SLAVE SHAFT	9-13	1	
C.18545	Housing Assembly, for Bush	9-14	1	
UFS.125/5R C.724	Screw, Set. securing Housing to Mounting Bracket Washer, Shakeproof, on Setscrews		2 2	
C.18548	BRACKET ASSEMBLY, MOUNTING HOUSING TO DASH	9–15	1	
UFS.125/5R C.724 FW.104/T	Screw, Set, securing Bracket to Dash Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers		2 2 2	
C.18537	CENTRE SLAVE SHAFT ASSEMBLY FOR THROTTLE OPERATION		1 .	Fitted from Engine No. R.1001 to R.2933.
C.18443	Distance Piece, on Centre Slave Shaft, adjacent to boss on Air Balance Pipe		1	J 18.1001 to 18.2733.
C.14145	FRONT SLAVE SHAFT ASSEMBLY FOR THROTTLE OPERATION		1	Fitted from Engine No. R.1001 to R.2933.
C.18935	FRONT SLAVE SHAFT ASSEMBLY FOR THROTTLE OPERATION	9–16	1	Fitted to Engine No. R.2934 and subs.

ACCELERATOR CONTROLS (R.H. DRIVE CARS ONLY)

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18941	ADAPTOR, IN FRONT BOSS ON AIR BALANCE PIPE, SUPPORTING FRONT SLAVE SHAFT	9–17	1	
C.18942	ADAPTOR, IN REAR BOSS ON AIR BALANCE PIPE, SUPPORTING FRONT AND REAR SLAVE SHAFTS	9–18	. 1	Fitted to Engine No. R.2934 and subs.
C.18943	Tab Washer, securing Adaptors	9–19	2	J
4833	FLEXIBLE COUPLING LINKING FRONT AND CENTRE SLAVE SHAFTS (AUC.4334)		1	
5803 5614 7966	Bolt, through Coupling Nut, on Bolts Washer, Spring, under Nuts		2 2 2	Fitted from Engine No. R.1001 to R.2933.
:C.14103	LEVER, ON FRONT AND CENTRE SLAVE SHAFTS, FOR CONNECTION OF CONTROL RODS TO CARBUR-ETTERS (AUC.4054)		3	Fitted from Engine No.
5803 5614 7966	Bolt, securing Levers to Slave Shafts Nut, on Bolts Washer, Spring, under Nuts		3 3 3	R.1001 to R.2933.
C.17635	CONTROL ROD, LINKING LEVERS ON SLAVE SHAFTS WITH CARBURETTERS		3	Fitted from Engine No. R.1001 to R.2933.
C.14104	CONTROL ROD, LINKING LEVERS ON SLAVE SHAFTS WITH CARBURETTERS	9–20	3	Fitted to Engine No. R.2934 and subs.
C.13824	Clip, securing Control Rods	9–21	6	




PLATE 9

ACCELERATOR CONTROLS (L.H. DRIVE CARS ONLY)

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18467	ACCELERATOR PEDAL ASSEMBLY	10- 1	1	
UFS.125/4R C.724	Screw, Set, securing Accelerator Pedal to Floor Washer, Shakeproof, on Setscrews		2 2	
C.18478	LINK ASSEMBLY, BETWEEN PEDAL AND ACCELERATOR DROP ARM	10- 2	1	
C.18482 C.8667/17	Retainer, for Link Nut, Self-Locking, securing Retainer to Link	10- 3	1 1	
C.18476	ACCELERATOR DROP ARM ASSEMBLY	10- 4	1	
C.14366	Return Spring, for Drop Arm	10- 5	1	
C.17845	HOUSING ASSEMBLY FOR DROP ARM	10- 6	1	
C.17851	Pivot Bush, at each side of Housing		2	
C.17848 C.8667/1 FW.104/T BD.19708	Stud, for fixing of Housing to Scuttle Nut, Self-Locking, securing Housing to Scuttle Washer, Plain, under Nuts Gasket, under Accelerator Pedal Housing	10- 7	4 4 4 1	
C.18270	CONNECTING LEVER BETWEEN DROP ARM AND CONTROL ROD	10- 8	1	
C.3767	Ball Pin, in Connecting Lever		1	
UFB.137/16R C.410 C.18273 C.989	Bolt, securing Drop Arm and Connecting Lever in Housing Special Washer, under head of Bolt Spacing Collar, on Bolt Special Washer, on Boss of Connecting Lever		1 1 1 }	Fitted from Chassis No. 875001 to 875910. 885001 to 885124.
C.19915 C.19914	Spacing Washer, on Bolt Special Washer, on Boss of Connecting Lever		1	Fitted to Chassis No. 875911 and subs. 885125 and subs. MAY BE USED TOGETHER TO REPLACE C.18273 AND C.989.
C.8737/3	Nut, Self-Locking, on Bolt		1	ZACE C.102/3 AND C.709.
C.19053	CONTROL ROD BETWEEN CONNECTING LEVER AND FULCRUM LEVER	10- 9	1	

ACCELERATOR CONTROLS (L.H. DRIVE CARS ONLY)

		`		T CAMB CITELY
Part No.	Description	Plate No.	No. per Unit	Remarks
C.17859	FULCRUM LEVER ASSEMBLY	10-10	1	
C. 3767	Ball Pin, in ends of Fulcrum Lever		2	
C.18276 C.18275 UFB.125/11R	Pivot Pin, for Fulcrum Lever Eccentric Sleeve, for Fulcrum Lever stop adjustment Bolt, securing Eccentric Sleeves to Dash	10–11 10–12	1 2 2	
C.18274 C.18483	Stiffening Plate, on Pivot Pin and Setscrews Tab Washer, locking Pivot Pin and Setscrews	10–13 10–14	1 1	
C.17870	CONTROL ROD BETWEEN FULCRUM LEVER AND THROTTLE REAR SLAVE SHAFT	10-15	1	
C.18540	REAR SLAVE SHAFT ASSEMBLY FOR THROTTLE OPERATION		1	Fitted from Engine No. R.1001 to R.2933.
C.3767	Ball Pin, in Lever of Rear Slave Shaft		1	
C.18937	REAR SLAVE SHAFT ASSEMBLY FOR THROTTLE OPERATION	10–16	1	Fitted to Engine No. R.2934 and subs.
C.3767	Ball Pin, in Lever of Rear Slave Shaft		1	
C.13605	BUSH ASSEMBLY SUPPORTING END OF REAR SLAVE SHAFT	10–17	1	
C.18545	Housing Assembly, for Bush	10–18	1	
JFS.125/5R C.724	Screw, Set, securing Housing to Mounting Bracket Washer, Shakeproof, on Setscrews		2	
C.18548	BRACKET ASSEMBLY, MOUNTING HOUSING TO DASH	10-19	1	
JFS.125/5R C.724 WV.104/T	Screw, Set, securing Bracket to Dash Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers		2 2 2	
	CENTRE CLAVE CHAFT ACCEMBLY		4	
40537			1	1
C.18537	CENTRE SLAVE SHAFT ASSEMBLY FOR THROTTLE OPERATION Distance Piece, on Centre Slave Shaft, adjacent to boss			Fitted from Engine No. R.1001 to R.2933.

ACCELERATOR CONTROLS (L.H. DRIVE CARS ONLY)

	(======================================	District	N	
Part No.	Description	Plate No.	No. per Unit	Remarks
C.14145	FRONT SLAVE SHAFT ASSEMBLY FOR THROTTLE OPERATION		. 1	Fitted from Engine No. R.1001 to R.2933.
C.18935	FRONT SLAVE SHAFT ASSEMBLY FOR THROTTLE OPERATION	10-20	1	Fitted to Engine No. R.2934 and subs.
C.18941	ADAPTOR, IN FRONT BOSS ON AIR BALANCE PIPE, SUPPORTING FRONT SLAVE SHAFTS	10–21	1	
C.18942	ADAPTOR, IN REAR BOSS ON AIR BALANCE PIPE, SUPPORTING FRONT AND REAR SLAVE SHAFTS	10-22	1	-Fitted to Engine No. R.2934 and subs.
C.18943	Tab Washer, securing Adaptors	10–23	2)	
4833	FLEXIBLE COUPLING LINKING FRONT AND CENTRE SLAVE SHAFTS (AUC.4334)		1	-Fitted from Engine No.
5803 5614 7966	Bolt, through Coupling Nut, on Bolts Washer, Spring, under Nuts		2 2 2	R.1001 to R.2933.
C.14103	LEVER, ON FRONT AND CENTRE SLAVE SHAFTS FOR CONNECTION OF CONTROL RODS TO CARBUR- ETTERS (AUC.4054)		3	Fitted from Engine No R.1001 to R.2933.
5803 5614 7966	Bolt, securing Levers to Slave Shafts Nut, on Bolts Washer, Spring, under Nuts		3 3 3	
C.17635	CONTROL ROD, LINKING LEVERS ON SLAVE SHAFTS WITH CARBURETTERS		3	Fitted from Engine No. R.1001 to R.2933.
C.14104	CONTROL ROD, LINKING LEVERS ON SLAVE SHAFTS WITH CARBURETTERS	10–2 4	3	Fitted to Engine No. R.2934 and subs.
C.13824	Clip, securing Control Rods	10–25	6	




PLATE 10

FUEL SYSTEM

Part No.	Description	Plate No.	No. per Unit	Remarks
C.15076	PETROL TANK ASSEMBLY		1	
C.19107 C.1617 C.19117	Sump Assembly, at bottom of Petrol Tank Washer, on Sump Petrol Filter and Drain Plug Assembly, at bottom of Sump		1 1 1	Fitted from Chassis No. 850001 to 850091. 875001 to 875385. 860001 to 860004.
C.19108 C.1617	'O' Ring, for top of Petrol Filter Washer, on Petrol Filter		1 1	885001 to 885020.
C.19801	PETROL TANK ASSEMBLY	34- 1	1 ?	Fitted to Chassis No. 850092 and subs.
C.19302 C.1617 C.19298	Sump Assembly, at bottom of Petrol Tank Washer, on Sump Screwed Ring, for Sump	34- 2 34- 3 34- 4	1 1 1	875386 and subs. 860005 and subs. 885021 and subs.
C.15150 C.2905/1	Ventilation Hose, from Tank to Petrol Filler Box Clip, securing Hose	34- 5 34- 6	1 2	
C.18906	Rubber Pad, under Petrol Tank		1	
C.9024	FILLER CAP FOR PETROL TANK	34- 7	1	
C.18936	HOSE, CONNECTING TANK TO PETROL FILLER BOX	34 8	1	
C.2905/7	Clip, securing Hose	34- 9	2	
C.16077	PETROL TANK ELEMENT UNIT (TF.1104/051)		1	For Spares Replacements use C.20429.
C.20429	PETROL TANK ELEMENT UNIT (TF.1104/049)	34-10	1	
C.937 UFS.313/3H C.2296/9	Gasket, under Element Unit Screw, Set, securing Element Unit Copper Washer, on Setscrews	34–11	1 6 12	
C.17468	PETROL PUMP ASSEMBLY (LUCAS 78388/A-2.FP)		1	Fitted from Chassis No.
C.17570 8811	Outlet Union, for Petrol Pump (771390) Washer (Fibre) on Outlet Union (54140054)		1	850001 to 850091. > 875001 to 875385. 860001 to 860004.
UFB.125/8R C.8667/1 FW.104/T	Bolt, securing Petrol Pump to Mounting Bracket Nut, Self-Locking, on Bolts Washer, Plain, under Nuts		2 2 2	885001 to 885020.
C.19919	PETROL PUMP ASSEMBLY (78387/D-2.FP)	34–12	1]	Fitted to Chassis No. 850092 and subs.
C.18952 C.18953 8667/1	Special Washer, for Pump Mounting Special Washer, for Pump Mounting Self-Locking Nut, securing Pump	34-13 34-14	2 2	875386 and subs. 860005 and subs. 885021 and subs.
C.19271	FILTER ASSEMBLY FOR FEED PIPE ON PETROL PUMP	34–15	1	Fitted to Chassis No. 850092 and subs.
C.11576 C.11575	Union Nut, securing Filter to Feed Pipe Olive, on Feed Pipe, for Union Nut	34–16 34–17	1 }	 875386 and subs. 860005 and subs. 885021 and subs.
C.17499	BRACKET ASSEMBLY, FOR MOUNTING OF PETROL PUMP		1	Fitted from Chassis No. 850001 to 850091. 875001 to 875385. 860001 to 860004. 885001 to 885020.

FUEL SYSTEM

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18907	PLATE ASSEMBLY, FOR MOUNTING OF PETROL PUMP	34-18	1	Fitted to Chassis No. 850092 and subs. 875386 and subs. 860005 and subs. 885021 and subs.
C.17504 UFS.119/4R AW.102/E	Gasket, under Bracket (or Plate) Screw, Set, securing Bracket to Petrol Tank Copper Washer, on Setscrews	34-19	1 8 8	
C.19262	PETROL PIPE ASSEMBLY BETWEEN FILTER AND PUMP		1	Fitted from Chassis No. 850001 to 850091. 875001 to 875385.
8812 8813	Banjo Bolt, securing Petrol Pipe to inlet side of Pump (54710343) Washer, at each side of Banjo (54148514)		1 2	860001 to 860004. 885001 to 885020.
C.19264	PETROL PIPE ASSEMBLY BETWEEN FILTER AND PUMP	34–20	1	Fitted to Chassis No. 850092 and subs. 875386 and subs.
C.19259 C.11489	Banjo Bolt, securing Petrol Pipe to inlet side of Pump Washer, at each side of Banjo	34–21 34–22	1 2	860005 and subs. 885021 and subs.
	NOTE:—WHEN SERVICING THE PETROL PUMP, THE BATTERY SHOULD BE DISCONNECTED AS A PRECAUTION AGAINST FIRE.			
BD.16008	BRACKET ASSEMBLY, FOR FORWARD MOUNTING OF PETROL TANK	34-23	1	
UFN.131/L C.725	Nut, securing Bracket to Boot Floor Washer, Shakeproof, under Nuts		4	
C.19846 C.6390 C.11920 FG.106/X C.410	Rubber Pad, at Petrol Tank Mountings Distance Tube, through Rubber Pads Bolt, securing Petrol Tank Washer, Spring, on Bolts Washer, Special, under Spring Washers	34–24 34–25	6 3 3 3 3	
C.19095	PETROL PIPE BETWEEN OUTLET UNION ON PUMP AND CONNECTOR ON PUMP MOUNTING BRACKET		1	Fitted from Chassis No. 850001 to 850091. 875001 to 875385.
C.16267	Nipple, for connection of Pipe to Union on Mounting Bracket		1	860001 to 860004. 885001 to 885020.
C.16266	Nut, securing Nipple to Union		1	J
C.2083 4	PETROL PIPE ASSEMBLY FROM PUMP TO CONNECTOR ON PUMP MOUNTING PLATE	34–26	1	Fitted to Chassis No. 850092 and subs. 875386 and subs. 860005 and subs.
C.11488 C.11489	Bolt, securing Banjo Fibre Washer, on Banjo Bolt	34–28 34–29	1 2	885021 and subs.
C.17506	PETROL PIPE ASSEMBLY BETWEEN PUMP MOUNTING BRACKET AND BULKHEAD CONNECTOR	34-27	1	
C.11488	Banjo Bolt, securing Pipe to Pump Bracket and Connector	34-28	2	
C.11489	Fibre Washer, at each side of Banjos	34-29	4	

FUEL SYSTEM

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17630	BULKHEAD CONNECTOR AT R.H. FRONT CORNER OF BOOT FLOOR		1	
C.18254 C.10267 C.3729	Mounting Plate, for Bulkhead Connector Nut, securing Connector to Mounting Plate Brass Washer, under Nut	34-31 34-32 34-33	1 1 1	
UFS.125/4R C. 724	Screw, Set, securing Mounting Plate to Boot Floor Washer, Shakeproof, on Setscrews		2	
C.1 7222	PETROL PIPE ASSEMBLY BETWEEN CONNECTOR AND PETROL FILTER		1	
C.3727 C.10268 C.1040/9 C.1040/12	Clip, securing Petrol Pipe to Wheel Arch Clip, securing Petrol Pipe to Underframe Clip, securing Petrol Pipe to Underframe Clip, securing Petrol Pipe at Reservac Tank Mounting	34–35 34–36 34–37 34–38	2 4 1 1	
C.13681	PETROL FILTER ASSEMBLY (AC.7950001)	34–39	1	
7297 7298	Filter Casting Sealing Washer, between Filter Casting and Glass Bowl	34 <u>-4</u> 0 34 <u>-4</u> 1	1 1	
7299 7300 7301	Filter Gauze Glass Bowl Retaining Strap Assembly	34-42 34-43 34-44	1 1 1	
C.13705 C.784	Banjo Bolt, securing Petrol Pipes to Filter Fibre Washer, at each side of Banjos	34-45 34-46	2 4	
C.17354	BRACKET ON FRONT FRAME FIXING BOLT, FOR MOUNTING OF PETROL FILTER		1	Fitted from Chassis No. 850001 to 850091. 875001 to 875385. 860001 to 860004. 885001 to 885020.
C.18964	BRACKET ON FRONT FRAME FIXING BOLT, FOR MOUNTING OF PETROL FILTER	34–47	1	Fitted to Chassis No. 850092 and subs. 875386 and subs. 860005 and subs.
UFS.131/6R UFN.131/L FG.105/X	Screw, Set, securing Filter to Bracket Nut, on Setscrews Washer, Spring, under Nuts		2 2 2	885021 and subs.
C.17335	PETROL PIPE ASSEMBLY FROM FILTER TO CARBURETTER FEED PIPE	34-48	1	
C.11576 C.11575	Union Nut, securing Feed Pipe to Pipe from Filter Olive, on Carburetter Feed Pipe		1	
C.15823	FEED PIPE ASSEMBLY, LINKING CARBURETTERS	34-49	1	
C.11488 C.11489	Banjo Bolt, securing Feed Pipe to Float Chambers Fibre Washer, at each side of Banjos	34-50 34-51	3 6	




PLATE 34

EXHAUST SYSTEM

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18426	FRONT DOWN PIPE ASSEMBLY, FROM MANIFOLD TO SILENCER	33– 1	1	
C.1759 C.18401	Flexible Pipe, on Down Pipe (12" long) Flange		1	
C.18427	REAR DOWN PIPE ASSEMBLY, FROM MANIFOLD TO SILENCER	33- 2	1	
C.1759 C.18401	Flexible Pipe, on Down Pipe (12" long) Flange		1	
C.18405/1 C.17916 FG.106/X	Gasket, between Down Pipe and Exhaust Manifold Nut, securing Down Pipe to Exhaust Manifold Washer, Spring, under Nuts	33- 3	2 8 8	
C.13063	CLIP, SECURING DOWN PIPES TO SILENCERS	33- 4	2	-
UFB.131/22R UFN.131/L FW.105/T	Bolt, through Clips Nut, on Bolts Washer, Plain, under Nuts		2 2 2	
C.17123	TWIN SILENCERS ASSEMBLY	33- 5	1	
C.17124 C.17127 C.18986	Silencer only Mounting Strap, for Silencers Stiffener, for Silencers	33- 6 33- 7 33- 8	2 2 1	
1363	RUBBER MOUNTING FOR SUS- PENSION OF SILENCERS TO BODY	33- 9	4	
UFN.131/L C.725	Nut, securing Rubber Mountings to Body Washer, Shakeproof, under Nuts		4	
UFS.131/7R C.12027 C.8667/2 FW.105/T	Screw, Set, securing Silencers to Rubber Mountings Spacer, between Silencers and Rubber Mountings Nut, Self-Locking, on Setscrews Washer, Plain, under Nuts		4 4 4 4	
C.18432	EXHAUST TAIL PIPE ASSEMBLY	33–10	1	Fitted from Chassis No. 850001 to 850178.
C.18433 C.17131 C.18434 C.18436	Tail Pipe only Strap, linking Tail Pipes at front Muffler Box Assembly Mounting Bracket, between Muffler Boxes	33–11 33–12 33–13 33–14	2 1 2 1	875001 to 875607. 860001 to 860011. 885001 to 885058.

EXHAUST SYSTEM

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18660	EXHAUST TAIL PIPE ASSEMBLY, R.H.	33-15	1	Fitted to Chassis No. 850179 and subs.
C.18661	EXHAUST TAIL PIPE ASSEMBLY, L.H.	33-16	1	875608 and subs. 860012 and subs. 885059 and subs.
UFS.125/5R C.8667/1	Setscrew, securing Tail Pipe to Tail Pipe Nut, Self-Locking, on Setscrews		2 2	
C.5007/1	True, Jen-Locking, on Jedscrews		2 .	
C.18655	MUFFLER ASSEMBLY, R.H.	33–17	1]
				Fitted to Chassis No. 850179 and subs. 875608 and subs.
C.18656	MUFFLER ASSEMBLY, L.H.	33–18	1	860012 and subs. 885059 and subs.
C.18975 UFS.125/5R C.8667/1	Tie Plate, between Mufflers Setscrew, securing Tie Plate to Mufflers Nut, Self-Locking, on Setscrews	33–19	2 2 1	
C.18196	CLIP, SECURING TAIL PIPES TO SILENCERS	33–20	2	
UFB.131/22R UFN.131/L FW.105/T	Bolt, through Clips Nut, on Bolts Washer, Plain, under Nuts		2 2 2	
1363	RUBBER MOUNTING FOR SUS- PENSION OF TAIL PIPES TO BODY	33~21	1	
UFS.131/6R UFN.131/L C.725	Screw, Set, securing Mounting to Tail Pipes Nut, on Setscrews Washer, Shakeproof, under Nut		1 1 1	
C.17462	BRACKET FOR FIXING OF RUBBER MOUNTING TO BODY	33–22	1	
C.8667/2	Nut, Self-Locking, securing Bracket to Boot Floor		2	
UFS.131/5R UFN.131/L C.725	Screw, Set, securing Rubber Mounting to Bracket Nut, on Setscrews Washer, Shakeproof, under Nuts		2 2 2	
C.19018	Hooked Safety Bracket, on Setscrews		1	




PLATE 33

COOLING SYSTEM

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16770	RADIATOR BLOCK ASSEMBLY	32- 1	1	
C.8975 C.18283 C.8737/3 BD.541/2	Rubber Mounting Pad, for Radiator Block Distance Collar, through Pads Nut, securing Radiator Block to Front Sub-Frame Washer, Plain, under Nuts	32- 2 32- 3	4 2 2 2	
C.16764	Tie Bar, R.H., between Radiator Block and Header Tank	32- 4	1	
C.16765	Support Bracket Tie Bar, L.H., between Radiator Block and Header Tank	32- 5	1	
C.16766 C.8737/2	Support Bracket Distance Piece, under forward end of Tie Bars Nut, Self-Locking, securing Tie Bars to Radiator Block	32- 6	2 2	
C.2354	DRAIN TAP FOR RADIATOR BLOCK	32- 7	1	
C.316	Fibre Washer, on Drain Tap	32- 8	As req'd	
C.16998	RADIATOR HEADER TANK ASSEMBLY	32- 9	1	Fitted from Chassis No.
C.18460	Filler Cap (4 lbs. pressure)	32–10	1	850001 to 850656. 875001 to 879043. 860001 to 861090. 885001 to 888240.
C.21512	RADIATOR HEADER TANK ASSEMBLY		1	Fitted to Chassis No.
C.18485	Filler Cap (9 lbs. pressure)		1	850657 and subs. 879044 and subs.
BD.4052/1	Rubber Overflow Pipe, for Header Tank	32–11	1 .	861091 and subs. 888241 and subs.
C.16768	BRACKET ASSEMBLY SUPPORTING HEADER TANK	32–12	1	
C.8975 C.8976 JFB.137/10R 3D.541/2	Rubber Mounting Pad, for Support Bracket Distance Collar, through Pads Bolt, securing Support Bracket to Cross Member Washer, Plain; on Bolts	32–13 32–14	4 2 2 2	
JFS.131/5R	Screw, Set, securing Header Tank to Support Bracket and securing Radiator Tie Bars		2	
JFS.131/6R	Screw, Set, securing Header Tank to Support Bracket and securing Radiator Tie Bars		1	
C.8667/2	Nut, Self-locking, on Setscrews		3	

COOLING SYSTEM

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.18559	THERMOSTAT, IN HEADER TANK, CONTROLLING ELECTRIC COOLING FAN	32–15	1		
C.2475 UFS.419/4H AW102/E	Gasket, under Thermostat Screw, Set, securing Thermostat Washer, on Setscrews	32–16	1 3 3		
C.16687	COOLING FAN ASSEMBLY	32–17	1		
C.8667/1 FW.104/T	Nut, Self-Locking, securing Fan to Motor Washer, Plain, under Nut		1		
C.16452	ELECTRIC MOTOR, DRIVING FAN (LUCAS 78378/B)	32–18	1		
C.18110 C.18123 C.8667/17	Grommet, in Mounting Bracket Washer, under Grommets Nut, Self-Locking, securing Electric Motor to Mounting Bracket on Cross Member	32–19 32–20	4 4 4		
C.18111	Washer, Plain, under Nuts		*		
C.18109	COWL, SURROUNDING COOLING FAN	32–21	1		
C.18107/1 C.18106 C.18108	Sealing Strip (Polyurethane) at top and bottom of Cowl Sealing Strip (Polyurethane) at L.H. Side of Cowl Sealing Strip (Polyurethane) at R.H. Side of Cowl	32-22 32-23 32-24	2 1 1		
UFB.125/8R C.15712 C.8667/1 FW.104/T	Bolt, securing Cowl to Radiator Tie Bars Distance Piece, between Cowl and Tie Bars Nut, Self-Locking, on Bolts Washer, Plain, under Nuts		2 2 2 2		
C.18105 UFS.125/6R BD.541/9 C.8667/1 FW.104/T	Bracket, under Radiator Block, for mounting of Cowl and Duct Shield Screw, Set, securing Cowl to Bracket Distance Washer, on Setscrews Nut, Self-Locking, on Setscrews Washer, Plain, under Nuts		2 2 2 2 2		
C.18282	DUCT SHIELD, BETWEEN LOWER EDGE OF RADIATOR AND SUB- FRAME CROSS TUBE	32–25	1		
C.1040/20 UFS.125/4R C.8737/1 FW.104/T	Clip, for fixing of Duct Shield to Sub-Frame Screw, Set, securing Duct Shield Nut, Self-Locking, on Setscrews Washer, Plain, at Clip fixing		3 5 5 3		

COOLING SYSTEM

Part No.	Description	Plate Nc.	No. per Unit	Remarks
C.16767	ELBOW HOSE, CONNECTING RADIATOR TO HEADER TANK	32–26	1	
C.2905/4	Clip, securing Hose	32-27	2	
C.12424	HOSE, CONNECTING HEADER TANK TO OUTLET ELBOW ON ENGINE	32–28	1	MUST NOT BE USED IF 9 LBS. PRESSURE CAP IS FITTED TO HEADER TANK.
C.21489	HOSE, CONNECTING HEADER TANK TO OUTLET ELBOW ON ENGINE		1	Fitted to Chassis No. 850657 and subs. 879044 and subs. 861091 and subs. 888241 and subs.
C.2905/4	Clip, securing Hose	32–29	2	33211 and 3333
C.7548	BY-PASS HOSE	32–30	1	
C.2905/4	Clip, securing By-Pass Hose	32–31	2	
C.12630	ELBOW HOSE, CONNECTING WATER PUMP TO PIPE	32-32	1	
C.2905/5 C.2905/4	Clip, securing Hose to Pipe Clip, securing Hose to Water Pump	32-33	1	
C.16999	PIPE, CONNECTING HOSES	32–34	1	
C.15099	HOSE, CONNECTING PIPE TO BOTTOM OF RADIATOR	32–35	1	
C.2905/5 C.2905/4	Clip, securing Hose to Pipe Clip, securing Hose to Radiator	32–36 32–37	1	




PLATE 32

HEATER AND DEMISTER INSTALLATION

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.17271	CASE ASSEMBLY FOR HEATER	55- 1	1		
C.17300 BD.1229/1	Side Panel Assembly, for Heater Case Screw, Self-Tapping, securing Side Panel to Case	55– 2	1 6		
C.15587 C.19761	Spring, steadying Air Control Flap Lever Assembly, for connection of Spring to Air	55- 3 55- 4	1		
UFS.119/7R UFN.119/L AW.102/T	Control Flap Screw, Set, clamping Lever on Control Flap Shaft Nut, on Setscrew Washer, Plain, under Nut		1 1 1		
C.18711	AIR RELEASE DUCT, ON BOTTOM PANEL, INSIDE HEATER CASE	55- 5	1		
BD.1814/2	Pop Rivet, securing Duct to Heater Case		, 6		,
C.17641	CLAMP BRACKET FOR MOUNTING OF HEATER CASE TO FRAME SIDE MEMBER	55– 6	1		
UFS.119/4R C.723/A UFN.119/L AW.102/T	Screw, Set, securing Heater Case to Bracket Washer, Shakeproof, on Setscrews Nut, on Setscrews Washer, Plain, on Setscrews		2 4 2 2		
UFS.125/4R C.724	Screw, Set, securing Heater Case to Dash Washer, Shakeproof, on Setscrews		4 4		
C.17308	SEAL BETWEEN HEATER CASE AND	EE 7	1		
C.17300	DASH TEATER CASE AND	33- 7	·		

HEATER AND DEMISTER INSTALLATION

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.17303	SEAL (FELT) AT TOP AND BOTTOM OF WATER RADIATOR	55 9	2		
C.17304	SEAL (POLYURETHANE) AT L.H. END OF WATER RADIATOR	55–10	1		
C.17305	SEAL (POLYURETHANE) AT R.H. END OF WATER RADIATOR	55–11	1		
C.18514	SEAL (POLYURETHANE) ON HEATER RADIATOR SEATING AIR CONTROL FLAP WHEN CLOSED	55–12	1		
C.18107/3	SEAL (POLYURETHANE) ON HEATER CASE FOR LOWER EDGE OF AIR CONTROL FLAP	55–13	1		
C.18917	SEAL (POLYURETHANE) SEATING ENDS OF AIR CONTROL FLAP	55-14	2		
C.18713	SEAL (POLYURETHANE) ON AIR CONTROL FLAP, FOR RELEASE DUCT		1		

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.17427	HEATER MOTOR ASSEMBLY	55–16	1		
C.17309	Adaptor Plate, for mounting of Heater Motor		1		
C.17352	Fan, on Heater Motor	55–17	1		
C.18241	Spire Nut, securing Fan	55-18	1		
C.17428 BD.1814/1	Resistance, for Heater Motor (FHE.3103/01) Pop Rivet, securing Resistance to Adaptor Plate	55–19	1 2		
C.17310	Sealing Ring (Polyurethane) between Adaptor Plate and Heater Volute	55-20	1		
C.14696	Grommet, in motor Adaptor Plate, at fixings to Heater Volute	55–21	4		
UFN.119/L AW.102/T	Nut, securing Motor to Volute Washer, Plain, under Nuts		4		
			·		
C.17280	INTAKE MESH, AT TOP OF HEATER VOLUTE	55–22	1		
C.18239 BD.1229/1	Fixing Ring, for Intake Mesh Screw, Self-Tapping, securing Fixing Ring to Volute	55–23	1		
C.18240	RUBBER SEAL, BETWEEN BONNET AND HEATER AIR INTAKE		1		
C.17421	ADAPTOR, AT REAR OF INLET MANI- FOLD, FOR WATER FEED TO HEATER	55–24	1		
C.2296/1	Copper Washer, on Adaptor	55–25	1		
C.18987	HOSE, BETWEEN ADAPTOR AND R.H. FEED PIPE BEHIND DASH TOP PANEL	55–26	1		
C.2905/2	Clip, securing Hose	55–27	1		

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17771	R.H. FEED PIPE ASSEMBLY, BEHIND DASH TOP PANEL, BETWEEN HOSE AND WATER CONTROL VALVE	55–28	1	
C.17314/1 BD.1814/2	Fixing Flange, for Feed Pipe Pop Rivet, securing Feed Pipe to Dash through Fixing Flanges	55–29	2 6	
C.17777	ELBOW HOSE, BETWEEN R.H. FEED PIPE AND WATER CONTROL VALVE	55–30	1	
C.2905/1	Clip, securing Elbow Hose	55–31	2	
C.17820	WATER CONTROL VALVE ASSEMBLY (SMITHS FHW.1272/30)	55–32	1	SUPERSEDED BY C.20820.
C.20820	WATER CONTROL VALVE ASSEMBLY (SMITHS 011-99. 7109/119)		1	SUPERSEDES C.17820.
C.17821 C.9928	Mounting Block, under Valve Sealing Ring, for L.H. Feed Pipe	55–33 55–34	1	
UFB.119/9R AG.102/X	Bolt, securing Control Valve to Dash Washer, Spring, on Bolts		2 2	
0.1777				
C.17773	L.H. FEED PIPE ASSEMBLY, BEHIND DASHTOPPANEL, BETWEENWATER CONTROL VALVE AND HEATER RADIATOR	55-35	1	
C.17314/1 BD.1814/2	Fixing Flange, for Feed Pipe Pop Rivet, securing Feed Pipe to Dash through Fixing Flange	5536	1 3	
C.17778	ELBOW HOSE, BETWEEN L.H. FEED PIPE AND HEATER RADIATOR INLET	55–37	1	
C.2905/1	Clip, securing Elbow Hose	55–38	2	

Part No.	Description	Plate No.	No. pe Unit	r Remarks
C.17779	ELBOW HOSE, BETWEEN HEATER RADIATOR OUTLET AND REAR RETURN PIPE	55–39	1	
C.2905/1	Clip, securing Elbow Hose	5 5–4 0	2	
C.17775	REAR RETURN PIPE ASSEMBLY, BEHIND DASH TOP PANEL, FOR WATER FROM HEATER	55-41	1	
C.17314/1 BD.1814/2	Fixing Flange, for Rear Return Pipe Pop Rivet, securing Rear Return Pipe to Dash through Fixing Flanges	55-42	2 6	
C.4399	HOSE BETWEEN REAR AND FRONT RETURN PIPES	55–43	1	
C.2905/2	Clip, securing Hose	55 -44	2	
C.16871	FRONT RETURN PIPE AT R.H. SIDE OF CYLINDER BLOCK	55-45	1	SUPERSEDED BY C.19366.
C.19366	FRONT RETURN PIPE AT R.H. SIDE OF CYLINDER BLOCK		1	SUPERSEDES C.16871.
C.16963 C.16964 UFS.119/4R UFN.119/L C.723/A	Hanger Bracket, rear, for Front Return Pipe Hanger Bracket, front, for Front Return Pipe Screw, Set, securing Pipe in Brackets Nut, on Setscrews Washer, Shakeproof, under Nuts	55 <u>-46</u> 55 <u>-4</u> 7	1 1 2 2 2	

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.14999/1	HOSE BETWEEN FRONT RETURN PIPE AND ADAPTOR ON WATER PUMP	55 -4 8	1		
C.2905/2	Clip, securing Hose	55 -4 9	2		
C.17421	ADAPTOR, IN WATER PUMP, FOR RETURN FROM HEATER	55-50	1		
C.2296/1	Copper Washer, on Adaptor	55–51	1		
C.17872	L.H. CONTROL LEVER ASSEMBLY OPERATING AIR FLAP IN HEATER CASE	5552	1		
C.17873	R.H. CONTROL LEVER ASSEMBLY OPERATING WATER VALVE	55–53	1		
UFB.125/10R C.18701 C.17783 C.18414/1 BD.541/20 C.8737/1	Bolt, for pivoting of Control Levers Bush (Steel) on Bolt Distance Collar, between Control Levers Wavy Washer, between Distance Collar and L.H. Control Lever Special Washer, outside Control Levers Nut, Self-Locking, on Bolt		1 1 1 1 2		
C.18700	Support Bracket, on escutcheon fixing studs, for Control Levers	55–54	1		
C.16 794/3	CONTROL CABLE, OPERATING	55-55	1		
C.15714/3	AIR FLAP Outer Cable, on Control Cable	55–56	1		

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16794/1	CONTROL CABLE, OPERATING WATER VALVE	55–57	1	
C.15714/2	Outer Cable, on Control Cable	55–58	1	
C.17324	End Fitting, securing Control Cables to Levers	55-59	2	
C.17874 C.18510	Special Screw, in End Fitting Bracket, on L.H. Facia inner mounting Bracket, for Cable Abutment Clamp	55–60	2 1	
UFS.119/4R C. 723 /A	Screw, Set, securing Bracket Washer, Shakeproof, on Setscrews		2 2	
C.18571	Abutment Clamp, securing Control Outer Cables to Bracket	55-61	1	
UFS.119/4R UFN.119/L	Screw, Set, securing Abutment Clamp Nut, on Setscrew		1 1	
C.723/A	Washer, Shakeproof, under Nut	EE 40	1	4 off manifest for D.U. Duling Com-
C.2850	Grommet, for Outer Cables	55-62	See remarks	4 off required for R.H. Drive Cars. 5 off required for L.H. Drive Cars.
C.17801	ESCUTCHEON FOR HEATER CONTROL LEVERS	55–63	1	
C.18456	Plate, behind Escutcheon, inscribed "OFF-AIR-ON"	55-64	1	
UFN.119/L	"COLD-HOT" Nut, securing Escutcheon and Control Lever Support		. 2	
C.723/A	Bracket to L.H. Facia Washer, Shakeproof, under Nuts		2	
C.10351	TRUNNION FOR CONNECTION OF CONTROL INNER CABLE TO AIR FLAP AND WATER VALVE	55–65	2	
C.10352	Screw, Set, in Trunnions	5566	2	
C.17287	Abutment Clamp, securing Flap Control Outer Cable	55-67	1	
UFS.119/4R C.723/A	to Bracket on Heater Case Screw, Set, through Abutment Clamp Washer, Shakeproof, on Setscrew		1	
BD.19853	DOOR ASSEMBLY, UNDER SIDES OF DASH, FOR AIR FROM HEATER	55-68	2	
BD.20506 BD.10807 UCS.119/3R	Spring, on Doors Knob, on Doors Screw, Set, securing Knob to Doors		2 2 2	
C.723/A BD.19856	Washer, Shakeproof, on Setscrews Seal (Polyurethane) for Doors		2 2	
UFS.119/3R	Screw, Set, securing Doors to Dash		8	
C.723/A	Washer, Shakeproof, on Setscrews		8	

Part No.	Description	Plate No.	No. per Unit	Remarks
	DEMISTER CONNECTIONS BEHIND INSTRUMENT PANEL AND FACIAS			
BD.14607	RUBBER ELBOW, ON HEATER BOX, FOR CONNECTION OF HOSE TO DEMISTER NOZZLES	55-69	3	USE IN CONJUNCTION WITH SCREEN RAIL FACIA ASSEMBLIES BD.19752, OPEN CARS, OR BD.23634, FIXED HEAD COUPE.
BD.14607	RUBBER ELBOW, ON HEATER BOX, FOR CONNECTION OF HOSE TO DEMISTER NOZZLES		1 .	USE IN CONJUNCTION WITH
BD.23569	RUBBER ELBOW, ON HEATER BOX, FOR CONNECTION OF HOSE TO DEMISTER NOZZLES		2	SCREEN RAIL FACIA ASSEMBLIES BD.22732, OPEN CARS, OR BD.23832, FIXED HEAD COUPE.
BD.5281/10	FLEXIBLE HOSE BETWEEN RUBBER ELBOW AND CENTRE DEMISTER NOZZLE (7" LONG)	55–70	1 -	USE IN CONJUNCTION WITH SCREEN RAIL FACIA ASSEMBLIES
BD.5281/11	FLEXIBLE HOSE BETWEEN RUBBER ELBOWS AND OUTER DEMISTER NOZZLES (11" LONG)	55–71	2	BD.19752, OPEN CARS, OR BD.23634, FIXED HEAD COUPE.
BD.5281/14	FLEXIBLE HOSE BETWEEN 'Y' PIECES AND INTERMEDIATE DEMISTER NOZZLES AND RUBBER ELBOW TO CENTRE DEMISTER NOZZLE (6" LONG)		3	
BD.5281/15	FLEXIBLE HOSE BETWEEN 'Y' PIECES AND OUTER DEMISTER NOZZLES (14½" LONG)		2	USE IN CONJUNCTION WITH SCREEN RAIL FACIA ASSEMBLIES BD.22732, OPEN CARS, OR BD.23832, FIXED HEAD COUPE.
BD.25214	'Y' PIECE FOR FLEXIBLE AIR DUCT HOSES		2	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.19752	SCREEN RAIL FACIA ASSEMBLY (COMPRISING PANEL, CRASH PAD, FACING, ATTACHMENT BRACKETS AND DEMISTER NOZZLES)	55-72	1	OPEN CARS ONLY. FOR SPARES REPLACEMENTS USE BD.22732 (See page 185).
BD.22732	SCREEN RAIL FACIA ASSEMBLY (COMPRISING PANEL, CRASH PAD, FACING, ATTACHMENT BRACKETS AND DEMISTER NOZZLES)		1	OPEN CARS ONLY.
BD.20634	SCREEN RAIL FACIA ASSEMBLY (COMPRISING PANEL, CRASH PAD, FACING, ATTACHMENT BRACKETS AND DEMISTER NOZZLES)		1	FIXED HEAD COUPE ONLY. FOR SPARES PEPLACEMENTS USE BD.23832. (See page 241).
BD.23832	SCREEN RAIL FACIA ASSEMBLY (COMPRISING PANEL, CRASH PAD. FACING, ATTACHMENT BRACKETS AND DEMISTER NOZZLES)		1	FIXED HEAD COUPE ONLY.




PLATE 55

CLUTCH UNIT NOT SUITABLE FOR RACING OR COMPETITION PURPOSES

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16172	CLUTCH UNIT, COMPLETE (BB.10/160/A)	11- 1	1	
			•	
C.16173	CLUTCH COVER ASSEMBLY (BB.45696/106)		1	
2546 8769 8097 6839 2472 2395 2527 2588 2523	Cover only (45616) Thrust Spring (Violet) (49970) Pressure Plate (50401) Release Lever (48992) Plate, Release Lever (40968) Retainer, Release Lever (40015) Strut, Release Lever (42606) Eyebolt, Release Lever (48243) Pin, through Eyebolt (42604)	11- 2 11- 3 11- 4 11- 5 11- 6 11- 7 11- 8 11- 9 11-10	1 12 1 3 1 3 3 3 3	
5086 2545	Nut, on Eyebolt (48132) Anti-Rattle Spring (45577)	11–11 11–12	3 3	
684 0	RELEASE BEARING ASSEMBLY (48444)		1	
2590 4163	Release Bearing and Cup (48443) Retainer, securing Cup to Clutch Operating Fork (41628)	11–13 11–14	1 2	
7643	DRIVE PLATE ASSEMBLY (47627/124)		1	
2561	Facings Package (consisting of Clutch Linings and Rivets)		1	FOR RENEWAL OF DRIVEN PLATE
C.1782	(46663) Dowel, for location of Clutch Unit to Flywheel		. 2	LININGS.
C.20311 C.8737/3	Bolt, securing Clutch Unit to Flywheel Nut, Nylon, on Bolts	11–15 11–16	6	




PLATE 11

CLUTCH UNIT FOR RACING OR COMPETITION USE

Part No.	Description	Plate No.	No. pe Unit	r Remarks
C.16174	CLUTCH UNIT, COMPLETE (BB.10/161)	12- 1	1	SUPERSEDED BY C.19951
C.19951	CLUTCH UNIT, COMPLETE (BB.10/161A)		1	
C.16175	CLUTCH COVER ASSEMBLY (BB.45696/107)		1	SUPERSEDED BY C.19952
2546 8769 8780 6839 2472 2395 2527 2588 2523 5086 2545	Cover only (45616) Thrust Spring (Violet) (49970) Pressure Plate (48575) Release Lever (48972) Plate, Release Lever (40968) Retainer, Release Lever (40015) Strut, Release Lever (42606) Eyebolt, Release Lever (48243) Pin, through Eyebolt (42604) Nut, on Eyebolt (48132) Anti-Rattle Spring (45577)	12- 2 12- 3 12- 4 12- 5 12- 6 12- 7 12- 8 12- 9 12-10 12-11 12-12	1 12 1 3 1 3 3 3 3 3 3 3 3 3 3	
C.19952	CLUTCH COVER ASSEMBLY (BB.45696/112)		1	
10022	Thrust Spring (Buff with Black) (51448A) All other items as for C.16175.		12	
6840	RELEASE BEARING ASSEMBLY (48444)		1	
2590 4163	Release Bearing and Cup (48443) Retainer, securing Cup to Clutch Operating Fork (41628)	12-13 12-14	1 2	
C.16215	DRIVEN PLATE ASSEMBLY (46093/42)		1	
C.1782	Dowel, for location of Clutch Unit to Flywheel		2	
C.20311 C.8737/3	Bolt , securing Clutch Unit to Flywheel Nut , Nyloc, on Bolt	12–15 12–16	6 6	




PLATE 12

Part No.	Description	Plate No.	No. per Unit	Remarks
C.14494	CLUTCH HOUSING (COMPLETE WITH BUSHES)	13~ 1	1	FITTED TO GEARBOX WITH SHAVED GEARS.
C.14494/G	CLUTCH HOUSING (COMPLETE WITH BUSHES)		1	FITTED TO GEARBOX WITH CLOSE RATIO GROUND GEARS.
C.10025	Bush, for Throw-out Shaft		2	
FB.107/13D C.9859 C.9860 FW.107/T C.587 C.5073 UFB.137/23R C.726 UFB.137/23R UFN.137/L C.726 C.1221/1	Bolt, securing Clutch Housing to Gearbox Bolt, securing Clutch Housing to Gearbox Bolt, securing Clutch Housing to Gearbox Washer, Plain, on Bolts Plate, locking Bolts Bolt, securing Clutch Housing to Cylinder Block Washer, Shakeproof, on Bolts Bolt, securing Clutch Housing and Support Brackets to Cylinder Block Nut, on Bolts Washer, Spring, under Nuts Split Pin, in Oil Drain Hole, at bottom of Clutch Housing	13- 2 13- 3	6 1 1 2 2 1 11 11 2 2 2 1	
C.11910	Cover, over Timing aperture at bottom of Clutch	13- 4	1	
BD.524/2	Rivet, securing Cover to Clutch Housing		1	
C.18739	OIL SEAL, AT REAR OF CLUTCH HOUSING, FOR GEARBOX PRIMARY SHAFT	13- 5	1	FITTED TO GEARBOX WITH SHAVED GEARS.
C.6738	OIL SEAL, AT REAR OF CLUTCH HOUSING, FOR GEARBOX PRIMARY SHAFT		1	FITTED TO GEARBOX WITH CLOSE RATIO GROUND GEARS.
C.5072	COVER PLATE, AT BACK OF CLUTCH HOUSING	13- 6	1	
UCS.125/4R C.724	Screw, Set, securing Cover Plate Washer, Shakeproof, on Setscrews		4 4	
C.19207	SUPPORT BRACKET AT R.H. SIDE OF CLUTCH HOUSING	13- 7	1	
C.19206	SUPPORT BRACKET AT L.H. SIDE OF CLUTCH HOUSING	13- 8	,1	
UFB.131/10R UFB.131/12R UFN.131/L FG.105/X	Bolt, securing Support Brackets to Cylinder Block Bolt, securing Support Brackets to Cylinder Block Nut, on Bolts Washer, Spring, under Nuts		3 1 4 4	
UFB.137/11R UFN.137/L C.726	Bolt, securing Support Brackets to Clutch Housing Nut, on Bolts Washer, Shakeproof, under Nuts		4 4 4	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.9857	SHAFT, HOLDING OPERATING FORK TO CLUTCH HOUSING	13–9	1	
C.9797	FORK, ON SHAFT, OPERATING RELEASE BEARING	13–10	1	
C.8011	Screw (Allen Head) securing Clutch Operating Fork to		1	
UFN.125/L	Shaft Nut, locking Screw		1	
C.5120	RETURN SPRING FOR CLUTCH OPERATING FORK	13–11	1	
C.5178	Plate, anchoring Return Spring	13–12	1	
C.16989	SLAVE CYLINDER FOR CLUTCH OPERATION (110272)	13–13	1	
8335 8336 6139 8591 8592 8337	Body only (110271) Spring (89500) Cup Filler, at top of Spring (87575) Seal, behind Piston (27526) Piston (103439) Circlip, retaining Piston in Slave Cylinder Body	13-14 13-15 13-16 13-17 13-18 13-19	1 1 1 1 1	
6142 6096	(K.19714) Rubber Boot, over end of Slave Cylinder (33427) Bleeder Screw, in Slave Cylinder (28696)	13–20 13–21	1	
C.9858 UFN.137/L FG.106/X C.726	Stud, for mounting of Slave Cylinder to Clutch Housing Nut, on Studs Washer, Spring, under Nut Washer, Shakeproof, under Nut	13–22	2 2 1 1	
8593	REPAIR KIT FOR SERVICING CLUTCH SLAVE CYLINDER (SSB.601)		1	
C.97 98	OPERATING ROD BETWEEN SLAVE CYLINDER AND CLUTCH FORK	13-23	1	
C.10360	ADJUSTER ASSEMBLY FOR OPERATING ROD	1324	1	
C.9800	Bush, for Adjuster		1	
UFN.231/L	Nut, locking Adjuster to Operating Rod		1	
C.9801	Pivot Pin, securing Adjuster to Clutch Operating Fork	13-25	1	
L.103/7U FW.105/T BD.1708/1	Split Pin, securing Pivot Pin Washer, Plain, behind Split Pin Washer, Double Coil Spring, behind Plain Washer		1 1 1	
C.17827	PIPE ASSEMBLY BETWEEN SLAVE CYLINDER AND FLEXIBLE HOSE (VBO.7664)	13–26	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.11603	FLEXIBLE HOSE, BETWEEN HYDRAULIC PIPES (KL.93475)	13-27	1	
UFN.237/L	Nut, securing Flexible Hose		2	
C.741 C.17826 C.17828	Washer, Shakeproof, under Nuts Bracket, on Scuttle, receiving outboard end of Hose Bracket, at R.H. side of Cylinder Block, receiving in-	13-28 13-29	2 . 1 1	
C.2155	board end of Hose Distance Piece, under Bracket	13-30	1	
C.17831	PIPE ASSEMBLY BETWEEN FLEXIBLE HOSE AND CLUTCH MASTER CYLINDER (VBO.7666)	13-31	1	R.H. DRIVE CARS ONLY.
C.17833	PIPE ASSEMBLY BETWEEN FLEXIBLE HOSE AND PIPE CONNECTOR (VBO.7662)		1	L.H. DRIVE CARS ONLY.
C.13187	PIPE CONNECTOR (VBO.1766)		1	L.H. DRIVE CARS ONLY.
C.17832	PIPE ASSEMBLY BETWEEN CONNECTOR AND CLUTCH MASTER CYLINDER (VBO.7663)		1	L.H. DRIVE CARS ONLY.
C.1040/8	Clip, securing Pipe to Scuttle		2	
Ć.17643	CLUTCH MASTER CYLINDER ASSEMBLY (VBM.4044)	1332	1	
8543 8296 8545 6943 8546 8548 8547 8549 8554 8550 8551 6948	Body only (VBM.3261) Seal, on Valve (VBO.4842) Valve (VBO.7465) Spring, on Valve (VBO.1410) Spring Support, Forward (VBO.7552) Main Spring (VBO.7551) Spring Support, Rear (VBO.4451) Cup Seal, on Piston (VBO.8206) Piston (VBO.7550) Static Seal, on Piston (VBO.7554) Push Rod Assembly (VBO.7625) Circlip, retaining Push Rod in Cylinder Body (VBO.2048) Dust Excluder, over end of Cylinder Body	13-33 13-34 13-35 13-36 13-37 13-38 13-39 13-40 13-41 13-42 13-43 13-44	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Fitted from Chassis No. 850001 to 850547. > 875001 to 877488. 860001 to 860646. 885001 to 886218.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.20775	CLUTCH MASTER CYLINDER ASSEMBLY (VBM.4044/1)		1	Fitted to Chassis No. 850548 and subs. 877489 and subs.
9314	Spring Support, Forward (VBO.8885)		1	860647 and subs. 886219 and subs.
	All other items are as for Clutch Master Cylinder Assembly C.17643.			
C.18203 UFN.131/L C.725	Stud, for mounting of Clutch Master Cylinder Nut, on Studs Washer, Shakeproof, under Nuts	13–46	2 2 2	
J.105/12S	Clevis Pin, securing Clutch Pedal to Master Cylinder Push Rod	13-47	1	
L.102.5/6U FW.105/T	Split Pin, retaining Clevis Pin Washer, Plain, behind Split Pin		1	
8552	REPAIR KIT FOR SERVICING OF CLUTCH MASTER CYLINDER (VBM.8063) (COMPRISING CUP SEAL, STATIC SEAL, VALVE SEAL, DUST EXCLUDER AND TUBE OF RUBBER GREASE)		1	
C.17829	PIPE ASSEMBLY BETWEEN CLUTCH MASTER CYLINDER AND LOW PRESSURE HOSE (VBO.7599)	13– 4 8	1	R.H. DRIVE CARS ONLY.
C.18716	PIPE ASSEMBLY BETWEEN CLUTCH MASTER CYLINDER AND LOW PRESSURE HOSE		1	L.H. DRIVE CARS ONLY.
C.6854	LOW PRESSURE HOSE BETWEEN PIPE AND FLUID RESERVOIR	13–49	1	R.H. DRIVE CARS ONLY.
C.18717	LOW PRESSURE HOSE BETWEEN PIPE AND FLUID RESERVOIR		1	L.H. DRIVE CARS ONLY.
C.15886/4 C.15886/5	Clip, securing Hose on Pipe Clip, securing Hose to Fluid Reservoir	13–50 13–51	1	
C.18616	RESERVOIR ASSEMBLY FOR CLUTCH		1	Fitted from Chassis No. 850001 to 850555.
1578 1193	Cap, on Reservoir Washer, under Cap		1	875001 to 877556. 860001 to 860677. 885001 to 886282.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.19646	RESERVOIR ASSEMBLY FOR CLUTCH FLUID	13-52	1	Fitted to Chassis No. 850556 and subs. 877557 and subs.
C.19515	Cap, on Reservoir		1	860678 and subs. 886283 and subs.
C.17476	BRACKET ASSEMBLY FOR MOUNTING OF FLUID RESERVOIRS		1	R.H. DRIVE CARS ONLY.
UFS.125/4R C.8667/1	Screw, Set, clamping Reservoir Clips Nut, Self-locking, on Setscrews		3	Fitted from Chassis No. 850001 to 850555. 860001 to 860677.
UFS.131/4R C.725	Screw, Set, securing Bracket to Dash Washer, Shakeproof, on Setscrews		2 2)
C.20232	BRACKET FOR MOUNTING OF FLUID RESERVOIRS	13-53	1	R.H. DRIVE CARS ONLY. Fitted to Chassis No.
UFS.131/4R C. 725	Screw, Set, securing Bracket to Dash Washer, Shakeproof, on Setscrews		2 2	850556 and subs. 860678 and subs.
C.18693	BRACKET ASSEMBLY FOR MOUNTING OF FLUID RESERVOIRS		1	L.H. DRIVE CARS ONLY.
UFS.125/4R C.8667/1	Screw, Set, clamping Reservoir Clips Nut, Self-locking, on Setscrews		3	Fitted from Chassis No. 875001 to 877556. 885001 to 886282.
C.20234	BRACKET FOR MOUNTING OF FLUID RESERVOIRS		1	L.H. DRIVE CARS ONLY. Fitted to Chassis No. 877557 and subs. 886283 and subs.
C.19497	CLAMP, SECURING RESERVOIR TO BRACKET	13-53A	2	Fitted to Chassis No. 850556 and subs. 860678 and subs.
C.20235 C.8737/1	Stud, securing Clamp Nut, Self-Locking, on Studs		2 4	877557 and subs. 886283 and subs.
C.17812	BRACKET ASSEMBLY, FOR FIXING OF RESERVOIR BRACKET TO L.H. SIDE MEMBER		2	L.H. DRIVE CARS ONLY.
C.17811 UFS.125/9R UFN.125/L C.724	Clamping Piece, for Brackets Screw, Set, through Clamps Nut, on Setscrews Washer, Shakeproof, under Nuts		2 2 2 2	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18695	SHIELD ASSEMBLY, PROTECTING RESERVOIRS FROM EXHAUST HEAT		1]
JFS.131/7R	Screw, Set, securing Shield and Reservoir Bracket to Fixing Bracket		4	L.H. DRIVE CARS ONLY.
C.18698	Spacer, on Setscrews		4	}
W.105/T	Washer, Plain, on Setscrews		8 4	L.H. DRIVE CARS ONLY
JFN.131/L C.725	Nut, on Setscrews Washer, Shakeproof, under Nuts		4	From Chassis No. 875001 to 877556. 885001 to 886282.
W.105/T	Washer, Plain, on Setscrews		6	L.H. DRIVE CARS ONLY
JFN.131/L 2.725	Nut, on Setscrews Washer, Shakeproof, on Setscrews		2 4	For Chassis No. 877557 and subs.
C.21255	Clip, retaining Nuts		2	886283 and subs.
C.17253	HOUSING FOR CLUTCH PEDAL		1	<u>]</u> .
C.18203	Stud, for mounting of Clutch Master Cylinder and for fixing of Housing to Scuttle		6	
C.12473	Stud, for mounting of Brake Master Cylinders and for fixing of Servo Bracket to Housing		9	Fitted from Chassis No. 850001 to 850232. > 875001 to 875858.
C.17260	Bush, in Housing, for Clutch Pedal		1	860001 to 860020.
JCS.125/3R	Screw, Set, retaining Bush		1	885001 to 885104.
21755 17256	Washer (Tufnol) between Brake and Clutch Pedals Shaft, through Bush, for mounting of Brake Pedal		1 1	
.17485 .17481	Circlip, retaining Shaft Washer, under Circlip		1 1 .	}
C.19666	HOUSING FOR CLUTCH PEDAL	13–54	1 .	
C.18203	Stud, for mounting of Clutch Master Cylinder and for		6	
C.12473	fixing of Housing to Scuttle Stud, for mounting of Brake Master Cylinder and for		9	Fitted to Chassis No.
.19613	fixing of Servo Bracket to Housing Flanged Bearing Tube, at side of Pedal Housing	13-55	1	850233 and subs. 875859 and subs.
CS.125/4R	Screw, Set, securing Bearing Tube	13-56	2	860021 and subs.
.724 .19623	Washer, Shakeproof, on Setscrews Bush, in Bearing Tube, for Brake Pedal Shaft	13-5 7 13-58	2 1	885105 and subs.
.21755	Washer (Tufnol) between Brake and Clutch Pedals	13-59	i	
.17256 .17 4 85	Shaft, through Bush, for Mounting of Brake Pedal Circlip, retaining Shaft	13–60 13–61	1 1 .	
.18262	Gasket, between Housing and Scuttle	13-62	1	
:.8667/2 ₩.105/T	Nut, Self-locking, securing Housing to Scuttle Washer, Plain, under Nuts		5 5	
18831	CLUTCH PEDAL		1	R.H. DRIVE CARS ONLY. Fitted from Chassis No.
				850001 to 850232. 860001 to 860020.
19673	CLUTCH PEDAL	13-63	1	R.H. DRIVE CARS ONLY. Fitted to Chassis No.
.1915 4	Bush, in boss of Clutch Pedal	13-64	2	850233 and subs. 860021 and subs.
.18830	CLUTCH PEDAL		1	L.H. DRIVE CARS ONLY.
.19010	Return Spring, for Clutch Pedal		1	Fitted from Chassis No. 875001 to 875858.
	i opinigi ioi ciottii i tudi			0,0001 to 0,000.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.19672	CLUTCH PEDAL		1	L.H. DRIVE CARS ONLY.
C,19154	Bush, in boss of Clutch Pedal		2	Fitted to Chassis No. 875859 and subs. 885105 and subs.
C.15245	STEEL PAD FOR CLUTCH PEDAL		1	Fitted from Chassis No. 850001 to 850474. 875001 to 876998. 860001 to 860374 except 860365. 885001 to 885870.
C.20221	STEEL PAD FOR CLUTCH PEDAL	13-65	1	Fitted to Chassis No. 850475 and subs. 876999 and subs. 860375 and subs, also 860365. 885871 and subs.
C.8667/2	Nut, Self-locking, securing Pad to Pedal		1	
C.9934	RUBBER PAD FOR CLUTCH PEDAL	13–66	1	




PLATE 13

GEARBOX

SHAVED GEARS

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17600	GEARBOX ASSEMBLY		1	NOTE.—This Gearbox may be identified by the prefix letters "EB" and suffix letters "JS" to the Serial number on the Gearbox.
C.19208	GEARBOX CASE	14- 1	1	
C.799 C.799 C.785	Plug, Oil Drain, at bottom of Casing Plug, Oil Level, at side of Casing Washer (Fibre) on Drain Plugs	14- 2 14- 2 14- 3	1 1 2	
C.857 FS.205/7D FG.105/X C.1845 C.1855 C.1838 C.12195 C.1840 C.920	Plate, on Casing, locking Counter and Reverse Shafts Screw, Set, securing Locking Plate Washer, Spring, on Setscrews Ball Bearing, for Mainshaft (Hoff.MS.12½KV3) Circlip, securing Mainshaft Bearing Ball Bearing, for Constant Pinion Shaft (Hoff.340KV3) Collar, between Casing and Circlip Circlip, on Ball Bearing, behind Collar Washer (Fibre) in Casing, at front end of Countershaft		1 1 1 1 1 1 1 1 1	
C.1834	Gasket, between Gearbox Case and Clutch Housing	14-13	1	
C.18959	REAR END COVER	14–14	1	Fitted up to and including Gearbox Serial No. EB.245 JS
C.19041	REAR END COVER	14–14	1	Fitted from Gearbox Serial No. EB.246 JS to EB.8858 JS.
C.21415	REAR END COVER	14-14	1	Fitted to Gearbox Serial No. EB.8859 JS
C.19209 FS.105/9D	Gasket, between Rear End Cover and Casing Screw, Set, securing Rear End Cover to Casing	14–15	1 7	and subs. See note below.
FG.105/X C.859	Washer, Spring, on Setscrews Seal, Oil, in Rear End Cover	14-16	7 1	

NOTE: The following cars were fitted with Rear End Cover C.19041:

Open R.H. Drive: 850653, 850654.

Open L.H. Drive: 878895, 878900, 878907, 878908, 878913, 878914, 878915, 878926, 878936, 878937, 878939, 878958, 878986, 879005, 879024, 879024, 879049.

Fixed Head R.H. Drive: 861087.

Fixed Head L.H. Drive: 888086, 888096, 888101, 888103, 888109, 888113, 888117, 888118, 888120, 888134, 888157, 888178, 888238.

				SHAVED GEARS
Part No.	Description	Plate No.	No. per Unit	Remarks
C.15847	SPEEDOMETER DRIVEN GEAR ASSEMBLY IN REAR END COVER	14-17	1	Fitted up to and including Gearbox Seria No. EB.245 JS.
C.19024	SPEEDOMETER DRIVEN GEAR ASSEMBLY IN REAR END COVER	14–17	1	Fitted to Gearbox Serial No. EB.246 JS and subs.
C.846 FG.105/X C.9177	Screw, locking Speedo Driven Gear in Cover Washer, Spring, on Locking Screw Sealing Ring (Rubber) for Speedometer Driven Gear	14–18 14–19 14–20	1 1 1	
8779	GEARBOX REMOTE CONTROL ASSEMBLY (SD.1112) (COMPRISING TOP COVER, CHANGE- SPEED LEVER, CHANGE-SPEED FORKS,	14–21	1	
	SELECTORS, ETC.)			
C.13332	TOP COVER	14–22	1	
C.1083 C.4531	Switch, for Top Cover, operating Reversing Light Gasket, for Switch	14-23 14-24	1 1	
C.860	Gasket, between Top Cover and Gearbox Case	14-25	1	
FS.105/7D FB.105/11D FB.105/15D FG.105/X OD.105/6H	Screw, Set, securing Top Cover to Gearbox Case Bolt, securing Top Cover to Gearbox Case Bolt, securing Top Cover to Gearbox Case Washer, Spring, on Bolts and Setscrews Dowel, positioning Top Cover to Casing	14–26	6 2 2 10 2	
C.1319 C.13334 C.845 C.13333	Ball, engaging Striking Rods Plunger, holding Balls in position Spring, at top of Plungers Shim, for Spring Tension	14-27 14-28 14-29 14-30	3 3 3 As req'd.	
C.18442 C.930	Plug, sealing redundant Breather aperture Washer (Fibre) for Plug	14-31 14-32	1 1	
C.7426 UFN.131/L FG.105/X C.9840 787	Stud, in Top Cover, for fixing of Change-Speed Lever Housing Nut, on Studs Washer, Spring, under Nuts Welch Washer, 76" diameter, at L.H. side of Top Cover Welch Washer, 8" diameter, at front and rear of Top Cover (ends of Striking Rods)		4 4 4 2 6	
C.799 C.785 C.7379 C.2296/1	Cover (ends of Striking Rods) Plug, in Dipstick aperture Washer (Fibre) on Plug Plug, sealing redundant hole for Overdrive Switch in Top Cover Washer (Copper) on Plug	14–36 14–37 14–38 14–39	1 1 1	

GEARBOX

SHAVED GEARS

Part No.	Description	Plate No.	No. per Unit	Remarks	
	STRIKING GEAR				
C.9841	Striking Rod Assembly, 1st/2nd Gears (complete with Interlock Rollers)	14-40	1		
C.9846	Striking Rod, 3rd/Top Gears	14-41	1		
C.9845	Striking Rod, Reverse Gear	14-42	1		
C.9854	Stop for 1st/2nd Speed Striking Rod	14-43	1		
C.9851	Change-Speed Fork, 1st/2nd Gears	14-44	1		
C.9852 C.9847	Change-Speed Fork, 3rd/Top Gears Change-Speed Fork, Reverse Gear	1 4_4 5 1 4_4 6	1 1		
C.9853	Selector, 3rd/Top Gears	14-47	1		
C.9848	Plunger, in Change-Speed Fork, for Reverse Selection	14-48	i		
C.9849	Spring, tensioning Reverse Plunger	14-49	i		
C.1319	Ball, locking Reverse Plunger	14-50	1		
C.14704	Spring, loading Locating Ball	14-51	1		
C.19772	Dowel Screw, locating Change-Speed Forks, Selector	14-52	5		
C 027	and 2nd Speed Stop, on Striking Rods				
C.837 C.922	Wire, locking Dowel Screws	14-53	'As req'd 2		
C.722	Ball, between Striking Rods, for Interlock	17-33	2		
C.14468	HOUSING, ON TOP COVER, FOR CHANGE-SPEED LEVER	14–54	1		
C.1907	Bush, inside Housing, for Pivot Jaw	14-55	1		
C.13338	Gasket, under Housing	14-56	1		
C 044	Procedure of D. H. older of Novelon	14-57	1		
C.841 C.930	Breather, at R.H. side of Housing Washer (Fibre) for Breather	14-58	1		
0.700	Transition (Trans) for all all all all all all all all all al		·		
C 12454	101 BING IN HOUSING FOR REMOTE	14 50	. 1		
C.12454	'O' RING, IN HOUSING, FOR REMOTE CONTROL SHAFT	14-27	,		
C.13335	Retaining Cup, for 'O' Ring	14-60	1		
C.14305	REMOTE CONTROL SHAFT	14-61	1		
C.13341	CELECTOR EINCER ON REMOTE	14-62	1		
C.13371	SELECTOR FINGER, ON REMOTE CONTROL SHAFT	17-02	,		
C.19772	Dowel Screw, securing Selector Finger to Remote Control Shaft	14-63	1		
C.837	Wire, locking Dowel Screw		As reg'd		
787	Welch Washer, \$" diameter, at rear of Housing	14-64	1		

Part No.	Description	Plate No.	No. per Unit	Remarks
C.1 44 70	PIVOT JAW, HOUSING SELECTOR LEVER	14–65	1	
C.1894 C.1905	Washer, (Tufnol) at each side of Housing Turre: Washer, Double Coil Spring, between 'D' Washer and Tufnol Washer	14–66 14–67	2 1	
C.1914 FN.407/L L.103/8U	"D" Washer on Pivot Jaw, adjacent to Nut Slotted Nut, securing Pivot Jaw to Housing Split Pin, retaining Nut	14-68	1 1 1	
C.14829	SELECTOR LEVER ON END OF CHANGE-SPEED LEVER	14-69	1	
C.1906 C.1908 C.1929	Bush, inside Selector Lever Washer (Tufnol) at each side of Selector Lever Washer, Double Coil Spring, between Tufnol Washer	14-70 14-71 14-72	1 2 1	•
C.1912 FN.407/L L.103/8U	and Selector Lever Pivot Pin, mounting Selector Lever in Pivot Jaw Slotted Nut, securing Pivot Pin Split Pin, retaining Slotted Nut	14–73	. 1	
C.4054	CHANGE-SPEED LEVER	14-74	1	
C.16154 C.1928	Knob, for Change-Speed Lever Nut, locking Knob to Change-Speed Lever	14-75 14-76	1	
C.1915	RUBBER BUSH, HOUSING CHANGE- SPEED LEVER IN SELECTOR LEVER		2	
C.1919 C.1904	Washer, at top of Rubber Bush Washer, at bottom of Rubber Bush	14–78 14–79	1 1	
FN.405/L	Slotted Nut, securing Change-Speed Lever to Selector Lever		1	
L.103/8U	Split Pin, retaining Slotted Nut		1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.885	FLANGE, ON MAINSHAFT, FOR UNIVERSAL JOINT	15- 1,	1	
C.840 C.925	Nut, Slotted, securing Flange to Mainshaft Washer, Plain, under Slotted Nut	15- 2 15- 3	1	
L.104/12U	Pin, Split, securing Slotted Nut	15- 4	1	
C.4994	MAINSHAFT	15– 5	1	
C.14932	Gear, Speedometer Driving	15– 6	1) Fired up to and including Gearboy Social
C.909	Distance Piece, behind Speedometer Driving Gear	15 → 7	1	Fitted up to and including Gearbox Serial No. EB.245 JS.
C.19026 C.19286	Gear, Speedometer Driving Distance Piece, behind Speedometer Driving Gear	15- 6 15- 7	1 1	Fitted to Gearbox Serial No. EB.246 JS and subs.
C.10209	Sleeve, Synchronising Assembly, 2nd Speed	15- 8	i	3403.
C.900 C.922	Spring, in 2nd and 3rd/Top Synchro Sleeves Ball, in 2nd and 3rd/Top Synchro Sleeves at top of Springs and Plungers	15– 9 15–10	12 15	
C.901	Plunger in 2nd and 3rd/Top Synchro Sleeves (.490" long)	15-11	3	SELECTIVE SIZES. Choose the Plunger
C.901/1 C.901/2	Plunger in 2nd and 3rd/Top Synchro Sleeves (.495" long) Plunger in 2nd and 3rd/Top Synchro Sleeves (.500" long)	15–11 15–11	3 3	of the desired length.
C.10201	Gear, 1st Speed	15-12	1	
C.10202 C.10203	Gear, 2nd Speed Gear, 3rd Speed	15–13 15–14	1	
C.1850	Roller, Needle, in 2nd and 3rd Speed Gears	15-15	82	
C.1849 C.1324	Plunger, in Mainshaft, locking 2nd and 3rd Speed Gears Spring, under Plungers	15–16 15–17	2 2	
C.10206/1	Washer, Thrust, front and rear of 2nd and 3rd Speed	15–18	2	
C.10206/2	Gears (.471"/.472" thick) Washer, Thrust, front and rear of 2nd and 3rd Speed Gears (.473"/.474" thick)	15–18	2	SELECTIVE SIZES. Choose the Washer of the desired thickness.
C.10206/3	Washer, Thrust, front and rear of 2nd and 3rd Speed Gears (.475"/.476" thick)	15–18	2	
C.10208	Sleeve, Synchronising 3rd/Top Speeds	15–19	1	J
C.4049/1	Sleeve, Operating 3rd/Top Speeds	15-20	1	•
C.903 C.914	Shim, for Synchro Sleeve (.006" thick) Shim, for Synchro Sleeve (.028" thick)	15–21 15–21	As req'd As req'd	
C.10200	CONSTANT PINION SHAFT ASSEMBLY	15–22	1	
C.1843	Bearing, Roller, inside Constant Pinion Shaft	15–23	1	
C.2121	Oil Thrower, on Constant Pinion Shaft	15-24	1	
C.11932	Locknut, on Constant Pinion Shaft, securing Front Bearing	15–25	2	
	Poul IIIE			

Part No.	Description	Plate No.	No. per Unit	Remarks
C.10205/1	REVERSE GEAR (COMPLETE WITH BUSHES)	15–27	1	
C.2070 C.1893 C.1899 C.777 FW.106/T L.103/8U C.866 C.4284	Reverse Spindle Lever, operating Reverse Gear Fulcrum Pin, for Operating Lever Nut, Slotted, securing Fulcrum Pin Washer, Plain, under Slotted Nut Pin, Split, retaining Slotted Nut and Reverse Slipper Reverse Slipper Sealing Ring, on Reverse Spindle	15-28 15-29 15-30 15-31 15-32 15-33 15-34 15-35	1 1 1 1 1 2 1	
C.1856	COUNTERSHAFT	15–36	1	
C.10204	GEAR UNIT (CLUSTER) ON COUNTERSHAFT	15-37	1	
C.1864 C.918 C.1861	Retaining Ring, at rear of Needle Rollers Needle Roller Thrust Washer, Inner, at rear of Counter adjacent to	15–38 15–39 15–40	2 58 1	
C.1862 C.1862/1 C.1862/2 C.1862/3 C.1862/4 C.10210 C.8835 C.1859	Needle Rollers Thrust Washer, Outer, at rear of Counter (.156" thick) Thrust Washer, Outer, at rear of Counter (.159" thick) Thrust Washer, Outer, at rear of Counter (.162" thick) Thrust Washer, Outer, at rear of Counter (.162" thick) Thrust Washer, Outer, at rear of Counter (.164" thick) Retaining Ring, at outer end of Front Needle Rollers Thrust Washer, Inner, at front end of Counter Thrust Washer, Outer Assembly, at front end of Counter Sealing Ring, on Countershaft	15–41 15–41 15–42 15–43	1 1 1 1 1 1 1	To eliminate end float on Countershaft, select Washer which has the desired thickness.




PLATE 14




PLATE 15

GEARBOX

(CLOSE RATIO GROUND GEARS)

Part No.	Description	Plate No.	No. per Unit	Remarks
C.19280	GEARBOX ASSEMBLY		1	NOTE.—This Gearbox may be identified by the prefix letters "EB" and suffix letters "CR" to the Serial number on the Gearbox.
C.9815	GEARBOX CASE	16- 1	1	
C.799 C.799 C.785	Plug, Oil Drain, at bottom of Casiag Plug, Oil Level, at side of Casing Washer (Fibre) on Drain Plugs	16- 2 16- 2 16- 3	1 1 2	
C.857 FS.205/7D FG.105/X C.1845 C.1855 C.1838 C.1841 C.1840 C.920	Plate, on Casing, locking Counter and Reverse Shafts Screw, Set, securing Locking Plate Washer, Spring, on Setscrew Ball Bearing, for Mainshaft (Hoff.MS.12½V.3) Circlip, securing Mainshaft Bearing Ball Bearing, for Constant Pinion Shaft (Hoff.340V.3) Collar, between Casing and Circlip Circlip, on Ball Bearing, behind Collar Washer (Fibre) in Casing, at front end of Countershaft	16- 4 16- 5 16- 6 16- 7 16- 8 16- 9 16-10 16-11 16-12	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
C.1834	Gasket, between Gearbox Case and Clutch Housing	16–13	1	
C.18959	REAR END COVER	16–14	1	Fitted up to and including Gearbox Serial No. EB.8858 CR.
C.21415	REAR END COVER	16–14	1	Fitted to Gearbox Serial No. EB.8859 CR and subs.
C.1866 FS.105/9D FG.105/X	Gasket, between Rear End Cover and Casing Screw, Set, securing Rear End Cover to Casing Washer, Spring, on Setscrews	16–15	1 7 7	See note below.
C.859	Seal, Oil, in Rear End Cover	16–16	1	
C.15847	SPEEDOMETER DRIVEN GEAR ASSEMBLY IN REAR END COVER	16–17	1	
C.846 FG.105/X C.9177	Screw, locking Speedo Driven Gear in Cover Washer, Spring, on Locking Screw Sealing Ring (Rubber) for Speedometer Driven Gear	16–18 16–19 16–20	1 1 1	
8779	GEARBOX REMOTE CONTROL ASSEMBLY (SD.1112)	16–21	1	
	(COMPRISING TOP COVER, CHANGE- SPEED LEVER, CHANGE-SPEED FORKS, SELECTORS, ETC.)			

NOTE: The following cars were fitted with Rear End Cover C.18959:

Open R.H. Drive: 850653, 850654.

Open L.H. Drive: 878895, 878900, 878907, 878908, 878913, 878914, 878915, 878926, 878936, 878937, 878939, 878958, 878986, 8790 05, 879024, 879049.

Fixed Head R.H. Drive: 861087.

Fixed Head L.H. Drive: 888086, 888096, 888101, 888103, 888109, 888113, 888117, 888118, 888120, 888134, 888157, 888178, 888238.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.13332	TOP COVER	16–22	1	
C.1083 C.4531	Switch, for Top Cover, operating Reversing Light Gasket, for Switch	16–23 16–24	1	
C.860	Gasket, between Top Cover and Gearbox Case	16–25	1	
FS.105/7D FB.105/11D FB.105/15D FG.105/X OD.105/6H	Screw, Set, securing Top Cover to Gearbox Case Bolt, securing Top Cover to Gearbox Case Bolt, securing Top Cover to Gearbox Case Washer, Spring, on Bolts and Setscrews Dowel, positioning Top Cover to Casing	16–26	6 2 2 10 2	
C.1319 C.13334 C.845 C.13333	Ball, engaging Striking Rods Plunger, holding Balls in position Spring, at top of Plungers Shim, for Spring Tension	16-27 16-28 16-29 16-30	3 3 3 As req'd	
C.18 44 2 C.930	Plug, sealing redundant Breather aperture Washer (Fibre) for Plug	16–31 16–32	1	
C.7426	Stud, in Top Cover, for fixing of Change-Speed Lever Housing	16-33	4	
UFN.131/L FG.105/X C.9840 787	Nut, on Studs Nut, on Studs Washer, Spring, under Nuts Welch Washer, % diameter, at L.H. side of Top Cover Welch Washer, % diameter, at front and rear of Top Cover (ends of Striking Rods)	16-34 16-35	4 4 2 6	
C.799 C.785 C.7379	Plug, in Dipstick Aperture Washer (Fibre) on Plug Plug, sealing redundant hole for Overdrive Switch in	16–36 16–37 16–38	1 1	
C.2296/1	Top Cover Washer (Copper) on Plug	16-39	1	
	STRIKING GEAR			
C.9841 C.9846 C.9845 C.9854 C.9851 C.9852 C.9847 C.9853 C.9848 C.9849 C.1319 C.14704 C.19772 C.837 C.922	Striking Rod Assembly, 1st/2nd Gears (complete with Interlock Rollers) Striking Rod, 3rd/Top Gears Striking Rod, Reverse Gear Stop, for 1st/2nd Speed Striking Rod Change-Speed Fork, 1st/2nd Gears Change-Speed Fork, 3rd/Top Gears Change-Speed Fork, Reverse Gear Selector, 3rd/Top Gears Plunger, in Change-Speed Fork, for Reverse Selection Spring, tensioning Reverse Plunger Ball, locking Reverse Plunger Spring, loading Locating Ball Dowel Screw, locating Change-Speed Forks, Selector and 2nd Speed Stop, on Striking Rods Wire, locking Dowel Screws Ball, between Striking Rods, for Interlock	16-41 16-42 16-43 16-44 16-45 16-46 16-47 16-48 16-49 16-50 16-51	1 1 1 1 1 1 1 1 1 1 1 5 As req'd	
C.14468	HOUSING, ON TOP COVER, FOR CHANGE-SPEED LEVER	16-54	1	
©.1907 C.13338	Bush, inside Housing, for Pivot Jaw Gasket, under Housing	16-55 16-56	1	
C.841 C.930	Breather, at R.H. side of Housing Washer (Fibre) for Breather	16–57 16–58	1	

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.12454	'O' RING, IN HOUSING, FOR REMOTE CONTROL SHAFT	16–59	1		
C.13335	Retaining Cup, for 'O' Ring	16–60	1		
C.14305	REMOTE CONTROL SHAFT	1661	1		
C.13341	SELECTOR FINGER, ON REMOTE CONTROL SHAFT	16–62	1		
C.19772 C.837	Dowel Screw, securing Selector Finger to Remote Control Shaft Wire, locking Dowel Screw	16–63	1 As req'd		
787	Welch Washer, §" diameter, at rear of Housing	1664	1		
C.14470	PIVOT JAW HOUSING SELECTOR LEVER	16–65	1		
C.1894 C.1905	Washer (Tufnol) at each side of Housing Turret Washer, Double Coil Spring, between 'D' Washer and Tufnol Washer	16-66 16-67	2 1		
C.1914 FN.407/L L.103/8U	'D' Washer, on Pivot Jaw, adjacent to Nut Slotted Nut, securing Pivot Jaw to Housing Split Pin, retaining Nut	16–68	1 1 1		
C.14829	SELECTOR LEVER ON END OF CHANGE-SPEED LEVER	16-69	1		
C.1906 C.1908 C.1929	Bush, inside Selector Lever Washer (Tufnol) at each side of Selector Lever Washer, Double Coil Spring, between Tufnol Washer and Selector Lever	16-70 16-71 16-72	1 2 1		
C.1912 FN.407/L L.103/8U	Pivot Pin, mounting Selector Lever in Pivot Jaw Slotted Nut, securing Pivot Pin Split Pin, retaining Slotted Nut	1 6 –73	1 1 1		

Part No.	Description	Plate No.	No. per Unit	Remarks
C.4054	CHANGE-SPEED LEVER	16–74	. 1	
C.16154 C.1928	Knob, for Change-Speed Lever Nut, locking Knob to Change-Speed Lever	16–75 16–76	1	
C.1915	RUBBER BUSH, HOUSING CHANGE- SPEED LEVER IN SELECTOR LEVER	16–77	2	
C.1919 C.1904	Washer, at top of Rubber Bush Washer, at bottom of Rubber Bush	16–78 16–79	1	
FN.405/L	Slotted Nut, securing Change-Speed Lever to Selector Lever		1	
L.103/8U	Split Pin, retaining Slotted Nut		1	
C.885	FLANGE, ON MAINSHAFT, FOR UNIVERSAL JOINT	17-1	1 .	
C.840 C.925 L.104/12U	Nut, Slotted, securing Flange to Mainshaft Washer, Plain, under Slotted Nut Pin, Split, securing Slotted Nut	17- 2 17- 3 17- 4	1 1 1	
C.4994	MAINSHAFT	17- 5	1	
C.14932 C.909 C.7480 C.900 C.922	Gear, Speedometer Driving Distance Piece, behind Speedometer Driving Gear Sleeve, Synchronising Assembly, 2nd Speed Spring, in 2nd and 3rd/Top Synchro Sleeves Ball, in 2nd and 3rd/Top Synchro Sleeves at top of Springs and Plungers	17- 6 17- 7 17- 8 17- 9 17-10	1 1 1 12 15	
C.901 C.901/1 C.901/2 C.2040 C.4125	Plunger in 2nd and 3rd/Top Synchro Sleeves (.490" long) Plunger in 2nd and 3rd/Top Synchro Sleeves (.495" long) Plunger in 2nd and 3rd/Top Synchro Sleeves (.500" long) Gear, 1st Speed Gear, 2nd Speed	17-11 17-11 17-11 17-12 17-13	3 3 1 1	SELECTIVE SIZES. Choose the Plunger of the desired length.
C.4123 C.1850 C.1849 C.1324 C.2678/1	Gear Assembly, 3rd Speed Roller, Needle, in 2nd and 3rd Speed Gears Plunger, in Mainshaft, locking 2nd and 3rd Speed Gears Spring, under Plungers Washer, Thrust, front and rear of 2nd and 3rd Speed	17-14 17-15 17-16 17-17	1 82 2 2 2	
C.2678/2	Gears (.471"/.472" thick) Washer, Thrust, front and rear of 2nd and 3rd Speed Gears (.473"/.474" thick)	17–18	2	SELECTIVE SIZES. Choose the Washer of the desired thickness.
C.2678/3	Washer, Thrust, front and rear of 2nd and 3rd Speed Gears (.475"/.476" thick)		2	
C.4122 C.4049 C.903 C.914	Sleeve, Synchronising, 3rd/Top Speeds Sleeve, Operating, 3rd/Top Speeds Shim, for Synchro Sleeve (.006" thick) Shim, for Synchro Sleeve (.028" thick)	17-19 17-20 17-21 17-21	1 1 As req'd As req'd	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.9252	CONSTANT PINION SHAFT ASSEMBLY	17-22	. 1	
C.1843 C.2121 C.1838/1 C.2109 C.2110 C.2111	Bearing, Roller, inside Constant Pinion Shaft Oil Thrower, on Constant Pinion Shaft Circlip, retaining Ball Bearing on Constant Pinion Shaft Washer, for Constant Pinion Shim, for Constant Pinion Shim, for Constant Pinion	17-23 17-24 17-25 17-26 17-27 17-28	1 1 1 1 As req'd As req'd	
C.2044/2	REVERSE GEAR (COMPLETE WITH BUSHES)	17–29	1	
C.2070 C.1893 C.1899 C.777 FW.106/T L.103/6U C.866 C.4284	Reverse Spindle Lever, operating Reverse Gear Fulcrum Pin, for Operating Lever Nut, Slotted, securing Fulcrum Pin Washer, Plain, under Slotted Nut Pin, Split, retaining Slotted Nut and Reverse Slipper Reverse Slipper Sealing Ring, on Reverse Spindle	17-30 17-31 17-32 17-33 17-34 17-35 17-36 17-37	1 1 1 1 1 2 1	
, man mage				
C.1856	COUNTERSHAFT	17–38	1	
C.2041 C.1864 C.918 C.1861	Gear, 1st Speed, on Counter Retaining Ring, at rear of Needle Rollers Needle Roller, inside each end of Countershaft Thrust Washer Assembly, Inner, at rear end of Counter adjacent to Needle Rollers	17-39 17-40 17-41 17-42	1 2 58 1	
C.1862 C.1862/1 C.1862/2 C.1862/3 C.1862/4 C.2043 C.8835 C.1859 C.5826 C.2046 C.2047 C.2048 C.2072	Thrust Washer, Outer, at rear of Counter (.156" thick) Thrust Washer, Outer, at rear of Counter (.159" thick) Thrust Washer, Outer, at rear of Counter (.162" thick) Thrust Washer, Outer, at rear of Counter (.152" thick) Thrust Washer, Outer, at rear of Counter (.164" thick) Retaining Ring, at outer end of Front Needle Rollers Thrust Washer, Inner, at front end of Counter Thrust Washer, Assembly, Outer, at end of Counter Constant Wheel Gear, 3rd Speed, on Countershaft Gear, 2nd Speed, on Countershaft Split Ring, locating Constant Wheel Circlip, positioning 3rd Speed Gear and Constant Wheel Sealing Ring, on Countershaft	17-43 17-43 17-43 17-43 17-43 17-45 17-46 17-47 17-48 17-49 17-50 17-51 17-51	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 halves 2 1	SELECTIVE SIZES. Choose Washer of desired thickness.




PLATE 16




PLATE 17

FRONT SUSPENSION

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.15160	FRONT SUSPENSION ASSEMBLY, R.H.		1	Fitted from Chassis No. 850001 to 850253. 875001 to 875963.	
C.15161	FRONT SUSPENSION ASSEMBLY, L.H.		1 .	860001 to 860022. 885001 to 885142.	
C.18669	FRONT SUSPENSION ASSEMBLY, R.H.		1	Fitted from Chassis No. 850254 to 850290. > 875964 to 876129.	
C.18670	FRONT SUSPENSION ASSEMBLY, L.H.		1 .	860023 to 860032. 885143 to 885209.	
C.19960	FRONT SUSPENSION ASSEMBLY, R.H.		1	Fitted to Chassis No. 850291 and subs. 876130 and subs.	
C.19961	FRONT SUSPENSION ASSEMBLY, L.H.		1 .	860033 and subs. 885210 and subs.	
C.15361	UPPER WISHBONE ASSEMBLY, R.H.	20- 1	1		
C.15362	UPPER WISHBONE ASSEMBLY, L.H.		1		
C.15363 C.15364 C.14435 C.14438 C.19266 C.635 C.15365 C.15366 C.3044/1	Upper Wishbone, R.H. Upper Wishbone, L.H. Ball Pin, in Upper Wishbones Socket, over Ball Pins Shim, for adjustment of Upper Ball Pins (.004" thick) Spring, over Sockets Top Cover, above Ball Pins Circlip, securing Top Cover in Wishbone Levers Grease Nipple in Upper Wishbones, for Ball Pin Lubrication		1 1 2 2 2 As req'd 2 2 2 2		
C.15367 C.15368 C.8737/5	Gaiter, on Ball Pins Clip, securing Gaiter to Upper Wishbones Nut, Self-Locking, securing Ball Pin to Stub Axle Carriers Washer, Plain, under Nuts	20- 9 20-10	2 2 2 2		
C.15369 C.15371 C.15379 C.8672 UFN.450/L C.8676/1 L.104/10U	Fulcrum Shaft, for Upper Wishbones Pinch Bolt, clamping Wishbones on Fulcrum Shafts Distance Washer, on Fulcrum Shafts Rubber Bush, on Fulcrum Shafts Slotted Nut, securing Fulcrum Shafts in Blocks Special Washer, under Nuts Split Pin, retaining Slotted Nuts	20-11 20-12 20-13 20-14 20-15	2 4 4 4 4 4		
C.15151 UFB.131/17R C.8667/2 C.15089 UFB.131/10R FG.105/X C.15153	Mounting Plate, on Front Frame Cross Member, for Upper Wishbone Fulcrum Block, front Bolt, securing Mounting Plates to Cross Member Nut, Self-Locking, on Bolts Fulcrum Block, front, for Upper Wishbone Shafts Bolt, securing Fulcrum Block to Mounting Plates Washer, Spring, on Bolts Shim, behind Front Fulcrum Blocks, for adjustment of Camber Angle		2 2 2 2 6 6 6 As req'd	FOR OTHER FIXINGS PLEASE REFER TO SECTION FOR FRONT FRAME.	
C.15090 UFB.131/8R C.15113 C.8667/2 C.15154	Fulcrum Block, rear, for Upper Wishbone Shafts Bolt, securing Fulcrum Blocks to Side Members Washer Plate, under head of Bolts Nut, Self-Locking, on Bolts Shim, behind Rear Fulcrum Blocks, for adjustment of Camber Angle		2 4 2 4 As req'd		

Part No.	Description	Plate No.	No. per Unit	Remarks
C.15158	LOWER WISHBONE ASSEMBLY, R.H.	20–16	1	
C.15159	LOWER WISHBONE ASSEMBLY, L.H.		1	
C.15373 C.15374	Lower Wishbone Lever, R.H. Front Lower Wishbone Lever, L.H. Front	20–17	1	
C.15375 C.15155	Lower Wishbone Lever, rear Bolt, joining front and rear Wishbone Levers and	20–18 20–19	2 2	
C.9326	for fixing of Shock Absorbers Sleeve, on Bolts	20-20	2	
FW.110/T UFN.450/L C.11193	Washer, Plain, on Sleeves Nut, on Bolts Washer, Special, under Nuts	20–21	2 2 2	
L.104/10U C.15372	Split Pin, retaining Nuts Fulcrum Shaft, for Lower Wishbones	20-21	2 2	
C.15376	Distance Washer, on Fulcrum Shaft, between Rear Lever and Rubber Bush		2	
C.8673 UFN.756/L	Rubber Bush, on Fulcrum Shafts Slotted Nut, securing Fulcrum Shafts in Blocks	20–24	4 4	
C.8693/1 L.104/10U	Washer, Special, under Nuts Split Pin, retaining Nuts	20-25	4 4	
C.15088	Fulcrum Block, front, for Lower Wishbone Shafts		2	FOR FIXINGS, PLEASE REFER TO
C.15091 UFB.131/16R C.8737/2	Fulcrum Block, rear, for Lower Wishbone Shafts Bolt, securing Rear Fulcrum Blocks to Side Members Nut, Self-Locking, on Bolts		2 4 4	SECTION FOR FRONT FRAME.
C.15071 C.3273	FRONT SHOCK ABSORBER (640-541-73) Bush, in bottom "eye" of Shock Absorbers (64541640)	20–26 20–27	2 4	Fitted from Chassis No. 850001 to 850321. 875001 to 876394. 860001 to 860121. 885001 to 885334.
C.20011	FRONT SHOCK ABSORBER (NFP.64054298)		2 .	Fitted to Chassis No. 850322 and subs. 876395 and subs.
C.3273	Bush, in bottom "eye" of Shock Absorbers (64541640)		4	860122 and subs. 885335 and subs.
C.9380	Bolt, securing Shock Absorbers at top to Front Cross		2	
UFN. 44 3/L C.16679 L.103/10U	Member Slotted Nut, on Bolts Washer, Plain, under Slotted Nuts Split Pin, retaining Slotted Nuts		2 2 2	
C.15337	BALL PIN, IN STUB AXLE CARRIER, FOR ATTACHMENT OF LOWER WISHBONES	20–28	2 .	
C.15339 C.15904 C.15341 C.15342 C.17175 C.15338/1 C.15344 C.15343 C.3044/1	Spigot, over Ball Pins Railco Socket, supporting Lower Ball Pins Shim (.002" thick) between Stub Axle Carrier and Cap Shim (.004" thick) between Stub Axle Carrier and Cap Shim (.010" thick) between Stub Axle Carrier and Cap Cap, under Lower Ball Pins Bolt, securing Caps to Stub Axle Carriers Tab Washer, securing Bolts Grease Nipple, in Cap, for lubrication of Lower Ball Pins	20-29 20-30 20-31 20-31 20-31 20-32 20-33 20-34	2 2 As req'd As req'd As req'd 2 8 4 2	SELECTIVE THICKNESSES, CHOOSE SHIM OF DESIRED THICKNESS.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.15346	RUBBER GAITER FOR LOWER BALL PINS	20–35	2	
C.15345 C.17174	Retainer, for Rubber Gaiters Clip, securing Rubber Gaiters to Stub Axle Carriers	20-36 20-37	2 2	
C.8737/6	Nut, Self-Locking, securing Lower Ball Pin to Stub Axle		2	
C.794/1	Carriers Washer, Plain, under Nuts		2	
C.15329/1	STUB AXLE CARRIER	20-38	2	Fitted from Chassis No. 850001 to 850047. 875001 to 875132.
C.19224/1	STUB AXLE CARRIER		2	Fitted to Chassis No.
C.18843	Water Deflector, on Stub Axle Carrier		2	850048 and subs. 860001 and subs. 875133 and subs. 885001 and subs.
C.19423	STUB AXLE SHAFT	20–39	2	
C.8667/7	Nut, Self-Locking, securing Stub Axle Shaft and Tie Rod Lever to Stub Axle Carriers		2	
C.15350	OIL SEAL FOR STUB AXLE SHAFTS	20-40	2	
C.13330	OIE SEAL FOR STOD AXEE SHAFTS		-	
C.15351	INNER BEARING, ON STUB AXLE SHAFT, FOR HUBS (TIMKEN LM.67047-LM.67010)	20-41	2	
C.15352	OUTER BEARING, ON STUB AXLE SHAFT, FOR HUBS (TIMKEN LM.11949-LM.11910)	20-42	2	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.15317/1	R.H. FRONT HUB	20-43	1	Fitted from Chassis No. 850001 to 850047. 875001 to 875132.
C.15318/1	L.H. FRONT HUB		. 1	6/3001 to 6/3132.
C.19225/1	R.H. FRONT HUB		1	Fitted to Chassis No. 850048 and subs. 875133 and subs.
C.19226/1	L.H. FRONT HUB		1	860001 and subs. 885001 and subs.
C.18842	Water Thrower, for Front Hubs		2	J
NN.756/L C.3400 L.104/10U C.3076/1	Slotted Nut, securing Hub to Stub Axle Shafts "D" Washer, under Slotted Nuts Split Pin, retaining Slotted Nuts Grease Nipple, in Hubs	20 -4 4 20 -4 5	2 2 2 2	
C.1102	R.H. HUB CAP	20–46	1	NOT FOR USE ON CARS
C.1103	L.H. HUB CAP		1	EXPORTED TO GERMANY.
C.14891	R.H. HUB CAP		1	
C.14892	L.H. HUB CAP		1	REQUIRED ONLY FOR CARS EXPORTED TO GERMANY.
C.14927	TOOL FOR REMOVING AND FITTING HUB CAPS		1 .	
C.15334	DISC FOR FRONT BRAKE CALIPERS (VBM.3748)	20-47	2	
C.13546/1 C.15349	Bolt, securing Discs to Hubs Pinnacle Nut, on Bolts		10 10	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.15357	R.H. TIE ROD LEVER	20-48	1	
C.15358	L.H. TIE ROD LEVER		1	
C.15378 FG.108/X C.8667/7	Bolt, securing Tie Rod Levers to Stub Axle Carriers Washer, Spring, on Bolts Nut, securing Tie Rod Levers and Stub Axle Shafts to Carriers		2 2 2 2	-
C.17653	BRACKET, ON STUB AXLE CARRIERS, RECEIVING OUTER END OF FRONT BRAKES FLEXIBLE HOSE		2	
C.17512 FG.108/X	Screw, Set, securing Brackets to Stub Axle Carriers Washer, Spring, on Setscrews		2 2	
C.16629	ANTI-ROLL BAR	20-49	1	
C.16633	Rubber Bush for Anti-Roll Bar	20-50	2	
C.15097 C.16631 UFB.131/18R	Bracket, holding Rubber Bush Distance Piece, under Brackets Bolt, upper, securing Brackets and Distance Pieces to	20-51 20-52	2 2 2	
UFB.131/31R	Front Frame Cross Member Bolt, lower, securing Brackets, Distance Pieces and lower		2	
C.8667/2	Fulcrum Blocks to Front Frame Cross Member Nut, Self-Locking, on Bolts		4	
C.16630	LINK, BETWEEN ANTI-ROLL BAR AND FRONT LOWER WISHBONE LEVERS	20–53	2	
C.10940 UFB.143/21R UFB.143/22R C.8667/4 FW.107/T	Rubber Bush, in each end of Links Bolt, securing Links to Anti-Roll Bar Bolt, securing Links to Front Lower Wishbone Levers Nut, Self-Locking, on Bolts Washer, Plain, under Nuts	20-54	4 2 2 4 4	

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.9331	FRONT TORSION BAR, R.H.	20-55	1		
C.9332	FRONT TORSION BAR, L.H.		1		
UFB.119/15R	Bolt, locating Front Torsion Bars in front Lower Wish-		2		
C.8667/17	bone Levers Nut, Self-Locking, on Bolts		2		
C.19379	BRACKET, RECEIVING REAR END OF FRONT TORSION BARS	20–56	2		
C.20426	Bolt, securing Brackets and Reaction Plate to rear of Front Frame Side Members		4		
C.8667/3	Front Frame Side Members Nut, Self-Locking, on Bolts		4		




PLATE 20

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17014	REAR SUSPENSION CROSS MEMBER ASSEMBLY	21- 1	1	
C.17198	RUBBER MOUNTING FOR ATTACH- MENT OF CROSS MEMBER TO BODY		4	
UFB.131/7R C.8667/2 C.8737/2 FW.105/T UFB.131/24R C.17228	Bolt, securing Rubber Mountings to Cross Member Nut, Self-Locking, on Bolts and Studs Nut, Self-Locking, on Bolts Washer, Plain, under Nuts Bolt, securing Rubber Mountings to Body Packing Piece, on Bolts, at each side of Body Underframe Members Nut, Self-Locking, on Bolts		8 10 2 2 8 8 8	
C.16985	MOUNTING, R.H., FOR INNER FULCRUM SHAFT	21- 3	1	Fitted from Chassis No.
C.16986	MOUNTING, L.H., FOR INNER FULCRUM SHAFT		1	850001 to 850678. 875001 to 879131. 860001 to 861105. 885001 to 888326.
C.20481	MOUNTING FOR INNER FULCRUM		2	Fitted to Chassis No. 850679 and subs.
C 17000	SHAFTS			879132 and subs. 861106 and subs. 888327 and subs.
C.17009	Screw, Set, long, securing Fulcrum Mountings to Final Drive Unit at rear		2	
C.17010	Screw, Set, short, securing Fulcrum Mountings to Final Drive Unit at front		2	
C.17722	Shim, .005" thick, under Fulcrum Mountings, for Fulcrum Shaft alignment	21- 4	As req'd	
C.17723	Shim, .010" thick, under Fulcrum Mountings, for Fulcrum Shaft alignment	21- 4	As req'd	
C.836	Wire, locking Setscrews		As req'd	
C.17023	PLATE, BRACING LOWER FACE OF CROSS MEMBER AT CENTRE	21- 5	1]	Fitted from Chassis No.
UFS.131/5R UFS.131/7R UFB.131/23R	Screw, Set, securing Plate to Flanges of Cross Member Screw, Set, securing Plate to Fulcrum Mountings Bolt, securing Plate and clamping Fulcrum Mountings on Fulcrum Shafts		6 4 4	850001 to 850678. > 875001 to 879131. 860001 to 861105. 885001 to 888326.
C.8737/2	Nut, Self-Locking, on Bolts and Setscrews		14 J	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.20651	PLATE, BRACING LOWER FACE OF CROSS MEMBER AT CENTRE		1	Fitted to Chassis No. 850679 and subs.
UFS.131/5R	Screw, Set, securing Plate to Cross Member and Fulcrum Mountings		14	879132 and subs. 861106 and subs.
FG.105/X C.8737/2	Washer, Spring, at fixings to Fulcrum Mountings Nut, Self-Locking, at fixings to Cross Member		8	888327 and subs.
C.16987	R.H. WISHBONE ASSEMBLY	21- 6	1	Fitted from Chassis No. 850001 to 850678. 875001 to 879131. 860001 to 861105.
C.16971	L.H. WISHBONE ASSEMBLY		1	885001 to 888326.
C. 202 55	R.H. WISHBONE ASSEMBLY		1	Fitted to Chassis No. 850679 and subs. 879132 and subs.
C. 2 0256	L.H. WISHBONE ASSEMBLY		1	861106 and subs. 888327 and subs.
.17008	FULCRUM SHAFT, FOR INNER MOUNTING OF WISHBONES	21- 7	2	N. Frankford Charles
2.17663 2.17168	Distance Tube, on Fulcrum Shafts Bearing Tube, on Fulcrum Shafts	21- 8 21- 9	2 4	Fitted from Chassis No. 850001 to 850678. 875001 to 879131. 860001 to 861105. 885001 to 888326.
2.17663/1 2.17168/1	Distance Tube, on Fulcrum Shafts Bearing Tube, on Fulcrum Shafts		2 4	Fitted to Chassis No. 850679 and subs. 879132 and subs. 861106 and subs. 888327 and subs.
C.17167 C.17169 C.17166 C.17213 C.17936 C.17165 C.8667/5	Needle Bearing, on Tubes, for Wishbones Spacing Collar, between Bearings Thrust Washer, Inner, at each end of Bearing Tubes Sealing Ring, on Inner Thrust Washers Retainer, for Sealing Rings Thrust Washer, Outer, on Shafts Nut, Self-Locking, on Fulcrum Shafts	21-10 21-11 21-12 21-13 21-14 21-15	8 4 8 8 8 8	,
C.9048	Grease Nipple, for Iubrication of Inner Fulcrum Shaft Bearings	21–16	4 .	Fitted from Chassis No. 850001 to 850678. 875001 to 879131. 860001 to 861105. 885001 to 888326.
C.3044/1	Grease Nipple, for Iubrication of Inner Fulcrum Shaft Bearings		4	Fitted to Chassis No. 850679 and subs. 879132 and subs. 861106 and subs. 888327 and subs.

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.16624	FULCRUM SHAFT, FOR MOUNTING OF WISHBONE TO HUB CARRIER	21–17	2		
C.16623 C.16626/1	Sleeve, on Fulcrum Shafts Shim, between Sleeves, adjusting Bearing End Float (.004" thick)	21–18 21–19	4 As req'd		
C.16626/2	Shim, between Sleeves, adjusting Bearing End Float (.007" thick)	21–19	As req'd		
C.16029	Bearing (Taper Roller) on Fulcrum Shafts (Timken 03162-03062)	21-20	4		
C.16628 C.16627	Seating Ring, on Fulcrum Shafts, for Oil Seals Oil Seal, in Hub Carriers, for Fulcrum Shafts	21–21 21–22	4	Fitted from Chassis No. 850001 to 850503. 875001 to 877182. 860001 to 860450.	
C.20178 C.20179 C.20180 C.20182	Oil Seal, (Felt) in Hub Carriers, for Fulcrum Shafts Container, for Oil Seal Spacer, between Bearing and Oil Seal Container Retaining Washer, on Seating Ring, for Oil Seal		4 4 4	885001 to 885984. Fitted to Chassis No. 850504 and subs. 877183 and subs. 860451 and subs. 885985 and subs.	
C.16626	Shim, on Fulcrum Shafts, for centralisation of Hub Carrier in Wishbone Fork (.004" thick)	21-23	As req'd) 663763 and subs.	
C.8667/7	Nut, Self-Locking, securing Fulcrum Shaft in Wishbone Fork	21-24	4		
C.19063	HUB CARRIER	21–25	2	Fitted from Chassis No. 850001 to 850583. 875001 to 877963. 860001 to 860832. 885001 to 886685.	
C.20811	HUB CARRIER		2	Fitted to Chassis No. 850584 and subs. 877964 and subs. 860833 and subs.	
C.3044/1	Grease Nipple, in Carriers, for lubrication of Fulcrum	21–26	2	886686 and subs.	
C.18124	Shaft Bearings Grease Retaining Cap, at top of Hub Carrier	21–27	2		
C.19064	R.H. REAR HUB	21~28	1	Fitted from Chassis No. 850001 to 850583. > 875001 to 877963. 860001 to 860832.	
C.19065	L.H. REAR HUB		1	885001 to 886685.	
C.20889	R.H. REAR HUB ASSEMBLY		1 .	· ·	
C.20813	Water Thrower, on Hub		1	Fitted to Chassis No. 850584 and subs. 877964 and subs.	
				860833 and subs.	
C.20890	L.H. REAR HUB ASSEMBLY		1	886686 and subs.	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.1102	R.H. HUB CAP	21-29	1	
C.1103	L.H. HUB CAP		1	NOT FOR USE ON CARS EXPORTED TO GERMANY.
C.14891	R.H. HUB CAP		1	
C.14892	L.H. HUB CAP		1	REQUIRED ONLY FOR CARS EXPORTED TO GERMANY.
C.14927	TOOL FOR REMOVING AND FITTING HUB CAPS		1	
C.19068	OIL SEAL (OUTER) FOR HUBS	21-30	2	
C.19067	Seating Ring, on Hubs, for Outer Oil Seal	21–31	2	
C.19066	OUTER BEARING (TAPER ROLLER) FOR HUBS (TIMKEN 18690-18620)	21–32	2	
C.15230	INNER BEARING (TAPER ROLLER) FOR HUBS (TIMKEN 18590-18520)	21–33	2	
C.19110/A	Spacer, on Half-Shaft Splined Yoke, for Hub Bearing	21-34	2	1
C.19110/B	adjustment (.109" thick) Spacer, on Half-Shaft Splined Yoke, for Hub Bearing	21-34	2	
C.19110/C	adjustment (.112" thick) Spacer, on Half-Shaft Splined Yoke, for Hub Bearing	21-34	2	
C.19110/D	adjustment (.115" thick) Spacer, on Half-Shaft Splined Yoke, for Hub Bearing	21-34	2	
C.19110/E	adjustment (.118" thick) Spacer, on Half-Shaft Splined Yoke, for Hub Bearing adjustment (.121" thick)	21–3 4	2	
C.19110/F	Spacer, on Half-Shaft Splined Yoke, for Hub Bearing adjustment (.124" thick)	21-34	2	
C.19110/G	Spacer, on Half-Shaft Splined Yoke, for Hub Bearing adjustment (.127" thick)	21-34	2	
C.19110/H	Spacer, on Half-Shaft Splined Yoke, for Hub Bearing adjustment (.130" thick)	21-34	2	SELECTIVE SIZES. Choose Spacer of desired thickness.
C.19110/J	Spacer, on Half-Shaft Splined Yoke, for Hub Bearing adjustment (.133" thick)	21-34	2	
C.19110/K	Spacer, on Half-Shaft Splined Yoke, for Hub Bearing adjustment (.136" thick)	21-34	2	
C.19110/L	Spacer, on Half-Shaft Splined Yoke, for Hub Bearing adjustment (.139" thick)	21 –34	2	,
C.19110/M	Spacer, on Half-Shaft Splined Yoke, for Hub Bearing adjustment (.142" thick)	21-34	2	
C.19110/P	Spacer, on Half-Shaft Splined Yoke, for Hub Bearing adjustment (.145" thick)	21-34	2	
C.19110/Q	Spacer, on Half-Shaft Splined Yoke, for Hub Bearing adjustment (.148" thick)	21-3 4	2	
C.19110/R	Spacer, on Half-Shaft Splined Yoke, for Hub Bearing adjustment (.151" thick)	21–34	2	J

Part No.	Description	Plate No.	No. per Unit	Remarks
C.15231	OIL SEAL (INNER) FOR HUBS	21–35	2	
C.15232	Seating Ring for Inner Oil Seal, on Half-Shaft Splined Yoke, behind Adjustment Spacer	21-36	2	
C.15226	HALF SHAFT ASSEMBLY	21-37	2	,
8692 8693 8694	Flange Yoke (K.3-2-GB.469) Splined Yoke (K.3-82-GB.3711) Journal Assembly, connecting Yokes to Half-Shafts (K.5-GB.10)	21-38 21-39 21-40	2 2 4	Fitted from Chassis No.
				850001 to 850549. 850553 to 850554. 875001 to 877534. 877545 to 877549.
8694	JOURNAL ASSEMBLY CONNECTING YOKES TO HALF SHAFTS (K.5-GB.10)	21–40	4	860001 to 860657. 885001 to 886246.
7153 8695 8696 8406	Gasket, for Journals (K.3-86-119) Retainer, for Gaskets (K.3-76-37) Circlip, retaining Needle Bearings (K.3-7-GB.19) Grease Nipple, on Journals (94-GB.2204)		8 8 8 4	
C.20398	HALF SHAFT ASSEMBLY (05/500795)		2	Fitted from Chassis No. 850550 to 850552.
9406 9407 9408	Flange Yoke (05/202034) Splined Yoke (05/221027) Journal Assembly, connecting Yokes to Half Shafts (05/500888)		· 2 2 4	877535 to 877544. Also to Chassis No. 850555 and subs. 877550 and subs.
8406	Grease Nipple, on Journals (05/245068 or 94-GB.2204)		4	860658 and subs. 886247 and subs.
C.16621	Shim, behind Flange Yokes, for adjustment of rear wheel Camber Angle	21–41	As req'd	
C.15349 UFN.375/L	Nut, Self-Locking, securing Flange Yoke and Brake Disc to Final Drive Unit Flanges Slotted Nut, securing Splined Yoke in Hubs		8	
C.21490 ′	Slotted Nut, securing Splined Yoke in Hubs		2	For use only if difficulty is experienced in fitting Split Pin.
C.16622 L.105/13U	Washer, Plain, under Slotted Nuts Split Pin, retaining Slotted Nuts		2	
C.17011	REAR SUSPENSION COIL SPRING	21 -4 2	4	Fitted from Chassis No. 850001 to 850136. 875001 to 875541. 860001 to 860007. 885001 to 885038.
C.18977	REAR SUSPENSION COIL SPRING		4	Fitted to Chassis No. 850137 and subs. 875542 and subs. 860008 and subs. 885039 and subs.
C.16908	REAR SHOCK ABSORBER (64054324)	21-43	4	Fitted from Chassis No. 850001 to 850321.
8688 8689	Dust Shield Assembly (64541630) Rubber Bush, in eyes of Shock Absorber (64541636)		. <mark>4</mark> 8	875001 to 876394. 860001 to 8860121. 885001 to 885334.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.20008	REAR SHOCK ABSORBER (NAP.64054299)		4	Fitted to Chassis No. 850322 and subs.
1688 1689	Dust Shield Assembly (64541630) Rubber Bush, in eyes of Shock Absorber (64541636)		4 8	876395 and subs. 860122 and subs. 885335 and subs.
2.18560	Seat, for Rear Suspension Coil Spring	21-44	4	Fitted from Chassis No. 850001 to 850136. 875001 to 875541. 860001 to 860007.
.19820	Seat, for Rear Suspension Coil Spring (64541629)		4	885001 to 885038. Fitted to Chassis No. 850137 and subs. 875542 and subs. 860008 and subs. 885039 and subs.
687 19027	Retainer, for Rear Suspension Coil Springs (64540894) Packing Ring, at top of Rear Suspension Coil Springs	21-45 21-46	8	Fitted from Chassis No. 85001 to 850136. 875001 to 875541. 860001 to 860007. 865001 to 885038.
JFB.143/16R	Bolt, securing Shock Absorbers at top to Rear Suspension Cross Member		4	
W.107/T C.17012	Washer, Plain, on Bolts Sleeve, on Bolts		4	
17013 3052 8737/4	Mounting Shaft, for lower fixing of Shock Absorbers Washer, Plain, on Mounting Shafts Nut, Self-Locking, on Bolts and Mounting Shafts		2 4 8	
C.17151	REAR ANTI-ROLL BAR	21–47	1	
0.16633 0.3054 UFS.137/7R 0.726	Rubber Bush, for Anti-Roll Bar Bracket, holding Rubber Bushes Screw, Set, securing Brackets to Body Washer, Shakeproof, on Setscrews	21–48 21–49	2 2 4 4	
.20625 FS.143/7R .727	Bracket, holding Rubber Bushes Screw, Set, securing Brackets to Body Washer, Shakeproof, on Setscrews		2 4 4	
C.17152	LINK, BETWEEN ANTI-ROLL BAR AND RADIUS ARMS	21–50	2	•
10940 18296 JFB.143/15R 8667/4 W.107/T	Rubber Bush, in each end of Links Bolt, Special, securing Links to Anti-Roll Bar Bolt, securing Links to Radius Arms Nut, Self-Locking, on Bolts Washer, Plain, under Nuts	21–51	4 2 2 4 4	
.17202	BUMP STOP, ON BODY UNDERFRAME	21–52	2	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.1 7207	RADIUS ARM ASSEMBLY	21–53	2	
C.17147 C.17146	Rubber Bush, for front end of Radius Arms Rubber Bush, for rear end of Radius Arms		2 2	
C.17149 C.8737/5	Bolt, Special, securing Radius Arm to Wishbones Nut, Self-Locking, on Bolts		2 2	
C.19031	SAFETY STRAP ASSEMBLY, AT MOUNTING OF RADIUS ARMS TO BODY	21-54	2	
C.19045 C.837	Bolt, Special, securing Radius Arms to Body Lockwire, for Bolts		2 As req'd	
UFS.131/6R C.8667/2	Screw, Set, securing Safety Straps to Body Nut, Self-Locking, on Setscrews		4 4	




PLATE 21

STEERING UNIT

Part No.	Description	Plate No.	No. per Unit	Remarks
C.15380	RACK & PINION ASSEMBLY, COMPLE	TE	1	R.H. DRIVE CARS ONLY.
C.15381	RACK & PINION ASSEMBLY, COMPLE	TE	1	L.H. DRIVE CARS ONLY.
C.15191 C.15192 C.15093 C.15094	Housing Assembly, for Rack and Pinion Housing Assembly, for Rack and Pinion Rack only Pinion only	30- 1 30- 2 30- 3	1 1 1	R.H. DRIVE CARS ONLY. L.H. DRIVE CARS ONLY.
C.15203 C.15204	Bearing (Torrington M.8121) supporting lower end of Pinion Bearing (Torrington B.1516) supporting upper end	30- 4 30- 5	i 1	
C.15205 C.15206	of Pinion Thrust Plate, retaining Pinion Attachment Bracket, for fixing of Rack and Pinion	30- 6 30- 7	1 1	R.H. DRIVE CARS ONLY.
C.15207	to Mounting Attachment Bracket, for fixing of Rack and Pinion	30- 7	1	L.H. DRIVE CARS ONLY.
C.15208 C.15209 UFS.131/7R	to Mounting 'O' Ring, at upper end of Pinion Retainer, for 'O' Ring Screw, Set, securing Thrust Plate, Attachment Bracket and 'O' Ring Retainer to Rack and Pinion Housing	30- 8 30- 9 30-10	1 1 2	Fitted from Chassis No. 850001 to 850499. 875001 to 877275,
FG.105/X C.18965	Washer, Spring, on Setscrews Screw (Allen Head) securing Thrust Plate, Attach-	30–11	2	860001 to 860425. 885001 to 886045. Fitted from Chassis No.
C.725	ment Bracket and 'O' Ring Retainer to Rack and Pinion Housing Washer, Shakeproof, on Allen Head Screw		1	850001 to 850558. 875001 to 877578. 860001 to 860691.
C.20107	Stud, in Pinion Housing, securing Thrust Plate, Attachment Bracket and 'O' Ring Retainer to Rack and Pinion Housing		2	### 885001 to 886305. Fitted from Chassis No.
C.8737/2	Nut, Self-Locking, on Studs		2	860426 to 860691. 886046 to 886305. 3 off each fitted to Chassis No. 850559 and subs. 877579 and subs. 860692 and subs. 886306 and subs.
C.3363/1 C.15197	Grease Nipple, on Rack and Pinion Housing Plunger, at top of Housing, applying Friction to Rack	30–12 30–13	1 1	Fitted from Chassis No. 850001 to 850403. 875001 to 876846. 860001 to 860231. 875001 to 885735.
C.20145	Plunger, at top of Housing, applying Friction to Rack		1	Fitted to Chassis No. 850404 and subs. 876847 and subs. 860232 and subs. 885736 and subs.
C.15199 C.15198 C.15200 C.15201	Shim (.004" thick) at top of Plunger Shim (.010" thick) at top of Plunger Plate Spring, under Cover Cover, retaining Plunger Shims and Plate Spring	30–14 30–14 30–15 30–16	As req'd As req'd 1	Fitted from Chassis No. 850001 to 850403. 875001 to 876846. 860001 to 860231.
C.20146 C.20147	Plate Spring, under Cover Cover, retaining Plunger Shims and Plate Spring		1 1	885001 to 885735. Fitted to Chassis No. 850404 and subs. 876847 and subs. 860232 and subs. 885736 and subs.
C 15202 C.15210 C.15418 C.10026 C.7599 C.8472 C.15407 C.15408 C.15409 C.6623 C.15211 C.2905/4	Circlip, securing Cover Bush, in Tube, for Rack Ball Pin and Tie Rod, at ends of Rack Housing, for Ball Pins Socket, under Ball Pins Spring, behind Sockets Nut, locking Ball Pin Housings to Rack Tab Washer, locking Nuts Nut, locking Tie Rod Ends to Tie Rods Bellows, at each end of Rack and Pinion Housing Tie Wire, securing Bellows at pinion end of Housing Clip, securing Bellows to Rack Tube	30–17 30–18 30–19 30–20 30–21 30–22 30–23 30–24 30–25 30–26 30–27 30–28	1 1 2 2 2 2 2 2 2 2 1 1 1	FITTED AT L.H. SIDE ON[R.H. DRI VE CARS AND R.H. SIDE ON L.H.
C.2905/2 C.15 4 10	Clip, securing Bellows to Ball Pins End Assembly, for Tie Rods	30–29 30–30	2 2	DRIVE CARS.

STEERING UNIT

Part No.	Description	Plate No.	No. per Unit	Remarks
C.15410	END ASSEMBLY FOR TIE RODS	30–30	2	
C.3363/1	Grease Nipple, for lubrication of Ball Joint in Tie	30–31	2	
C.15414 C.15416 C.15415 UFN.450/L	Rod Ends Gaiter, protecting Ball Joints Retainer, inside Gaiters Clip, securing Gaiter to Tie Rod Ends Slotted Nut, securing Tie Rod Ends to Tie Rod	30-32 30-33 30-34 30-35	2 2 2 2	
L.104/10U	Levers Split Pin, retaining Slotted Nuts	30–36	2	
C.15092	RUBBER MOUNTING FOR RACK AND	30–37	2	Fitted from Chassis No.
	PINION ASSEMBLY			850001 to 850558. 875001 to 877578. 860001 to 860691. 885001 to 886305.
C.20087	RUBBER MOUNTING FOR RACK AND PINION ASSEMBLY		2	Fitted to Chassis No. 850559 and subs. 877579 and subs. 860692 and subs. 886306 and subs.
UFS.131/6R	Screw, Set, securing Rack and Pinion Assembly to Rubber Mountings		2	806306 and subs.
UFS.131/24R	Screw, Set, securing Rubber Mounting to Front Frame		1]
UFB.131/13R	Cross Member Bolt, securing Rubber Mounting to Front Frame Cross Member		• 1	FITTED AT R.H. SIDE ON R.H. DRIVE CARS AND L.H. SIDE ON
C.18901 C.15183	Distance Tube, on Bolt and Setscrew Washer, Special, on Bolt and Setscrew		2	L.H. DRIVE CARS.
UFS.131/24R	Screw, Set, securing Rubber Mounting to Front Frame		1]
UFS.131/12R	Cross Member Screw, Set, securing Rubber Mounting to Front Frame Cross Member		1	FITTED AT R.H. SIDE ON L.H. DRIVE CARS AND L.H. SIDE ON R.H.
UFN.131/L C.725 C.15183	Nut, locking Setscrews Washer, Shakeproof, under Nuts Washer, Special, under head of Setscrews		2 2 2	DRIVE CARS.
C.8667/2	Nut, Self-Locking, on Bolts and Setscrews and on Studs of Rubber Mountings		12	




PLATE 30

STEERING COLUMN

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17759	UPPER STEERING COLUMN		1	1
C.17707	ASSEMBLY		·	
C.17648	Outer Tube Assembly	31_ 1	1	
C.15179	Inner Column, Female	31- 2	i	Fig. 17 61 1
C.19131	Felt Bearing, upper	31- 3	1	Fitted from Chassis No.
C.13855	Felt Bearing, lower	31- 4	1	850001 to 850587. 875001 to 878036.
C.10790	Washer, retaining Felt Bearings	31- 5	4	860001 to 860862.
C.10788	Spring Clip, retaining Washers	31 6	2	885001 to 886753.
C.15619	Inner Column, Male	31- 7	1	000001 to 000755.
C.16676 C.15 4 19	Stop Button, for Male Inner Column Locknut, clamping Male Inner Column on	31- 8 31- 9	1	SEE EXPORT GERMANY C.20157.
8671	Telescopic Device Split Collet, inside Locknut (complete with	31–10	1	
C 10225	Circlip C.18235)	31–11	1	
C.18235	Circlip, for Split Collet	31-11	'	j
C.20157	UPPER STEERING COLUMN		1	1
	ASSEMBLY			
C.20158	Outer Tube Assembly		1	
C.20160	Inner Column, Female		1	
C.20090	Bearing, Upper (Vulkollan)		1	EXPORT GERMANY.
C.20091	Bearing, Lower (Vulkollan)		1	
C.15619 C.16676	Inner Column, Male Stop Button, for Male Inner Column		1	Fitted from Chassis No.
C.156/6 C.15 4 19	Locknut, clamping Male Inner Column on		i	876665 to 878036. 885567 to 886753.
8671	Telescopic Device Split Collet, inside Locknut (complete with		1	
C.18235	Circlip C.18235) Circlip, for Split Collet		1	
C.20239	Lock and Ignition Switch Assembly (Neiman)		1	
C.20557	UPPER STEERING COLUMN		1	· ·
	ASSEMBLY			
C.20558	Outer Tube Assembly		1	
C.20160	Inner Column, Female		1	
C.20090	Bearing, Upper (Vulkollan)		1	Fitted to Chassis No.
C.20091	Bearing, Lower (Vulkollan)		1	850588 and subs.
C.15619	Inner Column, Male		1	> 878037 and subs.
C.16676 C.15419	Stop Button, for Male Inner Column Locknut, clamping Male Inner Column on		1 1	860863 and subs. 886754 and subs.
8671	Telescopic Device Split Collet, inside Locknut (complete with		1	obb/34 and subs.
C.18235	Circlip C.18235) Circlip, for Split Collet		1	
C.20171	Lock and Ignition Switch Assembly (Waso Werkin)		1	
C.16884	HORN SLIP RING ASSEMBLY		1	
	(38274/A)			
C.16876	Contact Pin Assembly (54300581)	31-12	1	
C.16879	Insulating Bush, upper, for Contact Pin (54300814)	31-13	1	
C.16880	Spring, under Insulating Bush (324866)	31-14	1	
C.16881	Washer, under Spring (143276)	31-15	1	
C.16882 C.16886	Insulating Bush, lower, for Contact Pin (54300582) Contact Nipple, between Pin and Slip Ring		1	
C 44007	(54300584) Spring for Nipple (54300585)	21, 40	4	
C.16887 8400	Spring, for Nipple (54300585) Rotor Assembly (comprising top and bottom	31–18 31–19	1 1	
C.10317	Rotors) (54300829) Slip Ring only (348276)	31-20	1	
C.17685	Sleeve, insulating lower end of Contact Pin from Female Inner Column	31-21	1	

STEERING COLUMN

Part No.	Description	Plate No.	No. per Unit	Remarks
C.8157	CONTACT ASSEMBLY FOR HORN SLIP RING (348262/A)		1	
C.8158	Contact Holder (348269)	31-22	2	
C.8159	Contact (348268)	31-23	1	
C.8161 C.8160	Bolt, securing Contact to Holders (139444)	31-24 31-25	1	
C.10650	Nut, on Bolts (348270) Sleeve, insulating Contacts (348272)	31-25	1	
C.13024	Insulating Strip (Fibre) protecting Contact from above (348486)	31–27	1	
C.12194	Eyelet, for Cable connection to Earth Contact (188818)		1	
C.11746	EARTH CONTACT FOR OPERATION OF HORN (348313)	31-28	1	
UCS.313/3H	Screw, Set, securing Contacts to Bracket on Outer Tube		1	
UCN.113/L	Nut, on Setscrew		1	
C.721	Washer, Shakeproof, under Nut		1	
C.16069	DIRECTION INDICATOR CONTROL ASSEMBLY (34361-37.SA)	31–29	1	
C.16451	STRIKER FOR RETURN OF DIRECTION INDICATOR TO NEUTRAL POSITION (54332927)	31–30	1	
C.14007/1 C.723/A C.3377	Screw, Set, securing Striker Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers		2 2 2	
C.15168	STEERING WHEEL ASSEMBLY (16")	31–31	1	SUPERSEDED BY C.20267.
C.20267	STEERING WHEEL ASSEMBLY (16")		1	SUPERSEDES C.15168.
C.18304 C.7878	Grub Screw, in Hub of Steering Wheel Split Cone, on Male Inner Column, for seating of	31–32 31–33	3 2 halves	
	Steering Wheel	31-33	2 1121103	
C.7879 C.15885 C.11820/7	Nut, securing Steering Wheel to Male Inner Column Washer, Plain, under Nut Palnut, locking Nut	31-34 31-35 31-36	1 1 1	
C.11020/7	ramet, locking ive	31-30	•	
C.17684	BRACKET, UPPER, MOUNTING UPPER STEERING COLUMN TO DASH	31–37	1	
UFS.131/4R FG.105/X	Screw, Set, securing Bracket to Dash Washer, Spring, on Setscrews		4	
UFB.125/18R	Bolt, securing Upper Steering Column in Bracket and		1	
C.17815	for locking of Steering Wheel Rake adjustment Spacing Tube, on Bolt		1	
			i	
C.8667/1	Nut, Self-Locking, on Bolt			

STEERING COLUMN

Part No.	Description	Plate No.	No. per Unit	Remarks
C.15181	BRACKET, LOWER, MOUNTING UPPER STEERING COLUMN TO DASH	3138	1	
UFS.131/6R FG.105/X	Screw, Set, securing Bracket to Dash Washer, Spring, on Setscrews		4	
UFB.131/12R	Bolt, through Bracket, pivoting Upper Steering Column		2	
C.15183 C.15182 C.8667/2	for Rake Adjustment Plain Washer, under head of Bolts Rubber Bush, on Bolts Nut, Self-Locking, on Bolts		2 2 2	
C.15163	LOWER STEERING COLUMN ASSEMBLY	31–39	1 -	Fitted from Chassis No. 850001 to 850547. 875001 to 877487.
C.17437	Universal Joint Assembly, at lower end of Steering Column		1	860001 to 860646. 885001 to 886213. C.17437 NOT SUPPLIED
C.20487	LOWER STEERING COLUMN ASSEMBLY (O1/500973)		1	Fitted to Chassis No. 850548 and subs. 877488 and subs.
C.17437	Universal Joint Assembly, at lower end of Steering Column		1	860647 and subs. 886214 and subs. C.17437 NOT SUPPLIED
C.17469	Screw, Allen Head, securing lower Universal Joint to Pinion Shaft		1	, 6.17-37 (101 3011 2123
FG.104/X UFB.131/14R	Washer, Spring, on Screw Bolt, securing upper Universal Joint to lower and upper Steering Columns		1 2	
UFN.131/L FG.105/X	Nut, on Bolts Washer, Spring, under Nuts		2 2	
C.17437	UNIVERSAL JOINT ASSEMBLY AT LOWER END OF LOWER STEERING COLUMN (SK.3377/B)		. 1	ASSEMBLY NOT SUPPLIED. USE INDIVIDUAL ITEMS.
8699 5426	End Yoke, for Universal Joint (KO.5-4-GB.1373) Journal Assembly for Universal Joint (KO.5-GB.1)	31–40 31–41	1	
C.15180	UNIVERSAL JOINT ASSEMBLY AT UPPER END OF LOWER STEERING COLUMN (SK.2938/F)	31-42	1	
8700 5 4 26	End Yoke, for Universal Joint (KO. 5-4-GB.1151) Journal Assembly, connecting Yokes (KO. 5-GB.1)	31-43 31-44	2 1	




PLATE 31

ROAD WHEELS

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.14766	WIRE SPOKE ROAD WHEEL (PAINTED STOVED ALUMINIUM)		5		
7784 7790 C.5604	Long Spoke Short Spoke Nipple, for Spokes		120 240 360		
C.14802	WIRE SPOKE ROAD WHEEL (CHROMIUM)		5	SUPPLIED TO SPECIAL	ORDER
7796 7801 C.91 44	Long Spoke (Chromium Plated) Short Spoke (Chromium Plated) Nipple, for Spokes		120 240 360	ONLY.	ORDER
C.17422	TYRE FOR ROAD WHEELS (6.40" \times 15" DUNLOP RS.5)		5		
C.12567	TUBE FOR TYRES (6.40" $ imes$ 15")		5		
		·.			
	BALANCE WEIGHTS FOR ROAD WHEELS				
C.3985 C.3986 C.3987 C.3988 C.3989 C.3990	Balance Weight (½ Oz.) Balance Weight (1 Oz.) Balance Weight (1½ Oz.) Balance Weight (2 Oz.) Balance Weight (2½ Oz.) Balance Weight (3 Oz.)		As req'd As req'd As req'd As req'd As req'd As req'd		

ROAD WHEELS

Part No.	Description	Plate No.	No. per Unit	Remarks
	THE UNDERMENTIONED ITEMS ARE FOR USE ONLY WHEN RACING			
C.18923	RACING TYRE FOR FRONT ROAD WHEELS (6.00" \times 15" DUNLOP R.5)		2	
C.18924	TUBE FOR FRONT RACING TYRES (6.00" \times 15")		2	
C.18922	RACING REAR ROAD WHEEL (WIRE SPOKE, PAINTED STOVED ALUMINIUM)		2	SUPPLIED TO SPECIAL ORDER
8822 8823 8824 C.9144	Front Spoke (SP.288/103) Centre Spoke (SP.288/104) Rear Spoke (SP.288/105) Nipple, for Spokes		48 48 48 144	ONLY, AS ADDITIONAL ITEMS TO STANDARD EQUIPMENT.
C.18931	RACING TYRE FOR REAR ROAD WHEELS (6.50" × 15" DUNLOP R.5)		2	
C.18932	TUBE FOR REAR RACING TYRES (6.50" \times 15")		2	

PROPELLER SHAFT

art No.	Description	Plate No.	No. per Unit	Remarks
.15115	PROPELLER SHAFT COMPLETE		1]
2 6	Flange Yoke (K.2-2-239) Journal Assembly, connecting Yokes to Propeller	18- 1 18- 2	2 2	
3	Shaft (K.5-L.4) Sleeve Yoke (K.2-3-68)	18- 3	1	
6 7	Dust Cap (3-14-39) Washer (Steel) in Dust Cap (3-15-33)	18- 4 18- 5	1	
3	Washer (Cork) in Dust Cap (K.3-16-43)	18- 6	1	Fitted from Chassis No.
6	JOURNAL ASSEMBLY, CONNECTING FLANGE YOKES TO PROPELLER SHAFT (K.5-L.4)	18- 2	2	850001 to 850103. 875001 to 875495. 860001 to 860005. 885001 to 885025.
406	Grease Nipple, on Journals (94-GB.2204)		2	
.19827	Bolt, securing Propeller Shaft to Gearbox and Final	18- 7	8	
.8737/3	Drive Unit Flanges Nut, Self-Locking, on Bolts	18- 8	8	
2.30 44 /1	Grease Nipple, on Sleeve Yoke (Tec.NA.6656)	18– 9	1 .	
404 405 407 6 7 8	PROPELLER SHAFT COMPLETE (60-1336) Flange Yoke (2-2-329C) Journal Assembly, connecting Yokes to Propeller Shaft (K.5.LGB.74) Sleeve Yoke (2-3-128X) Dust Cap (3-14-39) Washer (Steel) in Dust Cap (3-15-33) Washer (Cork) in Dust Cap (K.3-16-43) JOURNAL ASSEMBLY, CONNECTING FLANGE YOKES TO PROPELLER SHAFT (K.5-LGB.74) Grease Nipple, on Journals (94-GB.2204)		1 2 2 1 1 1 1 2 2	Fitted from Chassis No. 850104 to 850479. 875496 to 877044. 860006 to 860386. 885026 to 885887.
.19827 .8737/3	Bolt, securing Propeller Shaft to Gearbox and Final Drive Unit Flanges Nut, Self-Locking, on Bolts		8 8	
106	Grease Nipple, on Sleeve Yoke (94-GB.2204)		1 .	J
.19875	PROPELLER SHAFT COMPLETE (61-1495)		. 1	
104 109	Flange Yoke (K.2-2-329/C) Journal Assembly, connecting Yokes to Propeller Shaft (K.5-GB.117)		2 2	
110	Sleeve Yoke (K.2-3-GB.3758)		1	Fitted to Chassis No. 850480 and subs.
111 112	Gaiter, for Sliding Joint (94-GB.4007) Ring (Rubber) retaining Gaiter to Shaft		1 2	> 877045 and subs.
13	(K.3-86-GB.139) Ring (Steel) retaining Gaiter to Sleeve Yoke (94-GB.3951)		1	860387 and subs. 885888 and subs.
19827	Bolt, securing Propeller Shaft to Gearbox and Final		-8	
	Drive Unit Flanges Nut, Self-Locking, on Bolts		8 .	




PLATE 18

FINAL DRIVE UNIT

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18984	FINAL DRIVE UNIT ASSEMBLY (4HU-001/14D) (RATIO 3.07:1)		1	
8487 6114	Gear Carrier Sub Assembly (4HU-061/7) Screw, Set, securing Differential Bearing Caps	19- 1 19- 2	1	
	(8B-NC.36)			
8489 8507	Lockwasher, on Setscrews (8LW-115)	19- 3 19- 4	4 1	
3823	Cover, for Carrier (4HA-010/9) Plug, for Filler and Drain Apertures (HA-059)	19- 5	2	
3931	Gasket, under Cover (4HA-026)	19 6	1	
8509	Elbow, in Cover (3HA-098/4)	19- 7	1	
8508 CS.131/5D	Breather, at top of Elbow (3HA-098/8) Screw, Set, securing Cover to Carrier (5B-NC.10)	19- 8 19- 9	1 10	
47	Lockwasher, on Setscrews (5LW-95)	19-10	10	
8488	Differential Assembly (4HU-082/8)		1	
3845	Roller Bearing, on Differential Case (Timken	19–11	2	
8825	24780-24721) (2HA-024) Crown Wheel and Pinion (Ratio 3.07 : 1)	19–12	1	
0023	(4HA-105/25)	17-12		
6301	Screw, Set. securing Crown Wheel to Differential	19-13	10	
7204	(3HA-075/6)	40.44	_	
7384	Lock Strap, securing Crown Wheel Setscrews (4HA-074/4)	19–14	5	•
3844	Roller Bearing, at inner end of Pinion (Timken	19-15	1	
	31593-31520) (2HA-023)	., .,	•	
3860	Shim, inner, adjusting Pinion (.003" thick) (2HA-043)	19-16	As req'd)
3861	Shim, inner, adjusting Pinion (.005" thick) (2HA-044)	19–16	As req'd	USE SHIMS OF DESIRED
3862 8029	Shim, inner, adjusting Pinion (.010" thick) (2HA-045) Distance Washer, behind outer Pinion Shims	19–16 19–17	As req'd	THICKNESS.
	(4HA-115)	., .,		,
3856	Shim, outer, adjusting Pinion (.003" thick) (2HA-039)	19–18	As req'd	
3857 3858	Shim, outer, adjusting Pinion (.005" thick) (2HA-040)	19-18	As req'd	USE SHIMS OF DESIRED
3859	Shim, outer, adjusting Pinion (.010" thick) (2HA-041) Shim, outer, adjusting Pinion (.030" thick) (2HA-042)	19–18 19–18	As req'd As req'd	THICKNESS.
3843	Roller Bearing, at outer end of Pinion (Timken	19-19	1	,
2024	02872-02820) (2HA-022)	40.00		
3934 3840	Oil Slinger, on Pinion (4HA-036) Oil Seal, on Pinion (2HA-019)	19-20 19-21	1	
3841	Gasket, for Pinion Oil Seal (2HA-020)	19-22	1	
3879	Companion Flange Assembly (2HA-083)	19-23	1	
6126	Nut, securing Companion Flange to Pinion	19-24	1	
6128	(12LN-NF.9) Washer, under Nut (12W-2 4)	19–25	1	
8494	Drive Shaft (4HU-005/4)	19-26	2	
8495	Roller Bearing, on Drive Shafts (Timken	19-27	4	
0403	19150-1926) (4HU-025)	40.00	•	
8493 8490	Spacing Collar, between Roller Bearings (4HU-018) Shim, adjusting Bearings (.003" thick) (4HU-116)	19-28 19-29	As regid)	
8491	Shim, adjusting Bearings (.005" thick (4HU-116/1)	19-29	As reg'd As reg'd	USE SHIMS OF DESIRED
8492	Shim, adjusting Bearings (.010" thick) (4HU-116/2)	19-29	As reg'd	THICKNESS.
8499	Housing for Drive Shaft Bearings (4HU-014/1)	19-30	2	
8950	"O' Ring, on Drive Shaft Bearing Housings (4HA-079/2)	19-30A	2	
8501	Shim, under Bearing Housings, for Differential	19-31	As reg'd	
0500	adjustment (.003" thick) (4HU-050/3)	40.24		
8502	Shim, under Bearing Housings, for Differential adjustment (.005" thick) (4HU-051/3)	19-31	As req'd	USE SHIMS OF DESIRED
8503	Shim, under Bearing Housings, for Differential	19-31	As reg'd	THICKNESS.
	adjustment (.010" thick) (4HU-052/3)		`	
8504	Shim, under Bearing Housings, for Differential	19–31	As req'd	
8505	adjustment (.030" thick) (4HU-053/3) Bolt, securing Bearing Housings to Gear Carrier	19_32	10	
	(7B-NC.24)	17 32		
8506	Lockwasher, on Bolts (7LW-13)	19–33	10	
8436		19–34	2	
8500	(4HA-079/3) Flange, on Drive Shafts (4HU-077)	19-35	2	
8496	Nut, securing Flange to Drive Shafts (4HU-089/1)	19-36	2	
8498	Tab Washer, locking Nuts (4HU-091/1)	19-37	2	
8 4 97 8510	Special Washer, under Tab Washers (16W-28) Bolt, in Flanges, for attachment of Brake Discs and	19-38 19-39	2 8	
	Half-Shafts (4HU-055/4)	., .,	•	
C.15349	Nut, Self-Locking, on Bolts (7LN-NF.75)	19 _4 0	8	
C.17024	Rolt securing Final Drive Unit to Dan Con-		4	
C.17027	Bolt, securing Final Drive Unit to Rear Suspension Cross Member		4	
C.836	Lockwire, for Bolts		As req'd	

FINAL DRIVE UNIT

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16618	FINAL DRIVE UNIT ASSEMBLY (4HU-001/14A) (RATIO 3.54:1)		1	ALTERNATIVE RATIO.
6305	Crown Wheel and Pinion (Ratio 3.54:1) (4HA-105/9A)		1	
	All other items are as for Final Drive Unit C.15222.			
C.16619	FINAL DRIVE UNIT ASSEMBLY		1	COMPLETE FINAL DRIVE UNIT
6303	(4HU-001/14C) (RATIO 2.93:1) Crown Wheel and Pinion (Ratio 2.93:1)		1	ASSEMBLY NO LONGER AVAILABLE
0303	(4HA-105/6B) All other items are as for Final Drive Unit C.15222.		'	
C.15522	FINAL DRIVE UNIT ASSEMBLY (4HU-001/14) (RATIO 3.31:1)		1	ALTERNATIVE RATIO.
6304	Crown Wheel and Pinion (Ratio 3.31:1) (4HA-105/8A)		1	
8488	DIFFERENTIAL ASSEMBLY, COMPLETE (4HU-082/8)		1	
7687 7683 8397 7684 7682 7681 7685 7686 7680	Case only, for Differential (4HA-006/9) Friction Plate (flat) (4HA-111/3) Friction Plate (dished) (4HA-111/4) Friction Disc (4HA-112) Ring, for Side Gear (4HA-109/1) Side Gear (4HA-007/1) Pinion Mate Gear (4HA-008) Shaft, for Pinion Mate Gears (4HA-012/1) Bolt, securing Differential Casing (6B-NC.44)	19-41 19-42 19-43 19-44 19-45 19-46 19-47 19-48 19-49	2 haives 4 2 4 2 2 2 4 2 haives 8	




PLATE 19

FRONT BRAKES

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18657	R.H. FRONT CALIPER ASSEMBLY (VB.1028A/J)		1	
7715 8553 7718 7719 UFB.125/7R UFN.125/L C.724 8513 7720 C.724 6911	Front Caliper only (VBM.1006) Friction Pad Assembly (VBO.5138/J) Support Plate, for Friction Pads (VBO.5133) Retaining Plate, for Friction Pads (VBO.5123) Bolt, securing Retaining Plate (VBO.6002) Nut, on Bolt (VBO.6053) Washer, Shakeproof, under Nut (VBO.6101) Piston and Cylinder Assembly (VBO.5370) Bolt, securing Cylinders to Caliper (VBO.5100) Washer, Shakeproof, on Bolts (VBO.6101) Bleed Screw and Ball Assembly (VBO.8378) Bridge Pipe Assembly (VBO.5203)	22- 1 22- 2 22- 3 22- 4 22- 5 22- 6 22- 7 22- 8 22- 9 22-10 22-11 22-12	1 2 2 1 1 1 1 2 8 8 1	Fitted from Chassis No. 850001 to 850253. 875001 to 875963. 860001 to 860022. 885001 to 885142.
C.18658	L.H. FRONT CALIPER ASSEMBLY (VB.1028B/J)		1	
7822	Bridge Pipe Assembly (VBO.5204)		1	
	All other items are as for R.H. Front Caliper C.18657			J
19962	R.H. FRONT CALIPER ASSEMBLY (VB.1194A/N)		1	
777 937	Piston and Cylinder Assembly (VBO.5505) Friction Pad Assembly (VBO.5138/N)		2 2	
	All other items are as for R.H. Front Caliper C.18657.			Fitted to Chassis No. 850254 and subs. 875964 and subs. 860023 and subs.
.19963	L.H. FRONT CALIPER ASSEMBLY (VB.1194B/N)		1	885143 and subs.
777 937 822	Piston and Cylinder Assembly (VBO.5505) Friction Pad Assembly (VBO.5138/N) Bridge Pipe Assembly (VBO.5204)		2 2 1	
	All other items are as for R.H. Front Caliper C.18657.			
C.7569 C.11723 C.13547 FG.108/X C.837	Shim, .004" thick, for adjustment of Front Calipers Shim, .010" thick, for adjustment of Front Calipers Bolt, securing Front Calipers to Stub Axle Carriers Washer, Spring, on Bolts Wire, locking Bolts	22–13 22–13	As req'd As req'd 4 4 As req'd	
727	REPAIR KIT FOR FRONT WHEEL CYLINDERS (VBO.80%)		4	Fitted from Chassis No. 850001 to 850253. 875001 to 875963.
	(COMPRISING PISTON SEAL AND DUST SEAL)			860001 to 860022. 885001 to 885142.

FRONT BRAKES

Part No.	Description	Plate No.	No. per Unit	Remarks
8820	REPAIR KIT FOR FRONT WHEEL CYLINDERS (VBO.8210)		4	Fitted to Chassis No. 850254 and subs. 875964 and subs.
	(COMPRISING PISTON SEAL AND DUST SEAL)			860023 and subs. 885143 and subs.
9251	REPAIR KIT FOR CALIPER PADS (VBO.8328/N)		. 1 -	
	(120.0325/11)		-	
7840	PISTON RETRACTION TOOL (AO.103741)		1	FOR USE WHEN RENEWING FRICTION PADS.
		,		
C.15334	DISC FOR FRONT CALIPERS (VBM.3748)	22–14	2	
C.13546/1 C.15349	Bolt, securing Disc to Hubs Nut, Self-Locking, on Bolts		10 10	
		2		
C.15317/1	R.H. FRONT HUB	٠.	1	
		• 4		
C.15318/1	L.H. FRONT HUB		1	
C.3076/1	Grease Nipple, for Hubs		2	




PLATE 22

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17 44 8	R.H. REAR CALIPER ASSEMBLY (VB.1134A/J)		1	
8010 8553 7718 7719 UFB.125/7R UFN.125/L C.724 8514 7720 C.724 6911 7826	R.H. Rear Caliper only (VBM.1081) Friction Pad Assembly (VBO.5138/J) Support Plate, for Friction Pads (VBO.5133) Retaining Plate, for Friction Pads (VBO.5123) Bolt, securing Retaining Plate (VBO.6002) Nut, on Bolt (VBO.6053) Washer, Shakeproof, under Nut (VBO.6101) Piston and Cylinder Assembly (VBO.5375) Bolt, securing Cylinders to Caliper (VBO.5100) Washer, Shakeproof, on Bolts (VBO.6101) Bleed Screw and Ball Assembly (VBO.8378) Bridge Pipe Assembly (VBO.3588)	23-1 23-2 23-3 23-5 23-6 23-7 23-9 23-10 23-11 23-12	1 2 2 1 1 1 1 2 8 8 1	Fitted from Chassis No. 850001 to 850253. 875001 to 875963. 860001 to 860022. 885001 to 885142.
C.17449	L.H. REAR CALIPER ASSEMBLY (VB.1134B/J)		1	
8009 7827	L.H. Rear Caliper only (VBM.1080) Bridge Pipe Assembly (VBO.3589)		1	
	All other items are as for R.H. Rear Caliper C.1744	8	J	
C.20006	R.H. REAR CALIPER ASSEMBLY (VB.1166A/N)		1	
8778 7937	Piston and Cylinder Assembly (VBO.5506) Friction Pad Assembly (VBO.5138/N)		2 2	
	All other items are as for R.H. Rear Caliper C	.17448.		
C. 200 07	L.H. REAR CALIPER ASSEMBLY		1	Fitted to Chassis No. 850254 and subs. 875964 and subs. 860023 and subs. 885143 and subs.
8009 8778 7937 7827	(VB.1166B/N) L.H. Rear Caliper only (VBM.1080) Piston and Cylinder Assembly (VBO.5506) Friction Pad Assembly (VBO.5138/N) Bridge Pipe Assembly (VBO.3589)		1 2 2 1	
	All other items are as for R.H. Rear Caliper C	.17448.		}
C.13198	Shim, .005" thick, for adjustment of Rear Calipers (VBO.1333)	23-13	As req'd	
C.13199	Shim, .020" thick, for adjustment of Rear Calipers (VBO.1334)	23–13	As req'd	
C.19759	Screw, Set, securing Rear Calipers to Final Drive Unit Housing	23–14	4	Fitted from Chassis No. 850001 to 850577.
C.18491	Tab Washer, locking Setscrews	23–15	2	875001 to 877735. 860001 to 860740. 885001 to 886455. Fitted to Chassis No.
				FILLEC TO CHASSIS INO.
C.20624	Screw, Set, securing Rear Calipers to Final Drive Unit Housing		4	850578 and subs. 877736 and subs.

Part No.	Description	Plate No.	No. per Unit	Remarks
665	REPAIR KIT FOR REAR WHEEL CYLINDER (VBO.8097)		4	Fitted from Chassis No. 850001 to 850253. 875001 to 875963.
	(COMPRISING PISTON SEAL AND DUST SEAL)			860001 to 860022. 885001 to 885142.
972	REPAIR KIT FOR REAR WHEEL CYLINDERS (VBO.8211)		. 4	Fitted to Chassis No. 850254 and subs. 875964 and subs.
	(COMPRISING PISTON SEAL AND DUST SEAL)			860023 and subs. 885143 and subs.
251	REPAIR KIT FOR CALIPER PADS (VBO.8328/N)		1	
340	PISTON RETRACTION TOOL (AO.103741)		1.	FOR USE WHEN RENEWING FRICTION PADS.
.17 4 50	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4148/A)		1	
515 516	R.H. Inner Pad Carrier Assembly (VBM.4173/A) R.H. Outer Pad Carrier Assembly (VBO.7138/A)		1	
024 51 7	Operating Lever Assembly (VBO.4176) Bolt, securing Pad Carriers to Operating Lever (VBO.4819)		1	
8667/2 923 015	Nut, Self-Locking, on Bolt (VBO.6056) Pivot Seat, for Operating Lever (VBO.2350) Clevis Pin, securing Operating Lever to Pivot Seat		1 1 1	
519	(VBO.4182) Split Pin, retaining Clevis Pin (VBO.6154)		1	Fitted from Chassis No. 850001 to 850089, 875001 to 875331. 860001 to 860003. 885001 to 885014.
C.17 4 51	HANDBRAKE MECHANISM ASSEMBLY L.H. (VBM.4148/B)		1	863001 10 863017.
520 521	L.H. Inner Pad Carrier Assembly (VBM.4173/B) L.H. Outer Pad Carrier Assembly (VBO.7138/B)		1	
	All other items are as for R.H. Handbrake Mechanism C.17450			
016	Bolt, securing Handbrake Mechanism to Rear Calipers		4	
	(VBO.4190)			1

		Diana	Ma and	
Part No.	Description	Plate No.	No. per Unit	Remarks
C.19904	HANDBRAKE MECHANISM ASSEMBLY		1)
	R.H. (VBM.4220/A)			
1934	R.H. Inner Pad Carrier Assembly (VBM.4694/A)		1	İ
1936	R.H. Outer Pad Carrier Assembly (VBO.8160/A)		1	· · ·
1938	Anchor Pin, in Inner Pad Carrier, retaining		1	
1943	Return Spring (VBO.8157) Operating Lever Assembly (VBO.7856)		1	
940	Return Spring, between Operating Lever and		i	
	Anchor Pin (VBO.8190)			Fitted from Chassis No. 850090 to 850550.
836 837	Pawl Assembly (VBO.7995) Tension Spring for Pawl (VBO.7367)		1	850553 to 850554.
838	Tension Spring, for Pawl (VBO.7367) Anchor Pin. retaining Tension Spring (VBO.7385)		- 1	875332 to 877534.
980	Adjusting Nut (VBO.7667)		i	877540 to 877566.
840	Friction Spring, on Adjusting Nut (VBO.7588)		1	860004 to 860663. 885015 to 886262.
941 .102/3U	Hinge Pin, securing Operating Lever (VBO.8198) Split Pin, retaining Hinge Pin		1	863013 to 860202.
1939	Protection Cover Assembly, at rear of		i	
	Operating Lever (VBO.8159)			
942	Protection Cover, at front of Operating Lever		1	
8844	(VBO.7950) Bolt, securing Protection Covers (VBO.8090)		1	
1845	Bolt, securing Pad Carriers to Operating Lever		i	
	(VBO.8024)			
102.5/8U	Split Pin, retaining Bolt		1 .)
C.19905	HANDBRAKE MECHANISM ASSEMBLY		1 -	Fitted from Chassis No.
	L.H. (VBM.4220/B)			850090 to 850550. 850553 to 850554.
3935	L.H. Inner Pad Carrier Assembly (VBM.4694/B)		1	875332 to 877534. 877540 to 877566.
1937	L.H. Outer Pad Carrier Assembly (VBO.8160/B)		1	
				860004 to 860663.
	All other items are as for R.H. Handbrake Mechanism C.19904.		-	885015 to 886262.
C.19830	Mechanism C.19904. HANDBRAKE MECHANISM ASSEMBLY	23-16	1 -	
C.19830	Mechanism C.19904.	23–16	1 -	
9326	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A)	23–17	1	
7326 7328	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A)	23–17 23–18	1	
7326 7328	Mechanism C.19904. HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining	23–17	1	
9326 9328 1938	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157)	23–17 23–18	1	
326 328 938	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157) Operating Lever Assembly (VBO.8379) Return Spring, between Operating Lever and	23–17 23–18 23–19	1 1 1	
326 328 938 330 940	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157) Operating Lever Assembly (VBO.8379) Return Spring, between Operating Lever and Anchor Pin (VBO.8190)	23–17 23–18 23–19 23–20 23–21	1 1 1 1	885015 to 886262.
326 328 938 330 940	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157) Operating Lever Assembly (VBO.8379) Return Spring, between Operating Lever and Anchor Pin (VBO.8190) Pawl Assembly (VBO.7995)	23-17 23-18 23-19 23-20 23-21 23-22	1 1 1 1 1 1	
326 328 938 330 940 836 837	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157) Operating Lever Assembly (VBO.8379) Return Spring, between Operating Lever and Anchor Pin (VBO.8190)	23–17 23–18 23–19 23–20 23–21	1 1 1 1	885015 to 886262. Fitted from Chassis No. 850551 to 850552. 850555 and subs.
326 328 938 330 940 836 837 838 980	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157) Operating Lever Assembly (VBO.8379) Return Spring, between Operating Lever and Anchor Pin (VBO.8190) Pawl Assembly (VBO.7995) Tension Spring, for Pawl (VBO.7367) Anchor Pin, retaining Tension Spring (VBO.7385) Adjusting Nut (VBO.7667)	23-17 23-18 23-19 23-20 23-21 23-22 23-23 23-24 23-25	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Fitted from Chassis No. 850551 to 850552. 850555 and subs. 877535 to 877539.
326 328 938 330 940 836 837 838 980 840	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157) Operating Lever Assembly (VBO.8379) Return Spring, between Operating Lever and Anchor Pin (VBO.8190) Pawl Assembly (VBO.7995) Tension Spring, for Pawl (VBO.7367) Anchor Pin, retaining Tension Spring (VBO.7385) Adjusting Nut (VBO.7667) Friction Spring, on Adjusting Nut (VBO.7588)	23-17 23-18 23-19 23-20 23-21 23-22 23-23 23-24 23-25 23-26	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Fitted from Chassis No. 850551 to 850552. 850555 and subs. 877535 to 877539. 877567 and subs.
326 328 938 330 940 836 837 838 980 840	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157) Operating Lever Assembly (VBO.8379) Return Spring, between Operating Lever and Anchor Pin (VBO.8190) Pawl Assembly (VBO.7995) Tension Spring, for Pawl (VBO.7367) Anchor Pin, retaining Tension Spring (VBO.7385) Adjusting Nut (VBO.7667) Friction Spring, on Adjusting Nut (VBO.7588) Hinge Pin, securing Operating Lever (VBO.7289)	23-17 23-18 23-19 23-20 23-21 23-22 23-23 23-24 23-25 23-26 23-27	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Fitted from Chassis No. 850551 to 850552. 850555 and subs. 877535 to 877539.
326 328 938 330 940 836 837 838 980 840 841	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157) Operating Lever Assembly (VBO.8379) Return Spring, between Operating Lever and Anchor Pin (VBO.8190) Pawl Assembly (VBO.7995) Tension Spring, for Pawl (VBO.7367) Anchor Pin, retaining Tension Spring (VBO.7385) Adjusting Nut (VBO.7667) Friction Spring, on Adjusting Nut (VBO.7588)	23-17 23-18 23-19 23-20 23-21 23-22 23-23 23-24 23-25 23-26	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Fitted from Chassis No. 850551 to 850552. 850555 and subs. 877535 to 877539. 877567 and subs. 860664 and subs.
326 328 938 330 940 836 837 838 980 840 841 102/3U 334	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157) Operating Lever Assembly (VBO.8379) Return Spring, between Operating Lever and Anchor Pin (VBO.8190) Pawl Assembly (VBO.7995) Tension Spring, for Pawl (VBO.7367) Anchor Pin, retaining Tension Spring (VBO.7385) Adjusting Nut (VBO.7667) Friction Spring, on Adjusting Nut (VBO.7588) Hinge Pin, securing Operating Lever (VBO.7289) Split Pin, retaining Hinge Pin Protection Cover Assembly, at rear of Operating Lever (VBO.8467)	23-17 23-18 23-19 23-20 23-21 23-22 23-23 23-24 23-25 23-26 23-27 23-28 23-29	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Fitted from Chassis No. 850551 to 850552. 850555 and subs. 877535 to 877539. 877567 and subs. 860664 and subs.
326 328 938 330 940 836 837 838 980 840 841 102/3U 334	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157) Operating Lever Assembly (VBO.8379) Return Spring, between Operating Lever and Anchor Pin (VBO.8190) Pawl Assembly (VBO.7995) Tension Spring, for Pawl (VBO.7367) Anchor Pin, retaining Tension Spring (VBO.7385) Adjusting Nut (VBO.7667) Friction Spring, on Adjusting Nut (VBO.7588) Hinge Pin, securing Operating Lever (VBO.7289) Split Pin, retaining Hinge Pin Protection Cover Assembly, at rear of Operating Lever (VBO.8467) Protection Cover, at front of Operating Lever	23–17 23–18 23–19 23–20 23–21 23–23 23–24 23–25 23–25 23–27 23–28	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Fitted from Chassis No. 850551 to 850552. 850555 and subs. 877535 to 877539. 877567 and subs. 860664 and subs.
326 328 338 330 940 836 837 838 980 840 841 102/3U	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157) Operating Lever Assembly (VBO.8379) Return Spring, between Operating Lever and Anchor Pin (VBO.8190) Pawl Assembly (VBO.7995) Tension Spring, for Pawl (VBO.7367) Anchor Pin, retaining Tension Spring (VBO.7385) Adjusting Nut (VBO.7667) Friction Spring, on Adjusting Nut (VBO.7588) Hinge Pin, securing Operating Lever (VBO.7289) Split Pin, retaining Hinge Pin Protection Cover Assembly, at rear of Operating Lever (VBO.8467) Protection Cover, at front of Operating Lever (VBO.8215)	23-17 23-18 23-19 23-20 23-21 23-22 23-24 23-25 23-26 23-26 23-28 23-29 23-30	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Fitted from Chassis No. 850551 to 850552. 850555 and subs. 877535 to 877539. 877567 and subs. 860664 and subs.
326 328 938 930 940 836 837 838 980 840 841 102/3U 334	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157) Operating Lever Assembly (VBO.8379) Return Spring, between Operating Lever and Anchor Pin (VBO.8190) Pawl Assembly (VBO.7995) Tension Spring, for Pawl (VBO.7367) Anchor Pin, retaining Tension Spring (VBO.7385) Adjusting Nut (VBO.7667) Friction Spring, on Adjusting Nut (VBO.7588) Hinge Pin, securing Operating Lever (VBO.7289) Split Pin, retaining Hinge Pin Protection Cover Assembly, at rear of Operating Lever (VBO.8467) Protection Cover, at front of Operating Lever (VBO.8215) Bolt, securing Protection Covers (VBO.6015/F)	23–17 23–18 23–19 23–20 23–21 23–22 23–24 23–25 23–26 23–27 23–28 23–29 23–30 23–31	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Fitted from Chassis No. 850551 to 850552. 850555 and subs. 877535 to 877539. 877567 and subs. 860664 and subs.
9326 9328 9338 9340 9340 9836 9837 9838 980 9841 	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157) Operating Lever Assembly (VBO.8379) Return Spring, between Operating Lever and Anchor Pin (VBO.8190) Pawl Assembly (VBO.7995) Tension Spring, for Pawl (VBO.7367) Anchor Pin, retaining Tension Spring (VBO.7385) Adjusting Nut (VBO.7667) Friction Spring, on Adjusting Nut (VBO.7588) Hinge Pin, securing Operating Lever (VBO.7289) Split Pin, retaining Hinge Pin Protection Cover Assembly, at rear of Operating Lever (VBO.8467) Protection Cover, at front of Operating Lever (VBO.8215) Bolt, securing Protection Covers (VBO.6015/F) Washer, Countersunk, Shakeproof, on Bolt (VBO.6100/P)	23-17 23-18 23-19 23-21 23-21 23-22 23-23 23-24 23-25 23-27 23-28 23-29 23-31 23-31 23-32	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Fitted from Chassis No. 850551 to 850552. 850555 and subs. 877535 to 877539. 877567 and subs. 860664 and subs.
C.19830 9326 9328 9938 9330 9940 9836 9837 9838 9980 1840 1.102/3U 9334 9335 9336 3D.2906/3	HANDBRAKE MECHANISM ASSEMBLY R.H. (VBM.4234/A) R.H. Inner Pad Carrier Assembly (VBM.4647/A) R.H. Outer Pad Carrier Assembly (VBO.8235/A) Anchor Pin, in Inner Pad Carrier, retaining Return Spring (VBO.8157) Operating Lever Assembly (VBO.8379) Return Spring, between Operating Lever and Anchor Pin (VBO.8190) Pawl Assembly (VBO.7995) Tension Spring, for Pawl (VBO.7367) Anchor Pin, retaining Tension Spring (VBO.7385) Adjusting Nut (VBO.7667) Friction Spring, on Adjusting Nut (VBO.7588) Hinge Pin, securing Operating Lever (VBO.7289) Split Pin, retaining Hinge Pin Protection Cover Assembly, at rear of Operating Lever (VBO.8467) Protection Cover, at front of Operating Lever (VBO.8215) Bolt, securing Protection Covers (VBO.6015/F) Washer, Countersunk, Shakeproof, on Bolt	23–17 23–18 23–19 23–20 23–21 23–22 23–24 23–25 23–26 23–27 23–28 23–29 23–30 23–31	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Fitted from Chassis No. 850551 to 850552. 850555 and subs. 877535 to 877539. 877567 and subs. 860664 and subs.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.19833	HANDBRAKE MECHANISM ASSEMBLY L.H. (VBM.4230/B)		1	
9327 9329	L.H. Inner Pad Carrier Assembly (VBM.4647/B) L.H. Outer Pad Carrier Assembly (VBO.8235/B)		1 1	Fitted from Chassis No. 850551 to 850552. 850555 and subs.
	All other items are as for R.H. Handbrake Mechanism C.19830.			877535 to 877539. 877567 and subs. 860664 and subs.
016	Bolt, securing Handbrake Mechanism to Rear Calipers (VBO,4190)	2335	4	886263 and subs.
333 014	Retraction Plate, on Bolts (VBO.4646/1) Tab Washer, locking Bolts (VBO.4226)	23–36 23–37	2 2	
522	REPAIR KIT FOR HANDBRAKE		1	Fitted from Chassis No.
	MECHANISM (VBO.8073)			850001 to 850550. 850553 to 850554. > 875001 to 877534.
	(COMPRISING FRICTION PADS, FIXING BOLTS, NUTS AND WASHERS)	· ·		877540 to 877566. 860001 to 860663. 885001 to 886262.
45	REPAIR KIT FOR HANDBRAKE MECHANISM (VBO.8737/R)		. 1	Fitted from Chassis No. 850551 to 850552. 850555 and subs.
	(COMPRISING FRICTION PADS, FIXING BOLTS, NUTS AND WASHERS)			877535 to 877539. 877567 and subs. 860664 and subs. 886263 and subs.




PLATE 23

BRAKE SERVO UNIT

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.17266	BRAKE SERVO UNIT ASSEMBLY (VB.10000)		1		
8723	Valve Housing (VB.10001)	24- 1	1		
B724	Nipple, for Vacuum test (VBO.10065)	24- 2	1		
3725	Adaptor, for testing take-off (VBO.10066)	24- 3	1		
8726	Screwed Plug, in Adaptor (VBO.10067)	24- 4	1		
8727	Gasket, under Screwed Plug and Adaptor (VBO.10068)	24- 5	2		
8728	Air Valve Assembly (VBO.10001)	24- 6	1		
8729	Vacuum Valve Assembly (VBM.10002)	24- 7	1		
8730	Return Spring, for Vacuum Valve (VBO.10006)	24- 8	1		
8731	Balancing Washer, inside Diaphragm (VBO.10007)	24- 9	1		
8732	Valve Balancing Diaphragm (VBM.10003)	24-10	1		
8733	Retainer, for Diaphragm (VBO.10008)	2 4- 11	1		
8734	Control Spring, for Air Valve (VBO.10009)	24-12	1		
8735	Retainer and Sleeve Assembly (VBM.10004)	24-13	1		
8736	Bellows (VBM.10008)	24-14	1		
8737	Support Ring, inside Bellows (VBO.10025)	24-15	3		
8738	Bolt, securing Retainer and Sleeve to Valve Housing (VBO.10011)	2 4 –16	3		
8739	Main Return Spring (VBO 10012)	24-17	1		
8740	Mounting Hub Assembly (VBM.10010)	24-18	1		
674 1	Seal, for Hub (VBO.10014)	24-19	1		
8742	Guide Sleeve, behind Seal (VBM.10012)	24-20	1		
8743	Rubber Buffer, between Mounting Hub and Stop Washer (VBO.10015)	24–21	1		
87 44	Stop Washer, for Mounting Hub (VBO.10016)	24-22	1		
8745	Circlip, retaining Hub to Sleeve (VBO.10017)	24-23	1		
8746	Air Filter, inside Sleeve (VBO.10018)	24-24	1		
87 4 7	Baffle, for Air Filter (VBO.10019)	24-25	1		
8748	Mounting Bracket Assembly (VBO.10027)	24-26	1		
UFN.225/L	Nut, securing Mounting Bracket to Hub (VBO.10021)	24-27	3		
C.724	Washer, Shakeproof, under Nuts (VBO.10020)	24-28	3		
C.17267	Nylon Bush, for Valve Housing (VBM.10000)	24-29	1		
C.17268	Eccentric Bush, for Valve Housing (VBM.10036)	24-30	1		
C.17269	Spring, for Valve Housing (VBM.10037)	24-31	1		

8749 REPAIR KIT FOR BRAKE SERVO UNIT 1

comprising:	_		
C.17239	Rubber Buffer	1	off
C.17267	Bush	1	off
C.17262	Bush	10	off
8743	Rubber Buffer	1	off
8728	Air Valve Assembly	1	off
8729	Vacuum Valve Assembly	1	off
87 32	Valve Balancing Diaphragm	1	off
87 4 1	Seal	1	off
8745	Circlip	1	off
	Tuba Silican Grasca		




PLATE 24

RESERVAC TANK FOR BRAKE SERVO

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17488	RESERVAC TANK ASSEMBLY	25- 1	1	
UFS.125/4R FG.104/X	Screw, Set, securing Reservac Tank to Body Washer, Spring, on Setscrews		4 4	
C.14693	CHECK VALVE ASSEMBLY ON RESERVAC TANK	25– 2	1	
C.17493	VACUUM HOSE FROM RESERVAC TANK TO SERVO	25- 3	1	R.H. DRIVE CARS ONLY.
C.18459	VACUUM HOSE FROM RESERVAC TANK TO SERVO		1	L.H. DRIVE CARS ONLY.
C.15886/5 C.1040/4	Clip, securing Hose to Tank and Servo Clip, securing Hose to Dash and Master Cylinder Bracket	25- 4 25- 5	2 See Remarks	1 off required for R.H. Drive Cars 3 off required for L.H. Drive Cars
C.17 494	VACUUM HOSE FROM CHECK VALVE TO AIR BALANCE PIPE ON ENGINE	25- 6	1	
C.15886/5	Clip, securing Hose	25- 7	2	
C.14746	ADAPTOR ASSEMBLY, AT REAR OF AIR BALANCE PIPE, FOR CONNEC- TION OF VACUUM HOSE	25– 8	1	
C.14089 UFN.125/L FG.104/X	Gasket, under Adaptor Nut, securing Adaptor Washer, Spring, under Nuts	25- 9	1 2 2	




PLATE 25

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17254	BRAKE PEDAL	26– 1	1	R.H. DRIVE CARS ONLY.
C.17592 C.14366	BRAKE PEDAL Return Spring, for Brake Pedal		1	L.H. DRIVE CARS ONLY.
C.15245 .	STEEL PAD ON BRAKE PEDAL		1	Fitted from Chassis No. 850001 to 850474. 875001 to 876998. 860001 to 860374 except 860365. 885001 to 885870.
C.20221	STEEL PAD ON BRAKE PEDAL	26- 2	1	Fitted to Chassis No. 850475 and subs. 876999 and subs. 860375 and subs. also 860365.
C.8667/2	Nut, Self-Locking, securing Pad to Pedal		1	885871 and subs.
C.9934	RUBBER PAD ON BRAKE PEDAL	26- 3	1	
C.17253	HOUSING FOR BRAKE PEDAL		1	
C.12473 C.18203 C.17260 UCS.125/3R C.17498	Stud, for mounting of Brake Master Cylinder and Servo Brackets to Housing Stud, for fixing of Housing to Scuttle and for mounting of Clutch Master Cylinder Bush, in Housing, for Brake Pedal Shaft and Clutch Pedal Screw, Set, retaining Bush Bearing (Torrington B.128), in Housing, for Brake Pedal Shaft		9 6 1 1 1 1	Fitted from Chassis No. 850001 to 850232. > 875001 to 875858. 860001 to 860020. 885001 to 885104.
C.18262 C.8667/2 FW.105/T	Gasket, between Housing and Scuttle Nut, Self-Locking, securing Housing to Scuttle Washer, Plain, under Nuts		1 5 5	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.19666	HOUSING FOR BRAKE PEDAL	26- 4	1	
C.12473	Stud, for mounting of Brake Master Cylinder and Servo		9	
C.18203	Stud, for fixing of Housing to Scuttle and for mounting		6	
C.19613 UCS.125/4R C.724	of Clutch Master Cylinder Flanged Bearing Tube, at side of Pedal Housing Screw, Set, securing Bearing Tube Washer, Shakeproof, on Setscrews	26- 5	1 2 2	Fitted to Chassis No. 850233 and subs. 875859 and subs.
C.19623 C.17498	Bush, in Bearing Tube, for Brake Pedal Shaft Bearing (Torrington B.128), in Housing, for Brake Pedal Shaft	26– 6 26– 7	1	860021 and subs. 885105 and subs.
C.18262 C.8667/2 FW.105/T	Gasket, between Housing and Scuttle Nut, Self-Locking, securing Housing to Scuttle Washer, Plain, under Nuts	26- 8	1 5 5	
C.17256	SHAFT AND PIN ASSEMBLY, FOR	26- 9	1	
	MOUNTING OF BRAKE PEDAL			
UFS.131/8R C.17485	Screw, Set, clamping Pedal on Shaft Circlip, retaining Shaft	26-10	1	
C.17481	Washer, behind Circlip		1	Fitted from Chassis No. 850001 to 850232. 875001 to 875858. 860001 to 860020.
C.21755	Washer (Tufnol) between Brake and Clutch Pedals		1	885001 to 885104.
G.170/1				
C.17261	CONNECTING LEVER, BETWEEN PEDAL SHAFT AND END PLATE OF SERVO BELLOWS		1	Fitted from Chassis No. 850001 to 850474. 875001 to 876998. 860001 to 860374. 885001 to 885870. Except 860365.
C.20320	CONNECTING LEVER, BETWEEN PEDAL SHAFT AND END PLATE OF SERVO BELLOWS	26–11	1	Fitted from Chassis No. 850475 to 850649. 876999 to 878963. 860375 to 861079. 885871 to 888168. Also to 860365.
C.21609	CONNECTING LEVER, BETWEEN PEDAL SHAFT AND END PLATE OF SERVO BELLOWS		1	Fitted to Chassis No. 850650 and subs. 878964 and subs. 861080 and subs.
C.17262 C.17239 FW.204/T C.17240 C.17241	Nylon Bush, for Lever, on lower pin of Pedal Shaft Rubber Buffer, for Lever, on upper pin of Pedal Shaft Washer, Plain, at top of Rubber Buffer Spacing Collar, at top of Washer Belleville Washer, between Spacing Collar and Servo Operating Arm	26–14 26–15	2 1 1 1	888169 and subs.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17242	ARM, OPERATING BRAKE SERVO	26-17	1	
C.17243	Eccentric Barrel Nut, for fine adjustment of Operating Arm and retaining Operating Arm and Connecting Lever		1	Fitted from Chassis No. 850001 to 850474. 875001 to 876998. 860001 to 860374. 885001 to 885870.
C.20787	Eccentric Barrel Nut, for fine adjustment of Operating Arm and retaining Operating Arm and Connecting Lever	26–18	1	Except 860365. Fitted to Chassis No. 850475 and subs. 876999 and subs. 860375 and subs. 885871 and subs.
UFN.425/L	Slotted Nut, locking Eccentric Nut to upper pin of	26–19	1	Also to 860365.
L.102/6U	Pedal Shaft Split Pin, retaining Nut	26-20	1	
C.8667/2	Nut, Self Locking, retaining Operating Arm and Con-		1	
FW.205/T	necting Lever on lower pin of Pedal Shaft Washer, Plain, at each side of Operating Arm		2	
C.17238	SERRATED PIN, IN UPPER END OF CONNECTING LEVER	26–21	1	
C.17267	Nylon Bush, on Pin (VBM.10000)	26-22	1	
C.17268	Steel Bush, for "eye" on Servo Bellows End Plate (VBM.10036)	26–23	1	
C.17269	Conical Spring, above Steel Bush (VBM.10037)	26 –24	1	
C.8667/2 C.1904	Nut, retaining Servo Bellows End Plate on Pin Washer, Plain, under Nut		1	
C.17264	FORK END BETWEEN CONNECTING LEVER AND BALANCE LINK	26–25	1	
C.17265 C.17262	Joint Pin, securing Fork End to Connecting Lever Nylon Bush, on Joint Pin	26-26 26-27	1 2	
C.17486	Grub Screw (Allen Head) retaining Joint Pin in Connecting Lever	26–28	ī	Fitted from Chassis No. 850001 to 850649. 875001 to 878963. 860001 to 861079.
C.20724/12	Roll Pin, retaining Joint Pin in Connecting Lever		1	885001 to 888168. Fitted to Chassis No. 850650 and subs. 878964 and subs. 861080 and subs. 888169 and subs.
C.17244	BALANCE LINK ASSEMBLY FOR OPERATION OF MASTER CYLINDERS		1	Fitted from Chassis No. 850001 to 850376. 875001 to 876638. 860001 to 860192. 885001 to 885571. USE C.20341 FOR ALL REPLACEMENTS.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.203 4 1	BALANCE LINK ASSEMBLY FOR OPERATION OF MASTER CYLINDERS	26–29	1	Fitted to Chassis No. 850377 and subs. 876639 and subs. 860193 and subs.
UFB.131/12R C.17249	Bolt, securing Fork End and Balance Link to Pivot Bracket Spacing Tube, on Bolt	26–30	1	885572 and subs.
C.17262 C.8667/2	Nylon Bush, on Spacing Tube Nut, Self-Locking, on Bolt	26–31	1	
C.1 7246	PIVOT BRACKET ASSEMBLY FOR BALANCE LINK	26-32	1	
UFB.131/28R	Bolt, mounting Pivot Bracket to Brake Master Cylinder		1	
C.17236	Bracket Sleeve, on Bolt	26-33	1	
C.17262 C.8667/2	Nylon Bush, at each end of Sleeve Nut, Self-Locking, on Bolt	26-34	1	
C.18195	BRACKET ASSEMBLY FOR MOUNTING OF BRAKE MASTER CYLINDERS	26–35	1	
UFN.131/L C.725 UCS.131/4R	Nut, securing Bracket to Pedal Housing Washer, Shakeproof, under Nuts Screw, Set, securing Bracket to Pedal Housing		4 1	
C.8667/2	Nut, Self-Locking, securing Bracket to Scuttle		2	
C.17235	BRAKE MASTER CYLINDER ASSEMBLY (UPPER) OPERATING REAR BRAKES		1	Fitted from Chassis No. 850001 to 850254.
	(VBM.4039)			875001 to 876014. 860001 to 860026. 885001 to 885155.
C.19968	BRAKE MASTER CYLINDER ASSEMBLY (UPPER) OPERATING REAR BRAKES (VBM.4706)	26–36	1	Fitted to Chassis No. 850255 and subs. 876015 and subs. 860027 and subs.
	For individual items, please refer to section for "Hydraulic Brake Pipes"			885156 and subs.
	Fork End, for connection of Master Cylinder to Balance	26–37	1	
C.17482	Link			
C.17482 UFN.231/L J.105/12S	Link Nut, securing Fork End to Push Rod Clevis Pin, securing Balance Link to Upper Master Cylinder		1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17234	BRAKE MASTER CYLINDER ASSEMBLY (LOWER) OPERATING FRONT BRAKES (VBM.4038)		1	Fitted from Chassis No. 850001 to 850254. 875001 to 876014. 860001 to 860026. 885001 to 885155.
C.19967	BRAKE MASTER CYLINDER ASSEMBLY (LOWER) OPERATING FRONT BRAKES (VBM.4705)	26–38	1	Fitted to Chassis No. 850255 and subs. 876015 and subs. 860027 and subs. 885156 and subs.
	For individual items, please refer to section for "Hydraulic Brake Pipes"			
J.105/10S L.102·5/6U FW.105/T	Clevis Pin, securing Balance Link to Master Cylinder Split Pin, retaining Clevis Pin Washer, Plain, behind Split Pin	26–39	1 1 1	
UFS.131/8R C.8667/2	Screw, Set, securing Master Cylinders to Bracket Nut, Self-Locking, on Setscrews		4	
C.18172	BRACKET ASSEMBLY FOR MOUNTING	26-40	1	
UFN.131/L	OF BRAKE SERVO Nut, securing Bracket to Pedal Housing Washer, Shakeproof, under Nuts		4	
C.725	· .			
C.17266	BRAKE VACUUM SERVO ASSEMBLY (VB.10000)	26-41	1	
C.8667/2	Nut, Self-Locking, retaining Servo Bellows on Connecting Lever Pin		1	
C.1904	Special Washer, behind Self-Locking Nut		1	
C.8667/2	Nut, Self-Locking, securing Brake Servo to Mounting Bracket		4	
FW.105/T	Washer, Plain. under Nuts		4	
C.18266	RUBBER SEAL, BETWEEN SERVO BRACKET AND DASH	26-42	1	




PLATE 26

HANDBRAKE CONTROL

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16 823	HANDBRAKE LEVER ASSEMBLY	27- 1	1	
C.17736	Chrome Thumb Button, in end of Lever		1	
.17737	Spring, under Button		1	
C.17735	Push Rod Assembly, operating Pawl		1	
.103/5.5S	Clevis Pin, securing Push rod to Pawl		1	
102/4U	Split Pin, retaining Clevis Pin		1	•
:.17738 :.17162	Pawl Cover Plate, sealing Pawl Access Hole		1	
D.711/6	Screw, Self-Tapping, securing Cover Plate		2	
.17741	Bolt (Chromed Head) pivoting Pawl		ī	
.17740	Spacing Tube, on Bolt		1	
.17739	Spacing Collar, on Tube		2	
C.8737/2	Nut, Self-locking, on Bolt		. 1	
C.1 7742 C.1 77 50	Lever Assembly, for operation of Handbrake Cable Pivot Pin, for Lever		1 1	SUPERSEDED BY C.21123, C.21125,
C.17751	Circlip, retaining Pivot Pin		i	C.21124 AND L.104/12U.
21123	Pivot Pin, for Lever		i	4
2.21125	Nut, retaining Pivot Pin		1	SUPERSEDES
C.21124	Washer, under Nut		1	C.17751 AND C.17750.
104/12U	Split Pin, securing Nut		1	J
C.17746	Mounting Plate Assembly, for Handbrake		1	
JFS.531/6R	Screw, Set, securing Handbrake Assembly to Propeller Shaft Tunnel		4	
C.17879	Tapped Plate, at rear fixing		1	
C.16660	SWITCH FOR OPERATION OF HAND- BRAKE WARNING LIGHT	27- 2	1	
	(31893-12.SA)			
19737		27_ 3	1	
	Bracket, mounting Switch to Handbrake	27- 3	1	
JFS.119/8R		27- 3	1	
JFS.119/8R C.8667/17 CW.102/T	Bracket, mounting Switch to Handbrake Screw, Set, securing Bracket to Cable Abutment Block Nut, on Setscrew Washer, Plain, on Setscrew		1 1 2	
JFS.119/8R C.8667/17 CW.102/T	Bracket, mounting Switch to Handbrake Screw, Set, securing Bracket to Cable Abutment Block Nut, on Setscrew	27- 3 27- 4	1	
JFS.119/8R .8667/17 kW.102/T 18738	Bracket, mounting Switch to Handbrake Screw, Set, securing Bracket to Cable Abutment Block Nut, on Setscrew Washer, Plain, on Setscrew		1 1 2	Fitted from Chassis No. 850001 to 850554.
JFS.119/8R 8667/17 XW.102/T C.18738	Bracket, mounting Switch to Handbrake Screw, Set, securing Bracket to Cable Abutment Block Nut, on Setscrew Washer, Plain, on Setscrew Spring Striker, operating Warning Light Switch		1 1 2 1	
C.18737 UFS.119/8R C.8667/17 NW.102/T C.18738	Bracket, mounting Switch to Handbrake Screw, Set, securing Bracket to Cable Abutment Block Nut, on Setscrew Washer, Plain, on Setscrew Spring Striker, operating Warning Light Switch		1 1 2 1	850001 to 850554. 875001 to 877566. 860001 to 860663. 885001 to 886262. Fitted to Chassis No. 850555 and subs. 877567 and subs. 860664 and subs.
UFS.119/8R 8667/17 .WV.102/T 18738	Bracket, mounting Switch to Handbrake Screw, Set, securing Bracket to Cable Abutment Block Nut, on Setscrew Washer, Plain, on Setscrew Spring Striker, operating Warning Light Switch HANDBRAKE CABLE ASSEMBLY HANDBRAKE CABLE ASSEMBLY	27- 4	1 1 1 1	850001 to 850554. 875001 to 877566. 860001 to 860663. 885001 to 886262. Fitted to Chassis No. 850555 and subs. 877567 and subs.
JFS.119/8R 8667/17 .WV.102/T 18738 17415	Bracket, mounting Switch to Handbrake Screw, Set, securing Bracket to Cable Abutment Block Nut, on Setscrew Washer, Plain, on Setscrew Spring Striker, operating Warning Light Switch HANDBRAKE CABLE ASSEMBLY Clevis Pin, securing Handbrake Cable to Lever and Compensator	27- 4	1 1 1 2 2 1	850001 to 850554. 875001 to 877566. 860001 to 860663. 885001 to 886262. Fitted to Chassis No. 850555 and subs. 877567 and subs. 860664 and subs.
JFS.119/8R .8667/17 .W.102/T .18738 .17415 .20401 .105/10S .103/7U	Bracket, mounting Switch to Handbrake Screw, Set, securing Bracket to Cable Abutment Block Nut, on Setscrew Washer, Plain, on Setscrew Spring Striker, operating Warning Light Switch HANDBRAKE CABLE ASSEMBLY Clevis Pin, securing Handbrake Cable to Lever and Compensator Split Pin, retaining Clevis Pins	27- 4	1 1 2 2 2 2	850001 to 850554. 875001 to 877566. 860001 to 860663. 885001 to 886262. Fitted to Chassis No. 850555 and subs. 877567 and subs. 860664 and subs.
FS.119/8R .8667/17 W.102/T .18738	Bracket, mounting Switch to Handbrake Screw, Set, securing Bracket to Cable Abutment Block Nut, on Setscrew Washer, Plain, on Setscrew Spring Striker, operating Warning Light Switch HANDBRAKE CABLE ASSEMBLY Clevis Pin, securing Handbrake Cable to Lever and Compensator	27- 4	1 1 1 2 2 1	850001 to 850554. 875001 to 877566. 860001 to 860663. 885001 to 886262. Fitted to Chassis No. 850555 and subs. 877567 and subs. 860664 and subs.

HANDBRAKE CONTROL

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18374	HANDBRAKE COMPENSATOR ASSEMBLY, COMPLETE		1	
C.18375	Outer Lever Assembly, complete with Link and Abutment Block		1	Fitted from Chassis No.
C.18383 C.18387 C.18389	Inner Lever Assembly, complete with Link Return Spring, for Compensator Levers Pivot Bracket Assembly, for mounting of Compensator		1 1 1	850001 to 850554. 875001 to 877566. 860001 to 860663. 885001 to 886262.
L.103/7U	Split Pin, retaining Levers and Spring on Pivot Bracket		1	
FW.106/T C.18414	Washer, Plain, behind Split Pin Corrugated Washer, behind Plain Washer		1	
C.20 4 0 2	HANDBRAKE COMPENSATOR ASSEMBLY, COMPLETE	27- 8	1]
C.20403	Outer Lever Assembly, complete with Link and		1	Fitted to Chassis No.
C.20404	Abutment Block Inner Lever Assembly, complete with Link		1	850555 and subs.
C.18387 C.20406	Return Spring, for Compensator Levers Pivot Bracket Assembly, for mounting of		. 1	860664 and subs. 886263 and subs.
L.103/7U	Compensator Levers Split Pin, retaining Levers and Spring on Pivot		1	500203 and subs.
FW.106/T C.18414	Bracket Washer, Plain, behind Split Pin Corrugated Washer, behind Plain Washer		1 1	
UFS.131/5R	Screw, Set, securing Pivot Bracket to Rear Suspension		2	
FG.105/X	Cross Member Washer, Spring, on Setscrews		2	
J.105/10S	Clevis Pin, securing Compensator Links to Operating Lever on Handbrake Calipers	27- 9	2,	
L.103/7U FW.105/T	Split Pin, retaining Clevis Pins Washer, Plain, behind Split Pins		2 2	
C.14366	ANCHOR SPRING, BETWEEN HAND- BRAKE CABLE AND REAR BRAKE		1	
C 104014	HOSE BRACKET ON BODY		1	
C.1040/1 UFS.119/3R AW.102/T UFN.119/L C.723/A	Clip, for fixing of Spring to Handbrake Cable Screw, Set, through Clip Washer, Plain, on Setscrew Nut, on Setscrew Washer, Shakeproof, under Nut		1 1 1 1	




PLATE 27

	(R.H. DRIVE CARS ONLY)			
Part No.	Description	Plate No.	No. per Unit	Remarks
C.18617	RESERVOIR ASSEMBLY FOR BRAKE FLUID (COMPLETE WITH FILLER CAP AND LEVEL INDICATOR)	28- 1	2 -	Fitted from Chassis No. 850001 to 850555. 860001 to 860677.
C.18197	Filler Cap and Level Indicator	28-1A	2 .	860001 to 8606//.
C.21896	RESERVOIR ASSEMBLY FOR BRAKE FLUID (COMPLETE WITH FILLER CAP AND LEVEL INDICATOR)		2	Fitted to Chassis No. 850556 and subs.
C.21889	Filler Cap and Level Indicator		2	860678 and subs.
C.21890	Protective Cap over Indicator Plunger		2	J
C.17476	BRACKET ASSEMBLY FOR MOUNTING	28- 2	1]
UFS.125/4R C.8667/1	OF FLUID RESERVOIRS Screw, Set, clamping Reservoir Clips Nut, Self-Locking, on Setscrews		3 .	Fitted from Chassis No. 850001 to 850555.
UFS.131/4R C.725	Screw, Set, securing Bracket to Dash Washer, Shakeproof, on Setscrews		2 2	860001 to 860677.
C.20232	BRACKET FOR MOUNTING OF FLUID RESERVOIRS		1	
UFS.131/4R C.725	Screw, Set, securing Brackets to Dash Washer, Shakeproof, on Setscrews		2 2	
				Fitted to Chassis No. 850556 and subs. 860678 and subs.
C.19 4 97	CLAMP, SECURING RESERVOIRS TO BRACKET		2	
C.20235 C.8737/1	Stud, securing Clamp Nut, Self-Locking, on Studs		2 4	J
C.6854	LOW PRESSURE HOSE FROM RESERVOIR TO PIPE	28- 3	2	
C 15004/5	Clip, securing Hose to Reservoirs	28– 4	2	
C.15886/5 C.15886/4	Clip, securing Hose to Reservoirs Clip, securing Hose to Hydraulic Pipes	28- 4 28- 5	2	
				•

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17385	HYDRAULIC PIPE ASSEMBLY FROM HOSE TO FRONT BRAKES MASTER CYLINDER (LOWER) (VBO.7598)		1	
C.17387	HYDRAULIC PIPE ASSEMBLY FROM HOSE TO REAR BRAKES MASTER CYLINDER (UPPER) (VBO.7597)		1	
C.17234	BRAKE MASTER CYLINDER ASSEMBLY (LOWER) OPERATING FRONT BRAKES (VBM.4038)	28– 8	1	
8528 8296 7676 6943 8531	Body only (VBM.4126) Seal, on Valve (VBO.4842) Valve (VBO.3539) Spring, on Valve (VBO.1410) Spring Support, at front of Cylinder Body	28- 9 28-10 28-11 28-12 28-13	1 1 1 1	Fitted from Chassis No.
8532 8530 8533 8529 8536 8537	(VBM.4423) Main Spring (VBO.7008) Spring Support at rear of Cylinder Body(VBO.7010) Cup Seal, on Piston (VBO.8205) Piston (VBO.7007) Static Seal, on Piston (VBO.4998) Push Rod Assembly (VBO.7173) Circlin restaining Rush Bod in Cylinder Rody	28–16 28–17 28–18 28–19	1 1 1 1 1 1 1 1 1	> 850001 to 850254. 860001 to 860026.
8535 853 4	Circlip, retaining Push Rod in Cylinder Body (VBO.7024) Dust Excluder, over end of Cylinder Body (VBO.7022)		1	
C.19967	BRAKE MASTER CYLINDER ASSEMBLY (LOWER) OPERATING FRONT		1 ~	
8981	BRAKES (VBM.4705) Spring Support, at rear of Cylinder Body		1	Fitted to Chassis No. 850255 and subs. 860027 and subs.
8983	(VBO.8559) Piston (VBO.8612)		1	C.19967 MAY BE USED TO
	All other items are as for Master Cylinder C.172	34.		REPLACE C.17234.
C.17235	BRAKE MASTER CYLINDER ASSEMBLY (UPPER) OPERATING REAR BRAKES (VBM.4039)		1 -	Firted from Charsis No.
8539 8538 8540 8541 8542	Valve (VBO.7106) Piston (VBO.7105) Push Rod (VBO.7515) Washer, on Push Rod (VBO.7023/1) Locknut, on Push Rod (VBO.6054)		1 1 1 1	Fitted from Chassis No. 850001 to 850254. 860001 to 860026.
	All other items are as for Master Cylinder C.17234.			

Part No.	Description	Plate No.	No. per Unit	Remarks
C.19968	BRAKE MASTER CYLINDER ASSEMBLY (UPPER) OPERATING REAR BRAKES (VBM.4706)		1 -	
8981	Spring Support, at rear end of Cylinder Body (VBO.8599)		1	Fitted to Chassis No. 850255 and subs.
8539	Valve (VBO.7106)		1	860027 and subs.
8982 8540	Piston (VBO.8600) Push Rod (VBO.7515)		1 1	C.19968 MAY BE USED TO
8541 8542	Washer, on Push Rod (VBO.7023/1) Locknut, on Push Rod (VBO.6054)		1	REPLACE C.17235.
	All other items are as for Master Cylinder C.172	34.		
8666	REPAIR KIT FOR SERVICING OF BRAKE MASTER CYLINDERS (VBO.8062)		2	
	(COMPRISING CUP SEAL, STATIC SEAL, VALVE SEAL, DUST EXCLUDER AND TUBE OF RUBBER GREASE)			`
UFS.131/8R	Screw, Set, securing Master Cylinders to Bracket on		4	
C.8667/2	Pedal Housing Nut, Self-Locking, on Setscrews		4	
C.17389	HYDRAULIC PIPE ASSEMBLY FROM FRONT BRAKES MASTER CYLINDER TO 4-WAY UNION (VBO.7449)	28-23	1	
C.17464	4WAY UNION (VBO.7301)	28-24	1	
UFB.131/24R	Bolt, securing 4-Way Union to Cross Member		1	
C.8667/2	Nut, Self-Locking, on Bolt		1	
	. •			
C.17391	HYDRAULIC PIPE ASSEMBLY FROM 4-WAY UNION TO R.H. FRONT FLEXIBLE HOSE (VBO.7370)	28–25	1	

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.17392	HYDRAULIC PIPE ASSEMBLY FROM 4-WAY UNION TO L.H. FRONT FLEXIBLE HOSE (VBO.7372)	28–26	1		
C.13182	FRONT FLEXIBLE HOSE (WDO.22680/16½)	28–27	2		
UFN.237/L C.741	Locknut, securing ends of Flexible Hoses to Brackets on Front Frame and Stub Axle Carriers Washer, Shakeproof, under Locknuts		4		
C.17393	HYDRAULIC PIPE ASSEMBLY FROM FRONT FLEXIBLE HOSE TO BRAKE CALIPER (VBO.7371)	28–28	2		
C.17395	HYDRAULIC PIPE ASSEMBLY FROM REAR BRAKES MASTER CYLINDER TO PIPE CONNECTOR (VBO.7450)	28–29	1		
C.13187	PIPE CONNECTOR (VBO.1766)	28–30	1		
C.17459	HYDRAULIC PIPE ASSEMBLY FROM PIPE CONNECTOR TO REAR FLEXIBLE HOSE (VBO.7373)	28–31	1		
C.13188 UFN.237/L	REAR FLEXIBLE HOSE (WDO.22681/1334) Locknut, securing Rear Flexible Hose to Bracket on Body	28–32	1		
C.741 C.11239	Washer, Shakeproof, under Locknut Copper Gasket, at connection of Hose to 3-Way Union (KL.44516)		1		

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.18834	3-WAY UNION (VBO.1227)	28–33	1		
UFS.131/5R	Screw, Set, securing 3-Way Union to edge of Rear Suspension Cross Member		1		
UFN.131/L C.740	Nut, on Setscrew Washer, Shakeproof, under Nut		1 1		
C.17397	HYDRAULIC PIPE ASSEMBLY FROM 3-WAY UNION TO R.H. REAR CALIPER (VBO.7374)		1		
C.17398	HYDRAULIC PIPE ASSEMBLY FROM 3-WAY UNION TO L.H. REAR CALIPER (VBO.7375)	28–35	1		
C.3727	CLIP, SECURING HYDRAULIC PIPES	28–36	2		
C.10268	CLIP, SECURING HYDRAULIC PIPES	28-37	4		




PLATE 28

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18617	RESERVOIR ASSEMBLY FOR BRAKE FLUID (COMPLETE WITH FILLER CAP AND LEVEL INDICATOR)	29– 1	2	Fitted from Chassis No. 875001 to 877556. 885001 to 886282.
C.18197	Filler Cap and Level Indicator	29–1 A	2 .	J
C.21896	RESERVOIR ASSEMBLY FOR BRAKE FLUID (COMPLETE WITH FILLER CAP AND LEVEL INDICATOR)		2	Fitted to Chassis No. 877557 and subs.
C.21889	Filler Cap and Level Indicator		2	886283 and subs.
C.21890	Protective Cap over Indicator Plunger		2	J
C.18693	BRACKET ASSEMBLY FOR MOUNTING OF FLUID RESERVOIRS	29- 2	1	Fitted from Chassis No. 875001 to 877556.
UFS.125/4R C.8667/1	Screw, Set, clamping Reservoir Clips Nut, Self-Locking, on Setscrews		3	885001 to 886282.
C.20234	BRACKET FOR MOUNTING OF FLUID RESERVOIRS		1	
C.19497	CLAMP, SECURING RESERVOIRS TO BRACKET		2	Fitted to Chassis No. 877557 and subs. 886283 and subs.
C.20235 C.8737/1	Stud, securing Clamp Nut, Self-Locking, on Studs		2 4	
C.17812	BRACKET ASSEMBLY, FOR FIXING OF RESERVOIR BRACKET TO L.H. SIDE MEMBER	29- 3	2	
C.17811 UFS 125/9R UFN.125/L C.724	Clamping Piece, for Brackets Screw, Set, through Clamps Nut, on Setscrews Washer, Shakeproof, under Nuts	29- 4	2 2 2 2	
C.18695	SHIELD ASSEMBLY, PROTECTING RESERVOIRS FROM EXHAUST HEAT	29 – 5	1	
UFS.131/7R	Screw, Set, securing Shield and Reservoir Bracket to		4	
C.18698 FW.105/T UFN.131/L C.725	Fixing Bracket Spacer, on Setscrews Washer, Plain, on Setscrews Nut, on Setscrews Washer, Shakeproof, under Nut		4 8 4 4	Fitted from Chassis No. 875001 to 877556. 885001 to 886282.
FW.105/T UFN.131/L C.725 C.21255	Washer, Plain, on Setscrews Nut, on Setscrews Washer, Shakeproof, on Setscrews Nut Retainer Clip		6 2 4 2	Fitted to Chassis No. 877557 and subs. 886283 and subs.

		<u> </u>			
Part No.	Description	Plate No.	No. per Unit	Remarks	
C.18717	LOW PRESSURE HOSE FROM RESERVOIR TO PIPE	29- 6	2		
C.15886/5 C.15886/4	Clip, securing Hose to Reservoirs Clip, securing Hose to Hydraulic Pipes	29- 7 29- 8	2 2		
C.18715	HYDRAULIC PIPE ASSEMBLY FROM HOSE TO FRONT BRAKES MASTER CYLINDER (LOWER)		1		
C.18714	HYDRAULIC PIPE ASSEMBLY FROM HOSE TO REAR BRAKES MASTER CYLINDER (UPPER)	29–10	1		
C.17234	BRAKE MASTER CYLINDER ASSEMBLY (LOWER) OPERATING FRONT BRAKES (VBM.4038)	2911	1		
3528 3296 7676 5943 3531	Body only (VBM.4126) Seal, on Valve (VBO.4842) Valve (VBO.3539) Spring, on Valve (VBO.1410) Spring Support, at forward end of Cylinder Body	29-12 29-13 29-14 29-15 29-16	1 1 1 1	Final Gar Charle Na	
8532 8530	(VBM.4423) Main Spring (VBO.7008) Spring Support, at rear end of Cylinder Body (VBO.7010)	29–17 29–18	1	Fitted from Chassis No. 875001 to 876014, 885001 to 885155.	
3533 3529 3536 3537 3535	Cùp Seal, on Piston (VBO.8205) Piston (VBO.7007) Static Seal, on Piston (VBO.4998) Push Rod Assembly (VBO.7173) Circlip, retaining Push Rod in Cylinder Body	29-19 29-20 29-21 29-22 29-23	1 1 1 1		
8534	(VBO.7024) Dust Excluder, over end of Cylinder Body (VBO.7022)	29–24	1 .		
C.19967	BRAKE MASTER CYLINDER ASSEMBLY (LOWER) OPERATING FRONT BRAKES (VBM.4705)		1	Fitted to Chassis No.	
3981	Spring Support, at rear end of Cylinder Body (VBO.8599)		1	876015 and subs. 885156 and subs.	
3983	Piston (VBO.8612) All other items are as for Master Cylinder C.172	234.	1	C.19967 MAY BE USED TO REPLACE C.17234.	
C.17235	BRAKE MASTER CYLINDER ASSEMBLY (UPPER) OPERATING REAR BRAKES (VBM.4039)		1		
8539 8538 8540 8541 8542	Valve (VBO.7106) Piston (VBO.7105) Push Rod (VBO.7515) Washer, on Push Rod (VBO.7023/1) Locknut, on Push Rod (VBO.6054)		1 1 1 1	Fitted from Chassis No. 875001 to 876014. 885001 to 885155.	
	All other items are as for Master Cylinder C.17234			}	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.19968	BRAKE MASTER CYLINDER ASSEMBLY (UPPER) OPERATING REAR BRAKES (VBM.4706)		1	
8981	Spring Support, at rear end of Cylinder Body		1	Fitted to Chassis No. 876015 and subs.
8539	(VBO.8599) Valve (VBO.7106)		1	885156 and subs.
8982 8540	Piston (VBO.8600) Push Rod (VBO.7515)		1 1	C.19968 MAY BE USED TO
8541 8542	Washer, on Push Rod (VBO.7023/1) Locknut, on Push Rod (VBO.6054)		1 1	REPLACE C.17235.
	All other items are as for Master Cylinder C.172.	34.		J
8666	REPAIR KIT FOR SERVICING OF BRAKE MASTER CYLINDERS (VBO.8062) (COMPRISING CUP SEAL, STATIC SEAL, VALVE SEAL, DUST EXCLUDER AND TUBE OF RUBBER GREASE		2	
UFS.131/8R	Screw. Set, securing Master Cylinders to Bracket on		4	
C.8667/2	Pedal Housing Nut, Self-Locking, on Setscrews		4	
C.17390	HYDRAULIC PIPE ASSEMBLY FROM FRONT BRAKES MASTER CYLINDER TO 4-WAY UNION (VBO. 7449)	29–26	1	
C.17 464	4-WAY UNION (VBO.7301)	29–27	1	
UFB.131/24R	Bolt, securing 4-Way Union to Front Frame Cross		1	
C.8667/2	Member Nut, Self-Locking, on Bolt		1	
C.17465	HYDRAULIC PIPE ASSEMBLY FROM 4-WAY UNION TO R.H. FRONT FLEXIBLE HOSE (VBO.7651)	29-28	1	
C.17466	HYDRAULIC PIPE ASSEMBLY FROM 4-WAY UNION TO L.H. FRONT FLEXIBLE HOSE (VBO.7650)	29–29	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.13182	FRONT FLEXIBLE HOSE (WDO.22680/16½)	29 –30	2	
UFN.237/L C.741	Locknut, securing ends of Flexible Hoses to Brackets on Front Frame and Stub Axle Carriers Washer, Shakeproof, under Locknuts		4	
C.17393	HYDRAULIC PIPE ASSEMBLY FROM FRONT FLEXIBLE HOSES TO BRAKE CALIPER (VBO.7371)		2	
C.17396	HYDRAULIC PIPE ASSEMBLY FROM REAR BRAKES MASTER CYLINDER TO PIPE CONNECTOR (VBO.7643)		1	
C.13187	PIPE CONNECTOR (VBO.1766)	29-33	1	
C.17459	HYDRAULIC PIPE ASSEMBLY FROM PIPE CONNECTOR TO REAR FLEXIBLE HOSE (VBO.7373)	29–34	1	
C.13188	REAR FLEXIBLE HOSE (WDO.22681/133)	29-35	1	
UFN.237/L C.741	Locknut, securing Rear Flexible Hose to Bracket on Body Washer, Shakeproof, under Locknut		1 1	
C.11239	Copper Gasket, at connection of Hose to 3-Way Union (KL.44516)		1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18834	3-WAY UNION (VBO.1227)	29–36	1	
UFS.131/5R	Screw, Set, securing 3-Way Union to edge of Rear Suspension Cross Member		1	
UFN.131/L C.740	Nut, on Setscrew Washer, Shakeproof, under Nut		1	
C.17824	HYDRAULIC PIPE ASSEMBLY FROM 3-WAY UNION TO R.H. REAR CALIPER (VBO.7653)		1	
C.17825	HYDRAULIC PIPE ASSEMBLY FROM 3-WAY UNION TO L.H. REAR CALIPER (VBO.7654)		1	
C.5023	CLIP, SECURING HYDRAULIC PIPES	29–39	4	
C.18461	EDGE CLIP, SECURING HYDRAULIC PIPES	29-40	2	




PLATE 29

FRONT FRAME

Part No.	Description	Plate No.	No. per Unit	Remarks
C.20352	FRONT SUB-FRAME ASSEMBLY	35– 1	1	
•				
C.15014	FRONT CROSS MEMBER ASSEMBLY	35- 2	1	
C.15029	R.H. SIDE MEMBER ASSEMBLY	35- 3	1	
C.15030	L.H. SIDE MEMBER ASSEMBLY	35- 4	1	
UFB.131/25R	Bolt, securing Side Members and Front Sub-Frame to Cross Member at top and fixing Hydraulic Brakes 4-Way Union		1	FITTED AT R.H. SIDE ON R.H. DRIVE CARS AND L.H. SIDE ON L.H. DRIVE CARS.
UFB.131/20R	Bolt, securing upper front Fulcrum Mounting Plates, Side Members and Front Sub-Frame to Cross Member at top		7	
UFB.131/31R	Bolt, securing lower front Fulcrum Blocks, Side Members, Front Sub-Frame and Anti-Roll Bar Brackets to Cross Member at bottom		2	
UFB.131/19R	Bolt, securing lower front Fulcrum Blocks, Side Members and Front Sub-Frame to Cross Member at bottom		6	
UFB.131/18R	Bolt, securing Side Members and Front Sub-Frame to Cross Member at bottom		4	
C.15045	Packing Plate, between attachment flange of Side Members and lower rail of Cross Member		2	
C.17510	Bracket, on Cross Member side channels, for Front Brake Hoses		2	
UFS.131/6R C.8667/2	Screw, Set, securing Brackets to Cross Member Nut, Self-Locking, on Bolts and Setscrews		2 22	
UFS.131/7R	Screw, Set, securing Side Members to Dash		24 12	
C.8667/2 FW.105/T	Nut, Self-Locking, on Setscrews Washer, Plain, under Nuts Bolt Sets Side Members to Body Underframe		12	
UFB.137/18R	Bolt, securing Side Members to Body Underframe Channels		2	
C.8667/3	Nut, Self-Locking, on Bolts		2	

FRONT FRAME

Part No.	Description	Plate No.	No. per Unit	Remarks
C.19326	BONNET HINGE	35- 5	2	
C.16804 C.19330 UFB.137/18R FG.106/X	Nylon Bush, for Bonnet Hinges Bearing (Steel) for Bonnet Hinges Bolt, securing Bonnet Hinges to Front Sub Frame Washer, Spring, on Bolts	35- 6 35- 7	4 2 2 2 2	
C.19179	REACTION PLATE, BETWEEN SIDE MEMBERS AT REAR, STIFFENING TORSION BAR ANCHOR BRACKET MOUNTINGS	35 8	1	
C.18730	Bolt, securing Reaction Plate and Torsion Bar Anchor Brackets to Side Members		4	
C.8667/3	Nut, Self-Locking, on Bolts		4	
C.8060	Bolt, securing Reaction Plate to Body Underframe		2	
C.8667/5	Channels through Side Members Nut, Self-Locking, on Bolts		2	




PLATE 35

BODY SHELL

FOR OPEN CARS ONLY

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.22825	BODY SHELL ASSEMBLY, COMPLETE	4	1,	
BD.22823	Underframe Assembly		1	
BD.19929	Bonnet and Front Wings Assembly		1	
C.20352	Front Sub-Frame Assembly		1) FOR FIXINGS TO MAIN BODY
C.15014	Front Cross Member Assembly		1	PORTION, PLEASE REFER TO
C.15029	R.H. Side Member Assembly		1	SECTION FOR FRONT FRAME.
C.15030	L.H. Side Member Assembly		1	
C.19326	Hinge, for Bonnet		2	•
BD.15168	Door Shell Assembly, R.H.		1	
BD.15169	Door Shell Assembly, L.H.		1	
BD.15495	Hinge Assembly, for R.H. Door		1	
BD.15496	Hinge Assembly, for L.H. Door		1	
BD.14768	Scuttle Top Panel		1	
BD.16547	R.H. Windscreen Pillar Assembly		. 1	
BD.16548	L.H. Windscreen Pillar Assembly		1	
BD.15217	Filler Panel, between R.H. Screen Pillar and Scuttle		1	
	Top Panel			
BD.15218	Filler Panel, between L.H. Screen Pillar and Scuttle		1	
	Top Panel			
BD.15467	Closing Panel, under R.H. Screen Pillar		1	
BD.15468	Closing Panel, under L.H. Screen Pillar		1	
BD.17069	Corner Panel, Dash to Scuttle Top, R.H.		1	
BD.17070	Corner Panel, Dash to Scuttle Top, L.H.		1	
BD.15180	Exterior Panel Assembly, R.H. Dash side		1	
BD.15181	Exterior Panel Assembly, L.H. Dash side		1	
BD.15133	R.H. Sill Outer Panel		1	
BD.15134	L.H. Sili Outer Panel		1	
BD.15184	End Plate, at front of R.H. Sill		1	
BD.15187	Bracket Assembly, at front of R.H. Sill, mounting		1	
	Air Cleaner			
BD.15185	End Plate Assembly, at front of L.H. Sill		1	
BD.15186	Bracket Assembly, at front of L.H. Sill, mounting		1	
	Battery Tray			
BD.19586	Bracket Assembly, for Jack Location		1	•
BD.15188	Panel Assembly, lower rear		1	
BD.15190	Tonneau Panel and Rear Wings Assembly		1	
BD.18872	Top Quarter Panel Assembly, R.H.		1	
BD.18873	Top Quarter Panel Assembly, L.H.		1	
BD.15934	Lid Assembly, for Petrol Filler Box		1	
BD 18945	Filler Panel, seating R.H. Stop/Tail Lamp		1	
BD.18946	Filler Panel, seating L.H. Stop/Tail Lamp		1	
BD.18952	Fixing Bracket, inner, for R.H. Stop/Tall Lamp		1	
BD.19532	Fixing Bracket, outer, for R.H. Stop/Tail Lamp		1	
BD.18953	Fixing Bracket, inner, for L.H. Stop/Tail Lamp		1	
BD.19533	Fixing Bracket, outer, for L.H. Stop/Tail Lamp		1	
BD.15172	Boot Lid Shell Assembly		1	
BD.19211	R.H. Hinge Assembly, for Boot Lid		1	
BD.19212	L.H. Hinge Assembly, for Boot Lid		1	

BODY UNDERFRAME AND PANELS FOR OPEN CARS ONLY

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.15170	BODY UNDERFRAME ASSEMBLY		1	Fitted from Chassis No. 850001 to 850526.
BD.15171	Floor Assembly		1	875001 to 837355. Fitted from Chassis No. 850001 to 850357.
BD.23141	Floor Assembly		1	875001 to 876381. Fitted from Chassis No. 850358 to 850526.
BD.15196	Rear End Assembly		1	876382 to 877353.
BD.22823	BODY UNDERFRAME ASSEMBLY		1	Fitted to Chassis No.
BD.22819 BD.23101	Floor Assembly Rear End Assembly	36– 1	1	850527 and subs. 877356 and subs.
BD.15171 BD.19238	FLOOR ASSEMBLY Bracket Assembly, for Exhaust Silencer Mounting		1 4	Fitted from Chassis No. 850001 to 850357. 875001 to 876381.
BD.23141 BD.15131/2	FLOOR ASSEMBLY (COMPLETE WITH HEEL WELLS) Heel Well only		1 2	Fitted from Chassis No. 850358 to 850526. 876382 to 877355.
BD.19238	Bracket Assembly, for Exhaust Silencer Mounting		4	
BD.22819	FLOOR ASSEMBLY (COMPLETE WITH HEEL WELLS)	36– 1	1	Fitted to Chassis No.
BD.15131/2 BD.19238	Heel Well only Bracket Assembly, for Exhaust Silencer Mounting		2	850527 and subs. 877356 and subs.
BD.15588/1 BD.15588/2 BD.15588/4 BD.15588/5 BD.19902 BD.22756	Plastic Plug, in Floor (3" dia.) Plastic Plug, in Floor (4" dia.) Plastic Plug, in Floor (4" dia.) Plastic Plug, in Floor (3" dia.) Plastic Plug, in Floor Plastic Plug, in Floor (Safety Harness)		26 2 2 10 1 4	R.H. DRIVE CARS ONLY.

BODY UNDERFRAME AND PANELS FOR OPEN CARS ONLY

BD.15196 BD.16650 BD.15223 BD.15224 BD.18839 BD.18840 BD.18831	REAR END ASSEMBLY Tunnel Assembly		1 .	`
BD.15223 BD.15224 BD.18839 BD.18840	Tunnel Assembly		•	
BD.15223 BD.15224 BD.18839 BD.18840		36- 2	1	
BD.15224 BD.18839 BD.18840	Shut Pillar Assembly, R.H.	36- 3	i	1
BD.18840	Shut Pillar Assembly, L.H.	36- 4	1	
	Support Panel, for R.H. Rear Quarter	36- 5	1	1
RI) 18841	Support Panel, for L.H. Rear Quarter	36- 6	1	l
	Mounting Panel, R.H., for Hoodsticks		1	
BD.18832 BD.15232	Mounting Panel, L.H., for Hoodsticks Wheel Arch Panel Assembly, R.H. Forward	36- 7	i	
BD.15233	Wheel Arch Panel Assembly, L.H. Forward	36- 8	i	İ
BD.15225	Wheel Arch Panel Assembly, R.H. Rear	36- 9	1	
BD.15226	Wheel Arch Panel Assembly, L.H. Rear	36-10	1	l .
BD.15230	Valance Assembly, behind R.H. Wheel Arch	36-11 36-12	1	
BD.15231 BD.22693	Valance Assembly, behind L.H. Wheel Arch Floor Panel Assembly, Rear	36-12 36-13	1	1
BD.20162	Cross Member Assembly, for Rear Floor	36-14	i	1
BD.17445	Stiffening Bracket, at sides of Rear Cross Member	36-15	2	Fitted from Chassis No.
BD.19077	Bracket Assembly, R.H., for mounting of Rear		1	850001 to 850526.
	Suspension Cross Member		_	875001 to 877355.
BD.19078	Bracket Assembly, L.H., for mounting of Rear		1	,
DD 47443	Suspension Cross Member	36–16	1	l .
BD.17442 BD.19681	Top Panel Assembly, above Rear Floor Rear Bulkhead Panel Assembly	36-17	1	1
BD.15228	Panel Assembly, for front of Spare Wheel Com-		· i	\
DD.13220	partment	30-10	•	1
BD.15238	Reinforcement Angle, between Spare Wheel		1	i
	Compartment Panel and Top Panel			1
BD.18963	Shield, for Interior Light	36-19	1	}
BD.16212	Panel Assembly, reinforcing Tonneau Bracket Assembly, mounting R.H. Hinge for Boot	36–20	1	1
BD.18949	Lid		. '	1
BD.18950	Bracket Assembly, mounting L.H. Hinge for Boot Lid		1	
BD.20504	Extension, between R.H. Hinge Bracket and Rear		1	
BD.20505	Bulkhead Panel Extension, between L.H. Hinge Bracket and Rear		1	ļ
BD.20303	Bulkhead Panel			
BD.23101	REAR END ASSEMBLY		1)
BD.22808	Floor Panel Assembly, rear		1	
BD.22816	Stiffening Bracket, at R.H. side of Rear Cross		1	Fitted to Chassis No.
	Member		_	850527 and subs. 877356 and subs.
BD.22817	Stiffening Bracket, at L.H. side of Rear Cross Member		1	077330 and 3003.
	All other items are as for Rear End Assembly BD.151	96.		J
BD.19221	Extension, on R.H. Shut Pillar, for Door Seal Retainer		1	
BD.19222	Extension, on L.H. Shut Pillar, for Door Seal Retainer		1	
BD.19132	Bracket Assembly, for mounting of Rear Suspension		2	
	Bump Stop Rubbers	24.24	1	
BD.15137	Panel Assembly, at R.H. side of Gearbox Panel Assembly, at L.H. side of Gearbox	36-21 36-22	i	
BD.15138 BD.15198	Reinforcement Panel, for R.H. Shut Pillar	36-23	i	
BD.15994	Closing Panel, for R.H. Shut Pillar	36-24	1	
BD.15199	Reinforcement Panel, for L.H. Shut Pillar	36-25	1	
BD.15995	Closing Panel, for L.H. Shut Pillar	36-26	1 2	
BD.17456 BD.18368	Support Panel, for Shut Pillars Reinforcement Panel, lower rear, for Propeller Shaft		1	
	Tunnel Reinforcement Panel, at rear of R.H. Sill	36-27	1	
BD.15982 BD.15983	Reinforcement Panel, at rear of L.H. Sill	36-28	i	
BD.16488	Reinforcement Panel, at front of Sills	36-29	2	
BD.15202	Closing Panel, for front of R.H. Sill	36-30	1	
BD.15203	Closing Panel, for front of L.H. Sill	36–31	1	
BD.14918	Reinforcement Panel, for R.H. Dash side	36-32	1	
BD.14919 BD.16942	Reinforcement Panel, for L.H. Dash side Closing Panel Assembly, R.H. lower Dash front	30-32	i	
BD.16943	Closing Panel, L.H. lower Dash front		i	

BODY UNDERFRAME AND PANELS

FOR OPEN CARS ONLY

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.15180	EXTERIOR PANEL ASSEMBLY, R.H. DASH SIDE	36–33	1	
BD.15181	EXTERIOR PANEL ASSEMBLY, L.H. DASH SIDE	36–34	1	
BD.15133	R.H. SILL OUTER PANEL	36–35	1	
BD.15184 BD.15187	End Plate, at front of R.H. Sill Bracket Assembly, at side of R.H. Sill for Mounting Air Cleaner		1	
BD.15134	L.H. SILL OUTER PANEL	36–36	1	
BD.15185 BD.15186	End Plate Assembly, at front of L.H. Sill Bracket Assembly, at side of L.H. Sill for Mounting Battery Tray		1	
BD.19586	BRACKET, UNDER SILLS, FOR JACK LOCATION		2	
BD.15168	DOOR SHELL ASSEMBLY, R.H.		1 .	
BD.15178 BD.15453 BD.21030 BD.11712/2 BD.20878 BD.1814/1 BD.21180 BD.20978 BD.20979 BD.1814/2	Outer Panel Assembly, for R.H. Door Inner Panel Assembly, for R.H. Door Drain Tray, at top of R.H. Door Pop Rivet, securing Drain Tray Shroud, for Drain Holes at bottom of Door Pop Rivet, securing Shroud Drain Tube, Rubber, for Trays Shroud, for Drain Holes at front of Door Shroud, for Drain Holes at rear of Door Pop Rivet, securing Shrouds at front and rear of Door Pop Rivet, securing Shrouds at front and rear of Door		1 1 2 2 2 6 1 1 1 7 7	Fitted from Chassis No. > 850001 to 850506. 875001 to 877201.
BD.15169	DOOR SHELL ASSEMBLY, L.H.		1	
BD.15179 BD.15454 BD.21031	Outer Panel Assembly, for L.H. Door Inner Panel Assembly, for L.H. Door Drain Tray, at top of L.H. Door		1 1 1	
	All other items are as for Door Shell Assembly BD.15	168.		J

BODY UNDERFRAME AND PANELS FOR OPEN CARS ONLY

BD.21319 BD.21318 BD.21318 BD.21320 BD.15454 BD.21031 AII BD.15495 HI BD.15496 C.16168 BD.22662 BD.22661 UCS.519/4H UFS.425/5H C.724 BD.17034/5 BD.711/20 BD.13565/3 Scr.	Outer Panel Assembly, for R.H. Door Inner Panel Assembly, for R.H. Door Drain Tray, at top of R.H. Door Other items are as for Door Shell Assembly BD.1 OOR SHELL ASSEMBLY, L.H. Outer Panel Assembly, for L.H. Door Inner Panel Assembly, for L.H. Door Drain Tray, at top of L.H. Door Other items are as for Door Shell Assembly BD.1 NGE ASSEMBLY FOR R.H. DOOR	36-38	1 1 1 1 1 1 1 1	Fitted to Chassis No. 850507 and subs. 877202 and subs.
BD.15453 BD.21318 BD.21320 BD.15454 BD.21031 All BD.15495 HI BD.15496 C.16168 BD.22662 CH BD.22661 UCS.519/4H UFS.425/5H C.724 BD.17034/5 BD.711/20 Scr. BD.13565/3 Scr.	Inner Panel Assembly, for R.H. Door Drain Tray, at top of R.H. Door other items are as for Door Shell Assembly BD.1 DOR SHELL ASSEMBLY, L.H. Outer Panel Assembly, for L.H. Door Inner Panel Assembly, for L.H. Door Drain Tray, at top of L.H. Door other items are as for Door Shell Assembly BD.1	36–38 1 5168 .	1 1 1 1 1	> 850507 and subs.
BD.21318 DC BD.21320 BD.15454 BD.21031 AII BD.15495 HI BD.15496 C.16168 BD.22662 CH BD.22661 UCS.519/4H UFS.425/5H C.724 BD.17034/5 BD.711/20 BD.13565/3 Scr.	OOR SHELL ASSEMBLY, L.H. Outer Panel Assembly, for L.H. Door Inner Panel Assembly, for L.H. Door Drain Tray, at top of L.H. Door other items are as for Door Shell Assembly BD.1	36–38 1 5168 .	1 1 1	> 850507 and subs.
BD.21320 BD.15454 BD.21031 AII BD.15495 HI BD.15496 HI C.16168 BD.22662 CH BD.22661 UCS.519/4H UFS.425/5H C.724 Wa BD.17034/5 BD.711/20 Scr. BD.13565/3 Scr.	Outer Panel Assembly, for L.H. Door Inner Panel Assembly, for L.H. Door Drain Tray, at top of L.H. Door Other items are as for Door Shell Assembly BD.1	5168.	1 1 1	> 850507 and subs.
BD.21320 BD.15454 BD.21031 AII BD.15495 HI BD.15496 HI C.16168 BD.22662 CH BD.22661 UCS.519/4H UFS.425/5H C.724 Wa BD.17034/5 BD.711/20 Scr. BD.13565/3 Scr.	Outer Panel Assembly, for L.H. Door Inner Panel Assembly, for L.H. Door Drain Tray, at top of L.H. Door Other items are as for Door Shell Assembly BD.1	5168.	1 1 1	
BD.21320 BD.15454 BD.21031 AII BD.15495 HI BD.15496 HI C.16168 BD.22662 CH BD.22661 UCS.519/4H UFS.425/5H C.724 Wa BD.17034/5 BD.711/20 Scr. BD.13565/3 Scr.	Outer Panel Assembly, for L.H. Door Inner Panel Assembly, for L.H. Door Drain Tray, at top of L.H. Door Other items are as for Door Shell Assembly BD.1	5168.	1 1 1	
BD.15454 BD.21031 AII BD.15495 HI BD.15496 HI C.16168 BD.22662 CH BD.22661 UCS.519/4H UFS.425/5H C.724 Wa BD.17034/5 BD.711/20 Scr. BD.13565/3 Scr.	Inner Panel Assembly, for L.H. Door Drain Tray, at top of L.H. Door other items are as for Door Shell Assembly BD.1		1 1	
BD.15495 HI BD.15496 HI C.16168 BD.22662 CH BD.22661 UCS.519/4H UFS.425/5H C.724 Scr. BD.17034/5 BD.711/20 Scr. BD.13565/3 Scr.			1	
BD.15496 HI C.16168 BD.22662 CH BD.22661 UCS.519/4H UFS.425/5H C.724 Scr. BD.17034/5 BD.711/20 Scr. BD.13565/3 Scr.	NGE ASSEMBLY FOR R.H. DOOR	36–39	1	
BD.15496 HI C.16168 BD.22662 CH BD.22661 UCS.519/4H UFS.425/5H C.724 Scr. BD.17034/5 BD.711/20 Scr. BD.13565/3 Scr.	NGE ASSEMBLY FOR R.H. DOOR	36–39	1	
C.16168 BD.22662 CH BD.22661 UCS.519/4H UFS.425/5H Scr. C.724 Wa BD.17034/5 BD.711/20 Scr. BD.13565/3 Scr.				
C.16168 BD.22662 CH BD.22661 UCS.519/4H UFS.425/5H C.724 Scr. BD.17034/5 BD.711/20 Scr. BD.13565/3 Scr.				
C.16168 BD.22662 CH BD.22661 UCS.519/4H UFS.425/5H C.724 Scr. BD.17034/5 BD.711/20 Scr. BD.13565/3 Scr.	NGE ASSEMBLY FOR L.H. DOOR	36 _4 0	1	
BD.22662 CH BD.22661 UCS.519/4H UFS.425/5H C.724 Scr. BD.17034/5 BD.711/20 Scr. BD.13565/3 Scr.	Grease Nipple, for Door Hinges (Tec.YH.109)		2	
BD.22661 UCS.519/4H UFS.425/5H				
UCS.519/4H UFS.425/5H	HECK ARM ASSEMBLY FOR DOORS	36 -4 1	2	
C.724 Wa BD.17034/5 Scr. BD.711/20 Scr. BD.13565/3 Scr.	Brass Cam, for Check Arms Screw, Set, Csk. Hd., securing Cam to Check Arms		2	Self-Tapping Screw BD.17503/1 may be required for some cars.
BD.711/20 Screen	rew, Set, securing Check Arm to Door Hinges isher, Shakeproof, on Setscrews		4 4	required for some datas
	rew, Set. securing Hinge to Doors rew, Self-Tapping, securing Hinge to Doors		8 4	
	rew, Set, securing Hinges to Body usher, Spring, on Setscrews		8 8	
BD.15191 RE.		36–42	1	
	AR WING ASSEMBLY, R.H.	,		
BD.15192 RE .	AR WING ASSEMBLY, R.H.			

BODY UNDERFRAME AND PANELS

FOR OPEN CARS ONLY

Part No.	Description	Plate No.	No. per Unit	Remarks	•	
BD.15933	PETROL FILLER BOX ASSEMBLY, IN L.H. WING	36-44	1			
BD.15189	TONNEAU TOP PANEL	36–45	1			
BD.18801	SUPPORT PANEL ASSEMBLY, UNDER FRONT OF TONNEAU TOP PANEL	36 -4 6	1			
BD.15219	TONNEAU REAR PANEL ASSEMBLY	36-47	1			
BD.18872	TOP QUARTER PANEL ASSEMBLY, R.H.	36-48	1			
BD.18873	TOP QUARTER PANEL ASSEMBLY, L.H.	36-49	1			
BD.15172	BOOT LID SHELL ASSEMBLY	36–50	1			
BD.20622 BD.19204 UFS.119/4R UFN.119/L C.723/A AW.102/T BD.20628 BD.19202 BD.19203	R.H. HINGE ASSEMBLY FOR BOOT LID Leaf Spring, on Hinge Screw, Set, securing Springs to Bracket Nut, on Setscrew Washer, Shakeproof, under Nut Washer, Plain, on Setscrew Anchor Pin, for Spring Distance Tube, on Anchor Pin Distance Collar, below Tube	36–51	1 5 1 1 2 1 1			

BODY UNDERFRAME AND PANELS FOR OPEN CARS ONLY

Part No.	Description	Plate No.	No. per Unit	Remarks	
BD.20623	L.H. HINGE ASSEMBLY FOR BOOT LID	36–52	1		
BD.19204 UFS.119/4R UFN.119/L C.723/A AW.102/T BD.20628 BD.19202 BD.19203	Leaf Spring, on Hinge Screw, Set, securing Springs to Bracket Nut, on Setscrew Washer, Shakeproof, under Nut Washer, Plain, on Setscrew Anchor Pin, for Spring Distance Tube, on Anchor Pin Distance Collar, below Tube		5 1 1 1 2 1 1		
BD.8291/2 C.724 FW.104/T	Screw, Set, securing Hinges to Boot Lid Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers		4 4		
BD.13565/2 C.725 FW.105/T BD.6265/1 BD.6265/2 UFN.125/L C.724 FW.104/T	Screw, Set (3" long) securing Hinges to Body Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers Shim (.036" thick) for Hinges Shim (.064" thick) for Hinges Nut, securing Hinges to Body Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		4 4 4 As req'd As req'd 4 4 4		
BD.15934	LID ASSEMBLY FOR PETROL FILLER BOX	36–53	1		
BD.15932	HINGE ASSEMBLY FOR PETROL FILLER LID	36–54	1		
BD.8291/1 C.724 FW.104/T	Screw, Set, securing Hinge to Lid and to Body Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers		4 4 4		
BD.15930	SPRING, BETWEEN LID AND HINGE	36–55	1		
BD.15188	PANEL ASSEMBLY, LOWER REAR	36–56	1		
BD.18837 BD.18838	Lower Panel, R.H. Outer Lower Panel, L.H. Outer	36–57	1 1		
BD.16207	PANEL ASSEMBLY, FOR REAR NUMBER PLATE		1		
BD.18945	FILLER PANEL, SEATING R.H. STOP/ TAIL LAMP	36-58	1 .	e e e e e e e e e e e e e e e e e e e	
BD.18952 BD.18955	Fixing Bracket, inner, for R.H. Stop/Tail Lamp Fixing Bracket, outer, for R.H. Stop/Tail Lamp		1		

BODY UNDERFRAME AND PANELS FOR OPEN CARS ONLY

BD.18946 FILLER PANEL, SEATING L.H. STOP/ 36-59 1	Part No.	Description	Plate No.	No. per Unit	Remarks
### TAIL LAMP ### BD.18953 Fixing Bracket, inner, for L.H. Stop/Tail Lamp 1 ### BD.18953 BONNET AND FRONT WINGS 1 ### BD.15174 STOPP 1 ### BD.15174 BD.15174 Centre Panel Assembly, for Bonnet 37-1 1 ### BD.15175 Centre Panel Assembly 37-2 1 ### BD.15176 Centre Panel Assembly 37-2 1 ### BD.15176 Centre Panel Assembly 37-2 1 ### BD.15177 Screw, Self-Tapping, securing Air Duct Panel to 6 ### Valances Valances Valances 1 ### COLON.125/JR Centre Panel Robert 1 ### BD.15176 Centre Panel Robert 1 ### BD.15177 Centre Robert 1 ### BD.15176 Centre Robert 1 ### BD.15177 Front Wing Assembly, R.H. 37-4 1 ### BD.15177 Front Wing Assembly, L.H. 37-5 1 ### Screw, Set. securing Wing to Centre Panel 1 ### BD.15176 Centre Robert 37-5 1 ### BD.15176 Centre Robert 37-5 1 ### BD.15176 Centre Robert 37-5 1 ### BD.15176 Centre Robert 37-6 1 ### BD.15176 Centre Robert	BD.18946	FILLER PANEL, SEATING L.H. STOP/	36-59	1	
BD.16550 BONNET AND FRONT WINGS 1 Fitted from Chassis No. 850001 to 85001. 875001 to 873305.					
### BD.15174 ### BD.15174 ### BD.15175 ### BD.15175 ### BD.15175 ### BD.15175 ### BD.15175 ### BD.16537 ### BD.15176 ### BD.15177 ### BD.15176 ### BD.15176 ### BD.15177 ### BD.15176 ### BD.15177 ### BD.15176 ### BD.15176 ### BD.15176 ### BD.15176 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15176 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.15177 ### BD.16172 ### B					
BD.15174	BD.16550			1	850001 to 850091.
BD.15175	BD.15174	Centre Panel Assembly, for Bonnet	37- 1	1	
BD.1683972 Screw, Self-Tapping, securing Air Duct Panel to Valances 14					
UCS.125/SR		Screw, Self-Tapping, securing Air Duct Panel to	37- 3		
FG.104 X Washer, Spring, on Setscrews and Self-Tapping 20		Screw, Set, securing Front Under Panel to Valances, Centre Panel and Wings			
BD.542 3 Washer, Special, on Setscrews and Self-Tapping 34					
BD.15176 Front Wing Assembly, R.H. 37-5 1		Screws			
BD.15177 Front Wing Assembly, L.H. 37 - 5 1	DD 4547/		27 4		
UCS.125/5R Vasher, Secring Wings to Centre Panel 18 UCN.125/15, Nut, on Setscrews 18 B. Screw, Set, Securing Wings to Centre Panel 18 B. Screw, Set, Securing Valance and Air Duct Assembly 37 - 6 1 B. D.19021 B.16839/2 Centre and Air Duct Assembly 37 - 7 1 Screw, Self-Tapping, Securing Valance and Duct Assembles to Centre and Front Under Panels FG.104/X Washer, Special, under Spring Washers 23 BD.16422 Washer, Special, under Spring Washers 37 - 8 1 Headlamp BD.16423 L.H. Front Diaphragm Assembly, mounting 37 - 9 1 Headlamp UCS.125/5R UCN.125/15 Nut, on Setscrews 18 BD.542/3 Washer, Special, on Setscrews and Self-Tapping 34 Screw, Self-Tapping, securing Diaphragms to Wings 26 Washer, Special, on Setscrews and Self-Tapping 34 Screw, Set, Seeding Panel, for R.H. Headlamp Diaphragm 1 Self-Tapping Screw, Self-Tapping Screw, Self-Tapping 34 Screw, Self-Tapping, on Setscrews and Self-Tapping 35 Self-Tapping Screw, Self-T					
FG.104 X Washer, Sperial, under Nuts 18			0, 0		
BD.542/3 Washer, Special, on Setscrews 36 BD.19021 R.H. Valance and Air Duct Assembly 37-6 1 BD.19022 L.H. Valance and Air Duct Assembly 37-7 1 Screw, Self-Tapping, Securing Valance and Duct 23 Assemblies to Centre and Front Under Panels 23 BD.16839/2 Washer, Special, under Spring Washers 23 BD.16422 R.H. Front Diaphragm Assembly, mounting 37-8 1 Headiamp H					
BD.19021					
BD.19022 L.H. Valance and Air Duct Assembly Screw, Self-Tapping, securing Valance and Duct Assemblies to Centre and Front Under Panels			37- 6		
Assemblies to Centre and Front Under Panels FG. 104/X BD.542/3 Washer, Sping, on Self-Tapping Screws BD.542/3 Washer, Special, under Spring Washers BD.16423 R.H. Front Diaphragm Assembly, mounting BD.16423 L.H. Front Diaphragm Assembly, mounting UCS.125/5R Csrew, Set, securing Diaphragms to Wings BD.16839/2 Screw, Self-Tapping, securing Diaphragms to Valances, Wings and Front Under Panel FG.104/X Washer, Sping, on Setscrews and Self-Tapping BD.22749 Sealing Panel, for R.H. Headlamp Diaphragm BD.22749 BD.22749 Sealing Panel, for R.H. Headlamp Diaphragm BD.22749/1 Felt, on Sealing Panel BB.22749/1 Felt, on Seali					
BD.542/3		Assemblies to Centre and Front Under Panels			
BD.16422 R.H. Front Diaphragm Assembly, mounting 37-8 1 Headlamp L.H. Front Diaphragm Assembly, mounting 37-9 1 Headlamp L.H. Front Diaphragm Assembly, mounting 37-9 1 Headlamp L.H. Front Diaphragms to Wings 8 UCN.125/L Nut, on Setscrews 8 BD.16839/2 Screw, Self-Tapping, securing Diaphragms to 26 Valances, Wings and Front Under Panel					
Headlamp		R.H. Front Diaphragm Assembly, mounting	37- 8		
UCN.125 L Nut., on Setscrews B BD.16839 2 Screw, Self-Tapping, securing Diaphragms to Valances, Wings and Front Under Panel Valances, Wings and Front Under Panel Valances, Wings and Front Under Panel Valances, Wings and Front Under Panel Valances, Wings and Front Under Panel Valances, Wings and Front Under Panel Valances, Wings and Front Under Panel Valances, Wings and Front Under Panel Valances, Wings and Front Under Panel Valances, Wings, Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Centre Panel Valances and Self-Tapping Valances and Centre Panel Valances and Self-Tapping Valances and Centre Panel Valances and Centre		Headlamp	37- 9		
BD.16839/2 Screw, Self-Tapping, securing Diaphragms to Valances, Wings and Front Under Panel FG.104/X Washer, Spring, on Setscrews and Self-Tapping 34 Screws BD.542/3 Washer, Special, on Setscrews and Self-Tapping 42 Screws BD.22749 Sealing Panel, for R.H. Headlamp Diaphragm 1 BD.22750 Sealing Panel, for L.H. Headlamp Diaphragm 1 BD.22749/1 Felt, on Sealing Panel 4 BD.1328/2 Rivet, securing Felt to Panel 8 UFS.419/3H Screw, Set, securing Sealing Panel 2 UFN.119/L Nut, on Setscrews 2 C.723/A Washer, Shakeproof, on Setscrews 2 AW.102/T Washer, Plain, under Shakeproof Washers BD.16381 R.H. Diaphragm Assembly, at rear of Bonnet 37–10 UCS.125/SR Screw, Set, securing Rear Diaphragms to Wings, Valances and Centre Panel UCN.125/L Nut, on Setscrews 18 D.16839/2 Screw, Self-Tapping, securing Rear Diaphragms to Centre Panel UCN.125/A Washer, Spring, on Setscrews and Self-Tapping 25 Screw, Self-Tapping, securing Rear Diaphragms to Centre Panel 43 BD.18767 Reinforcing Angle, between Wings and Centre Panel 44 UFS.125/4R Screw, Set, securing Reinforcing Angles 8 FG.104/X Washer, Spring, on Setscrews 8 BD.18767 Reinforcing Angle, between Wings and Centre Panel 44 BCSCREW, Set, securing Reinforcing Angles 8 FG.104/X Washer, Spring, on Setscrews 8 BCSCREW, Set, securing Reinforcing Angles 8 BCSCREW, Set, securing Reinforcing Angles 8 BCSCREW, Set, securing Reinforcing Angles 8					
Valances, Wings and Front Under Panel FG.104/X Washer, Spring, on Setscrews and Self-Tapping Screws BD.542/3 Washer, Special, on Setscrews and Self-Tapping Screws BD.22749 Sealing Panel, for R.H. Headlamp Diaphragm BD.22750 Sealing Panel, for L.H. Headlamp Diaphragm BD.22749/1 Felt, on Sealing Panel BD.1328/2 Rivet, securing Felt to Panel BD.1328/2 Rivet, securing Felt to Panel BD.1328/2 Rivet, securing Sealing Panel BD.1419/3H Screw, Set, securing Sealing Panel BD.1528/4 Rivet, securing Sealing Panel BD.1638/2 C.723/A Washer, Shakeproof, on Setscrews C.723/A Washer, Shakeproof, on Setscrews BD.16381 R.H. Diaphragm Assembly, at rear of Bonnet BD.16382 L.H. Diaphragm Assembly, at rear of Bonnet BD.16382 L.H. Diaphragm Assembly, at rear of Bonnet BD.16839/2 Screw, Set, securing Rear Diaphragms to Wings, Valances and Centre Panel UCN.125/L Nut, on Setscrews BD.16839/2 Screw, Self-Tapping, securing Rear Diaphragms to Centre Panel FG.104/X Washer, Spring, on Setscrews and Self-Tapping Screws BD.18767 Reinforcing Angle, between Wings and Centre Panel at rear UFS.125/4R Screw, Set, securing Reinforcing Angles BG.104/X Washer, Spring, on Setscrews Screws BG.104/X Washer, Spring, on Setscrews Screws BC.104/X Washer, Spring, on Setscrews					
BD.542/3 BD.22749 BD.22750 BD.22749/1 Felt, on Sealing Panel, for R.H. Headlamp Diaphragm BD.22749/1 Felt, on Sealing Panel BD.32749/1 Felt, on Sealing Panel BD.32749/1 Felt, on Sealing Panel BD.328/2 Rivet, securing Felt to Panel BD.328/2 Rivet, securing Sealing Panel UFS.419/3H UFS.419/3H Screw, Set, securing Sealing Panel UFN.119/L Nut, on Setscrews C723/A Washer, Shakeproof, on Setscrews AW.102/T BD.16381 R.H. Diaphragm Assembly, at rear of Bonnet BD.16382 L.H. Diaphragm Assembly, at rear of Bonnet BD.16382 L.H. Diaphragm Assembly, at rear of Bonnet UCS.125/SR Screw, Set, securing Rear Diaphragms to Wings, Valances and Centre Panel UCN.125/L BD.16839/2 Screw, Self-Tapping, securing Rear Diaphragms to Centre Panel FG.104/X Washer, Spring, on Setscrews and Self-Tapping Screws BD.18767 Reinforcing Angle, between Wings and Centre Panel at rear UFS.125/4R Screw, Set, securing Reinforcing Angles BG.104/X Washer, Spring, on Setscrews BC.104/X		Valances, Wings and Front Under Panel Washer, Spring, on Setscrews and Self-Tapping		34	
BD.22749 BD.22750 Sealing Panel, for R.H. Headlamp Diaphragm BD.22750 Sealing Panel, for L.H. Headlamp Diaphragm BD.22749/1 Felt, on Sealing Panel BD.1328/2 Rivet, securing Felt to Panel BD.1328/2 Rivet, securing Felt to Panel BD.1328/2 Rivet, securing Felt to Panel BD.1328/2 Rivet, securing Felt to Panel BD.1328/2 Rivet, securing Felt to Panel BD.14381 R.H. Diaphragm Asserbly, at rear of Bonnet BD.16381 R.H. Diaphragm Assembly, at rear of Bonnet BD.16382 L.H. Diaphragm Assembly, at rear of Bonnet BD.16382 L.H. Diaphragm Assembly, at rear of Bonnet BD.16382 CScrew, Set, securing Rear Diaphragms to Wings, Valances and Centre Panel UCN.125/L BD.16839/2 Screw, Self-Tapping, securing Rear Diaphragms to Centre Panel FG.104/X Washer, Spring, on Setscrews and Self-Tapping Screws BD.542/3 Washer, Special, on Setscrews and Self-Tapping Screws BD.18767 Reinforcing Angle, between Wings and Centre Panel at rear UFS.125/4R Screw, Set, securing Reinforcing Angles BG.104/X Washer, Spring, on Setscrews RG.104/X Washer, Spring, on Setscrews	BD.542/3	Washer, Special, on Setscrews and Self-Tapping		42	
BD.22749/1 BD.1328/2 Rivet, securing Felt to Panel BD.1328/2 Rivet, securing Sealing Panel BD.1528/A Washer, Shakeproof, on Setscrews AW.102/T BD.16381 BD.16382 L.H. Diaphragm Assembly, at rear of Bonnet BD.16382 UCN.125/SR Screw, Set, securing Rear Diaphragms to Wings, Valances and Centre Panel UCN.125/L BD.16839/2 Screw, Self-Tapping, securing Rear Diaphragms to Centre Panel FG.104/X Washer, Special, on Setscrews and Self-Tapping Screws BD.16876 Reinforcing Angle, between Wings and Centre Panel at rear UFS.125/4R Screw, Set, securing Reinforcing Angles BFG.104/X Washer, Spring, on Setscrews BS.224 BC.325/BR Screw, Set, securing Reinforcing Angles BC.326 BC.326 BC.327 BC.		Sealing Panel, for R.H. Headlamp Diaphragm			
BD.1328/2 UFS.419/3H Screw, Set, securing Felt to Panel UFN.119/L C.723/A Washer, Shakeproof, on Setscrews C.723/A Washer, Plain, under Shakeproof Washers BD.16381 R.H. Diaphragm Assembly, at rear of Bonnet UCS.125/5R UCN.125/5R Screw, Set, securing Rear Diaphragms to Wings, Valances and Centre Panel UCN.125/L BD.16839/2 Screw, Self-Tapping, securing Rear Diaphragms to Centre Panel FG.104/X Washer, Spring, on Setscrews and Self-Tapping Screws BD.18767 Reinforcing Angle, between Wings and Centre Panel at rear UFS.125/4R Screw, Set, securing Reinforcing Angles FG.104/X Washer, Spring, on Setscrews and Self-Tapping Screws BC.104/X Washer, Spring, on Setscrews and Self-Tapping Screws BD.18767 Reinforcing Angle, between Wings and Centre Panel at rear UFS.125/4R Screw, Set, securing Reinforcing Angles Washer, Spring, on Setscrews 8					
UFN.119/L C.723/A Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers BD.16381 BD.16382 L.H. Diaphragm Assembly, at rear of Bonnet UCS.125/FR Valances and Centre Panel UCN.125/L BD.16839/2 Screw, Set, securing Rear Diaphragms to Centre Panel UCN.125/L BD.16839/2 Screw, Self-Tapping, securing Rear Diaphragms to Centre Panel FG.104/X Washer, Spring, on Setscrews and Self-Tapping Screws BD.542/3 BD.18767 Reinforcing Angle, between Wings and Centre Panel at rear UFS.125/4R Screw, Sering, on Setscrews BC.104/X Washer, Spring, on Setscrews and Self-Tapping Screws BC.104/X Washer, Spring, on Setscrews and Self-Tapping Screws BC.104/X Washer, Spring, on Setscrews and Centre Panel at rear UFS.125/4R Screw, Set, securing Reinforcing Angles Washer, Spring, on Setscrews BC.104/X Washer, Spring, on Setscrews BC.104/X Washer, Spring, on Setscrews BC.104/X Washer, Spring, on Setscrews BC.104/X Washer, Spring, on Setscrews BC.104/X Washer, Spring, on Setscrews BC.104/X Washer, Spring, on Setscrews BC.104/X Washer, Spring, on Setscrews BC.104/X Washer, Spring, on Setscrews BC.104/X Washer, Spring, on Setscrews BC.104/X Washer, Spring, on Setscrews BC.104/X Washer, Spring, on Setscrews BC.104/X		Rivet, securing Felt to Panel			
C.723/A Washer, Shakeproof, on Setscrews 2 AW.102/T Washer, Plain, under Shakeproof Washers 2 BD.16381 R.H. Diaphragm Assembly, at rear of Bonnet 37–10 1 BD.16382 L.H. Diaphragm Assembly, at rear of Bonnet 37–11 1 UCS.125/5R Screw, Set, securing Rear Diaphragms to Wings, Valances and Centre Panel UCN.125/L Nut, on Setscrews BD.16839/2 Screw, Self-Tapping, securing Rear Diaphragms to 7 Centre Panel FG.104/X Washer, Spring, on Setscrews and Self-Tapping 25 Screws BD.542/3 Washer, Special, on Setscrews and Self-Tapping 3 Screws BD.18767 Reinforcing Angle, between Wings and Centre Panel at rear UFS.125/4R Screw, Set, securing Reinforcing Angles 8 FG.104/X Washer, Spring, on Setscrews 8 BC.104/X Washer, Spring, on Setscrews 8 BC.104/X Washer, Spring, on Setscrews 8					
AW.102/T BD.16381 R.H. Diaphragm Assembly, at rear of Bonnet BD.16382 UCS.125/5R UCN.125/L BD.16839/2 Screw, Set, securing Rear Diaphragms to Wings, Valances and Centre Panel UCN.125/L BD.16839/2 Screw, Self-Tapping, securing Rear Diaphragms to Centre Panel FG.104/X Washer, Spring, on Setscrews and Self-Tapping Screws BD.168767 Reinforcing Angle, between Wings and Centre Panel at rear UFS.125/4R Screw, Sering, on Setscrews BC.104/X Washer, Spring, on Setscrews and Self-Tapping Screws BD.18767 Reinforcing Angle, between Wings and Centre Panel at rear UFS.125/4R Screw, Set, securing Reinforcing Angles Washer, Spring, on Setscrews 8				2	
BD.16382 L.H. Diaphragm Assembly, at rear of Bonnet 37–11 1 UCS.125/5R Screw, Set, securing Rear Diaphragms to Wings, Valances and Centre Panel UCN.125/L Nut, on Setscrews 18 BD.16839/2 Screw, Self-Tapping, securing Rear Diaphragms to Centre Panel FG.104/X Washer, Spring, on Setscrews and Self-Tapping 25 Screws BD.542/3 Washer, Special, on Setscrews and Self-Tapping 37 Screws BD.18767 Reinforcing Angle, between Wings and Centre Panel at rear Panel at rear Screw, Set, securing Reinforcing Angles 8 FG.104/X Washer, Spring, on Setscrews 8 BC.104/X Washer, Spring, on Setscrews 8 BC.104/X Washer, Spring, on Setscrews 8 BC.104/X Washer, Spring, on Setscrews 8					
UCS.125/5R Screw, Set, securing Rear Diaphragms to Wings, Valances and Centre Panel UCN.125/L BD.16839/2 Screw, Self-Tapping, securing Rear Diaphragms to 7 Centre Panel FG.104/X Washer, Spring, on Setscrews and Self-Tapping 25 Screws BD.542/3 Washer, Special, on Setscrews and Self-Tapping 43 Screws BD.18767 Reinforcing Angle, between Wings and Centre Panel at rear UFS.125/4R Screw, Set, securing Rear Diaphragms to Wings and Centre Panel at rear UFS.125/4R Washer, Spring, on Setscrews 8					
UCN.125/L BD.16839/2 Screw, Self-Tapping, securing Rear Diaphragms to Centre Panel FG.104/X Washer, Spring, on Setscrews and Self-Tapping Screws BD.542/3 Washer, Special, on Setscrews and Self-Tapping Screws BD.18767 Reinforcing Angle, between Wings and Centre Panel at rear UFS.125/4R Screw, Set, securing Reinforcing Angles FG.104/X Washer, Spring, on Setscrews 8		Screw, Set, securing Rear Diaphragms to Wings,	37–11		
FG.104/X Washer, Spring, on Setscrews and Self-Tapping 25 BD.542/3 Washer, Special, on Setscrews and Self-Tapping 43 Screws BD.18767 Reinforcing Angle, between Wings and Centre 2 Panel at rear UFS.125/4R Screw, Set, securing Reinforcing Angles 8 FG.104/X Washer, Spring, on Setscrews 8		Nut, on Setscrews Screw, Self-Tapping, securing Rear Diaphragms to			
BD.542/3 Washer, Special, on Setscrews and Self-Tapping Screws BD.18767 Reinforcing Angle, between Wings and Centre Panel at rear UFS.125/4R Screw, Set, securing Reinforcing Angles FG.104/X Washer, Spring, on Setscrews 8	FG.104/X	Washer, Spring, on Setscrews and Self-Tapping		25	
BD.18767 Reinforcing Angle, between Wings and Centre 2 Panel at rear UFS.125/4R Screw, Set, securing Reinforcing Angles 8 FG.104/X Washer, Spring, on Setscrews 8	BD.542/3	Washer, Special, on Setscrews and Self-Tapping		43	
FG.104/X Washer, Spring, on Setscrews 8		Reinforcing Angle, between Wings and Centre Panel at rear			

BODY UNDERFRAME AND PANELS FOR OPEN CARS ONLY

	FOR OPEN CARS ONL	1		
Part No.	Description	Plate No.	No. per Unit	Remarks
BD.19929	BONNET AND FRONT WINGS ASSEMBLY		1 -	
BD.19930 BD.19931	Front Wing Assembly, R.H. Front Wing Assembly, L.H.		1 1	Fitted to Chassis No. 850092 and subs. 875386 and subs.
	All other items are as for Bonnet and Front Wings Assembly BD.16550.		-	
C.16803	BONNET HINGE	37–12	2	
C.16804 C.8667/5	Nylon Bush, in Hinges Nut, Self-Locking, retaining Hinges on Sub Frame Cross	37–13	4 2	Fitted from Chassis No. 850001 to 850238. 875001 to 876457.
C.8676	Bar Washer, Plain, under Self-Locking Nuts		2 .	J
C.19326	BONNET HINGE		2	Final or Charle No.
C.16804 C.19330 UFB.137/18R FG.106/X	Nylon Bush, in Bonnet Hinges Bearing (Steel), for Bonnet Hinges Bolt, retaining Bonnet Hinges to Front Sub Frame Washer, Spring, on Bolts		4 2 2 2	Fitted to Chassis No. 850239 and subs. 876458 and subs.
BD.13565/6 BD.13565/8 C.725 C.985 BD.18951 BD.18951/1 BD.20950/1 BD.20950/2	Screw, Set, securing Hinges to Bonnet Screw, Set, securing Hinges to Bonnet Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers Shim (.064" thick) for Bonnet Hinges Shim (.036" thick) for Bonnet Hinges Special Shim (Slotted) (.036" thick) for Bonnet Hinges Special Shim (Slotted) (.128" thick) for Bonnet Hinges		4 8 8 8 As req'd As req'd As req'd	
BD.20957	SCUTTLE TOP PANEL ASSEMBLY	37-14	1	
BD.16547	R.H. WINDSCREEN PILLAR ASSEMBLY	37–15	1	
BD.16548	L.H. WINDSCREEN PILLAR ASSEMBLY	37-16	1	
BD.15217	Filler Panel, between R.H. Windscreen Pillar and Scuttle Top Panel	37–17	1	
BD.15218	Filler Panel, between L.H. Windscreen Pillar and Scuttle Top Panel	37–18	1	

BODY UNDERFRAME AND PANELS FOR OPEN CARS ONLY

Part No.	Description	Plate No.	No. per Unit	Remarks	
BD.17069	CORNER PANEL, DASH TO SCUTTLE TOP PANEL, R.H.	37–19	1		
BD.17070	CORNER PANEL, DASH TO SCUTTLE TOP PANEL, L.H.	37-20	1		
BD.15467	CLOSING PANEL, UNDER R.H. WINDSCREEN PILLAR	37–21	1		
BD.15468	CLOSING PANEL, UNDER L.H. WINDSCREEN PILLAR	37–22	1		
BD.18710	FRAME ASSEMBLY MOUNTING STONEGUARD	37-23	1		




PLATE 36




PLATE 37

Part No.	Description	Plate No.	No. per Unit	Remarks	
BD.19145	R.H. FRONT BUMPER ASSEMBLY		1 .		
BD.19146	L.H. FRONT BUMPER ASSEMBLY		1		
BD.15533 BD.15532 BD.19111 BD.19112 BD.19149 UFN.137/L FG.106/X FW.106/T BD.19113 UFS.125/6R	Bar Assembly only, for R.H. Front Bumper Bar Assembly only, for L.H. Front Bumper Over Rider Assembly, on R.H. Front Bumper Over Rider Assembly, on L.H. Front Bumper Beading, between Over Rider and Front Bumpers Nut, securing Over Rider to Front Bumpers Washer, Spring, under Nuts Washer, Plain, under Spring Washers Extension Assembly, for fixing of Motif Bar Screw, Set, securing Extension Bracket to Over Riders	38- 1 38- 2 38- 3 38- 4 38- 5	1 1 1 1 4 2 2 2 2 2		
C.724 FW.104/T BD.19119	Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers Distance Piece, on Setscrews		4 4		
UFS.137/10R FG.106/X C.410 BD.20893 BD.20663 BD.18947/2 BD.10313	Screw, Set, securing Front Bumpers to Bonnet Washer, Spring, on Setscrews Washer, Plain, under Spring Washers Spacer, on Setscrews, at side fixings Spacer, on Setscrews, at front fixings Rubber Seal, between Front Bumpers and Bonnet Clip, securing Seal	38- 7 38- 8	4 4 2 2 2 2		
BD.17700	MOTIF BAR IN AIR INTAKE APERTURE	38- 9	1		
C,16336	MOTIF	38–10	1		
BD.19033 BD.19034 BD.11501	Backing Piece, behind Motif Spring Clip, retaining Motif Screw, Self-Tapping, securing Spring Clip	38-11 38-12 38-13	1 1 2		
UFS.125/5R FG.104/X	Screw, Set, securing Motif Bar Washer, Spring, on Setscrews		2 2		
BD.19147	R.H. REAR BUMPER ASSEMBLY		1		
BD.19148	L.H. REAR BUMPER ASSEMBLY		1		
BD.15887 BD.15888 BD.19135 BD.19136 UFN.137/L FG.106/X FW.106/T BD.19149	Bar Assembly only, for R.H. Rear Bumper Bar Assembly only, for L.H. Rear Bumper Over Rider Assembly, for R.H. Rear Bumper Over Rider Assembly, for L.H. Rear Bumper Nut, securing Over Rider to Rear Bumpers Washer, Spring, under Nuts Washer, Plain, under Spring Washers Beading, between Over Rider and Rear Bumpers	38-14 38-15 38-16 38-17	1 1 1 1 2 2 2 4		
UFS.131/6R FG.105/X FW.105/T UFS.137/10R UFN.137/L FG.106/X FW.106/T BD.20893 BD.18947/1	Screw, Set, securing Rear Bumpers to Body Washer, Spring, on Setscrews Washer, Plain, under Spring Washers Screw, Set, securing Rear Bumpers to Body Nut, securing Rear Bumpers to Body Washer, Spring, on Setscrews and under Nuts Washer, Plain, under Spring Washers Nylon Spacer, at Rear Bumper mountings Rubber Seal, between Rear Bumpers and Body	38–19	2 2 2 2 2 4 4 4 4 2		

				FOR OPEN CARS UNLT
Part No.	Description	Plate No.	No. per Unit	Remarks
BD.16789	CHROME FINISHER ASSEMBLY AROUND R.H. HEADLAMP APERTURE	38–20	1	
BD.16790	CHROME FINISHER ASSEMBLY AROUND L.H. HEADLAMP APERTURE	38-21	1	
BD.16786	GLASS IN R.H. HEADLAMP APERTURE	38-22	1	
BD.16787	GLASS IN L.H. HEADLAMP APERTURE	38-23	1	
BD.16788	RUBBER SEAL AROUND HEADLAMP GLASSES	38–24	2	
BD.19013;2 BD.8633/5	Screw, Self-Tapping, securing Finishers and Headlamp Glasses to Bonnet Spire Nut, on Self-Tapping Screws		12 }	FOR USE ONLY WITH SPIRE NUT FIXING.
BD.22780/4	Screw, Set, securing Finishers and Headlamp Glasses to Bonnet		12	OR USE ONLY WITH TAPPED PLATE FIXING.
BD.17651	FINISHING PANEL ASSEMBLY IN R.H. HEADLAMP RECESS	38–25	1	
BD.17652	FINISHING PANEL ASSEMBLY IN L.H. HEADLAMP RECESS	38-26	1	
BD.20543/1 UFS.119/6R UFS.119/8R AG.102/X AW.102/T UFN.119/L C.1094	Rubber Seal, for Panels Screw, Set, securing Panels to Headlamp Diaphragms Screw, Set, securing Panels to Headlamp Diaphragms Washer, Spring, on Setscrews Washer, Plain, under Spring Washers Nut, on Setscrews Distance Piece, for Panels	38–27	2 2 4 6 6 6 6 As req'd	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.19029/2	CHROME BEADING, FORWARD OF HEADLAMP APERTURES	38-28	2	
BD.19029/1	CHROME BEADING, AT REAR OF HEADLAMP APERTURES	38–29	2	
BD.19030	Brass Clip, securing Chrome Beads	38-30	22	
BD.20934	PIVOTED CARRIER BRACKET ASSEMBLY FOR FRONT NUMBER PLATE		1	
UFN.125/L	Nut, securing Carrier Bracket to Bonnet Front Under Panel		2	
C.724 BD.20939	Washer, Shakeproof, under Nuts Packing Block (Aluminium) at Carrier Bracket fixings		2 2	
				TO BE FITTED ONLY AS REQUIRED.
				. ,
BD.20936	CONTROL ROD, OPERATING CARRIER BRACKET PIVOT WHEN BONNET IS MOVED		1	
C.13806	Clip, securing Control Rod to Carrier Bracket		1	J
C.4548	GROMMET, IN BONNET FRONT UNDER PANEL, FOR CONTROL ROD		1)
BD.20937	FORK END FOR CONNECTION OF CONTROL ROD TO BRACKET ON FRONT SUB-FRAME		1	TO BE FITTED ONLY AS REQUIRED.
UFN.125/L	Nut, locking Fork End to Control Rod		1	
J.103/10S	Clevis Pin, securing Fork End to Bracket on Front Sub- Frame		1	
L.102/4U AW.102/T	Split Pin, retaining Clevis Pin Washer, Plain, behind Split Pin		1 1	}

				FOR OPEN CARS ONLY
Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20989	RUBBER PLUG SEALING REDUNDANT APERTURE IN BONNET FRONT UNDER PANEL		1	NOT REQUIRED WHEN FRONT NUMBER PLATE CARRIER IS FITTED.
BD.20093	STONE GUARD ASSEMBLY AT REAR OF BONNET AIR INTAKE APERTURE	38–31	1	
BD.20150/3 C.723/A BD.541/34	Screw, Set, securing Stone Guard to Bonnet Washer, Shakeproof, on Setscrews Special Washer, under Shakeproof Washers at side		8 8 6	
AW.102/T	fixings Washer, Plain, under Shakeproof Washers at top fixings		2	
BD.20579 UFS.125/4R	Bracket, for lower fixing of Stone Guard Screw, Set, securing Brackets and Stone Guard		2	
UFN.125/L C.724 FW.104/T	Nut, on Setscrews Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		4 4	
BD.18710	FRAME ASSEMBLY FOR FIXING OF STONE GUARD	38–32	1	· ·
BD.19031	Felt Strip at top of Frame ($\frac{1}{4}$ " \times $\frac{1}{8}$ " \times 23")		1	
BD.16839/2 BD.542/3	Screw, Self-Tapping, securing Frame to Bonnet Special Washer, on Self-Tapping Screws		6 6	
BD.20014	BONNET BALANCE LINK ASSEMBLY, R.H.	38-33	1	
BD.20015	BONNET BALANCE LINK ASSEMBLY, L.H.	38-34	1	
BD.19972 BD.20013/4 L.102/6U	Spring, on Bonnet Balance Links Brass Washer, at each side of spring "eyes" Split Pin, retaining Springs		4 16 8	
BD.8291/2 C.724 BD.541/20	Screw, Set, securing Balance Links to Bonnet Washer, Shakeproof, on Setscrews Special Washer, under Shakeproof Washers		8 8 8	
BD.19736 BD.20013/1 BD.20013/2 C.8667/1	Bolt (Shouldered) securing Balance Links to Front Frame Brass Washer, on Bolts Brass Washer, on Bolts Nut, Self-Locking, on Bolts		2 2 2 2	
	,		-	

BD.19178 GRILLE AT REAR OF BONNET 38-35 1	Part No.	Description	Plate No.	No. per Unit	Remarks
UPS.419/41 Screw, Set., securing Grille to Bonnet	BD.19178	GRILLE AT REAR OF BONNET	38-35	1	
BD_20318	UFS.419/4H	Screw, Set, securing Grille to Bonnet		2	
J.103/15S	BD.20315	BONNET SAFETY CATCH ASSEMBLY	38-36	1	
UFS.419/3H Screw, Set, securing Safety Catch to Bonnet 4	J.103/15S L.102/4U	Clevis Pin, through Safety Catch Split Pin, retaining Clevis Pin		1	
BD.18307/3 Screw, Set, securing Bracket to Scuttle	UFS.419/3H	Screw, Set, securing Safety Catch to Bonnet		4	
BD.19730 EXTENSION ASSEMBLY AT REAR OF BONNET DUCT FOR HEATER AIR INTAKE	BD.20320	BRACKET RECEIVING SAFETY CATCH	38-37	1	
BONNET DUCT FOR HEATER AIR INTAKE					
BD.16839/3 Screw, Self-Tapping, securing Extension to Bonnet Gr.104/X Washer, Spring, on Self-Tapping Screws Gr. 104/X Special Washer, under Spring Washers Gr. 104/X Special Washer Seal Sp. 20735 Sp. 20736 Spring Strip, for Rubber Seal Spring Strip, for Rubber S	BD.19730	BONNET DUCT FOR HEATER AIR	38-38	1	
Side Member (9½" long)	BD.16839/3 FG.104/X	Screw, Self-Tapping, securing Extension to Bonnet Washer, Spring, on Self-Tapping Screws	38-39	6	
BD.20735	BD.20816/1		38-4 0	1	
BD.20736 BD.1814/2 Fixing Strip, for Rubber Seaf BD.1814/2 Pop Rivet, securing Fixing Strips 38-43 1 8 BD.16015 LOCK ASSEMBLY AT R.H. SIDE OF 38-44 1 BONNET (WB.3/10894) BD.16016 LOCK ASSEMBLY AT L.H. SIDE OF 38-45 1 BONNET (WB.3/10893) UCS.419/4H AG.102/X Screw, Set, securing Locks to Bonnet Washer, Spring, on Setscrews 8 BD.2551 ESCUTCHEON FOR BONNET LOCKS 38-46 2 (WB.16049/B)		Fixing Strip, for Rubber Seal Rubber Seal, between Bonnet L.H. Rear Diaphragm and			
BONNET (WB.3/10894) BD.16016 LOCK ASSEMBLY AT L.H. SIDE OF 38-45 BONNET (WB.3/10893) UCS.419/4H AG.102/X Screw, Set, securing Locks to Bonnet Washer, Spring, on Setscrews BD.2551 ESCUTCHEON FOR BONNET LOCKS 38-46 (WB.16049/B) Fitted from Chassis No. 850001 to 850091, 875001 to 875385.		Fixing Strip, for Rubber Seal	38-43		
BONNET (WB.3/10893) UCS.419/4H AG.102/X Screw, Set, securing Locks to Bonnet Washer, Spring, on Setscrews 8 BD.2551 ESCUTCHEON FOR BONNET LOCKS 38–46 2 (WB.16049/B) Fitted from Chassis No. 850001 to 850091. 875001 to 875385.	BD.16015		38-44	1.	
AG.102/X Washer, Spring, on Setscrews 8 BD.2551 ESCUTCHEON FOR BONNET LOCKS 38-46 2 (WB.16049/B) Fitted from Chassis No. 850001 to 850091. 875001 to 875385.	BD.16016		38-45	1	
BD.2551 ESCUTCHEON FOR BONNET LOCKS 38-46 2 (WB.16049/B) 850001 to 850091, 875001 to 875385.		Screw, Set, securing Locks to Bonnet Washer, Spring, on Setscrews			Street Green Charrie No.
BD.540/9 Screw, Self-Tapping, securing Escutcheons to Bonnet 4	BD.2551		38–46	2	> 850001 to 850091.
	BD.540/9	Screw, Self-Tapping, securing Escutcheons to Bonnet		4	
BD.16012 BRACKET ASSEMBLY ENGAGING 38-47 2 BONNET LOCKS	BD.16012		38-47	. 2	
UFS.119/6R Screw, Set, securing Brackets to Body C.723/A Washer, Shakeproof, on Setscrews 4 AW.102/T Washer, Plain, under Shakeproof Washers BD.16013 Shim, under Brackets As req'd	C.723/A AW.102/T	Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers		4	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.19890	R.H. LOCKING HOOK ASSEMBLY FOR BONNET		1	
BD.19891	L.H. LOCKING HOOK ASSEMBLY FOR BONNET		1	
BD.19894 C.8737/1	Lever, on Locking Hook Shafts Nut, securing Levers to Shafts		2 2	
BD.19883	BRACKET ASSEMBLY MOUNTING LOCKING HOOKS		2	
BD.18307/2 C.724	Screw, Set, securing Brackets to Dash Washer, Shakeproof, on Setscrews		6 6	
BD.19977	HANDLE AND ROD ASSEMBLY FOR R.H. LOCKING HOOK		1	
BD.19978	HANDLE AND ROD ASSEMBLY FOR L.H. LOCKING HOOK		1	Fitted to Chassis No. 850092 and subs. 875386 and subs.
BD.19903 BD.19904 BD.19895 BD.19013/2 BD.8633/8	Handle only Escutcheon Neoprene Seal, on Rods Screw, Self-Tapping, securing Escutcheons to Body Speed Nut, on Self-Tapping Screws (SNU.1686)		2 2 2 4 4	
C.13806	Linkage Clip, securing Operating Rods to Locking Hooks		2	
BD.19905	BRACKET ASSEMBLY ON BONNET SIDE PANEL, ENGAGING R.H. HOOK		1	
BD.19906	BRACKET ASSEMBLY ON BONNET SIDE PANEL, ENGAGING L.H. HOOK		1	
BD.18307/2 C.724 BD.541/6	Screw, Set, securing Brackets to Bonnet Washer, Shakeproof, on Setscrews Special Washer, under Shakeproof Washers		4 4 4	
BD.19896 UFN.231/L BD.19936 BD.19917 BD.8291/2 C.724	Locating Peg, on Brackets Nut, securing Locating Pegs Rubber Buffer, on Locating Pegs Bracket, receiving Locating Pegs Screw, Set, securing Brackets to Dash Washer, Shakeproof, on Setscrews		2 4 2 2 4 4	
BD.20903/1	REST RUBBER FOR REAR EDGE OF 3 BONNET (68" LONG)	88 –4 8	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.10224	RUBBER BUFFER CUSHIONING BONNET SIDES IN CLOSED POSITION	38 -4 9	2	Fitted from Chassis No. 850001 to 850091. 875001 to 875385.
UFS.131/8R UFN.231/L	Screw, Set, securing Rubber Buffers to Dash Locknut, on Setscrews		2 2	6/3001 to 6/3383.
B D.15165	CARRIER BRACKET FOR BATTERY TRAY	38–50	· 1	
UFS.125/4R FG.104/X FW.104/T UFN.125/L	Screw, Set, securing Carrier Bracket to L.H. Sill Washer, Spring, on Setscrews Washer, Plain, under Spring Washers Nut, on Setscrews		5 5 5 5	
BD.20048	R.H. UNDERSHIELD FOR FRONT FRAME	38–51	1	
BD.20047	L.H. UNDERSHIELD FOR FRONT FRAME	38–52	1	
BD.20049 UFS.125/4R	Bracket, for fixing of Undershields to Frame Screw, Set, securing Brackets and Undershields to Front		4	,
UFN.125/L C.724 FW.104/T	Frame Nut, on Setscrews Washer, Shakeproof, under Nuts Washer, Plain, on Setscrews		4 4 4	
BD.8633/6	Spire Nut, for fixing of Undershields to Sills and Mudshields		8	
BD.8691/1	Screw, Self-Tapping, securing Undershields to Sills and Mudshields		8	
AW.102/T	Washer, Plain, on Self-Tapping Screws		8	
BD.25541	Seal (Canvas/Rubber) for L.H. Front Frame Undershield		1	Fitted to Chassis No. 850681 and subs. 879160 and subs. May be fitted to cars prior to above Chassis numbers, if desired.
BD.19522	R.H. MUDSHIELD ASSEMBLY	38–53	1	
BD:20425 BD:20426 BD:11712/2	Bracket, upper, for fixing of R.H. Mudshield Bracket, lower, for fixing of R.H. Mudshield Pop Rivet, securing Mudshield		1 1 2	
BD.20434/1 BD.20429 BD.20427 BD.1814/6	Rubber Seal, for R.H. Mudshield (27½" long) Fixing Strip, securing Seal to R.H. Mudshield Fixing Strip, securing Seal to R.H. Sill Pop Rivet, securing Fixing Strips through Seal		1 1 1	

Part No.	Description	Plate No.	No. per Unit	Remarks		
BD.19521	L.H. MUDSHIELD ASSEMBLY	38–54	1			
BD.20426	Bracket, for fixing of L.H. Mudshield		1			
BD.20434/2 BD.20428 BD.20427 BD.1814/6	Rubber Seal, for L.H. Mudshield (14½" long) Fixing Strip, securing Seal to L.H. Mudshield Fixing Strip, securing Seal to L.H. SIII Pop Rivet, securing Fixing Strips through Seal		1 1 1 8			
UFS.125/4R BD.541/20 UFN.125/L C.724	Screw, Set, securing Mudshields to Front Frame and Sills Washer, Special, on Setscrews Nut, on Setscrews Washer, Shakeproof, under Nuts		10 10 10 10			
BD.19714	SEAL HOUSING FOR LOWER STEER- ING COLUMN THROUGH DASH	38–55	1]	
BD.20589	Sealing Ring	38–56	1	Fitted from Chassis No.		
C.20488	Sealing Ring	38–56	1	850001 to 850547. Fitted to Chassis No. 850548 and subs.		
BD.19710 BD.19716/1	Retainer, for Sealing Ring Screw, Self-Tapping, securing Retainer	38–57	1 3	650546 and subs.	R.H. DRIVE CARS ONLY	
BD.19707 UFS.125/5R FW.104/T UFN.125/L C.724	Gasket, under Steering Column Seal Screw, Set, securing Seal to Dash Washer, Plain, on Setscrews Nut, on Setscrews Washer, Shakeproof, under Nuts	38-58	1 4 4 4 4			
BD.19712	COVER ASSEMBLY, SEALING REDUN- DANT BRAKE PEDAL HOUSING APERTURE IN DASH		1	R.H. DRIVE CARS O		
BD.19707 UFN.125/L C.724 FW.104/T	Gasket, under Cover Nut, securing Cover to Dash Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		1 4 4 4	S R.H. DRIVE CARS	, NET.	
BD.19713	COVER ASSEMBLY, SEALING REDUN- DANT ACCELERATOR PEDAL HOUSING APERTURE IN DASH		1			
BD.19708 UFN.125/L C.724 FW.104/T	Gasket, under Cover Nut, securing Cover to Dash Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		1 4 4 4	R.H. DRIVE CARS ONLY.		

Part No.	Description	Plate No.	No. per Unit Remarks
BD.19712	COVER ASSEMBLY, SEALING REDUN- DANT BRAKE PEDAL AND STEERING COLUMN APERTURES IN DASH		L.H. DRIVE CARS ONLY.
BD.19707 UFN.125/L C.724 FW.104/T	Gasket, under Covers Nut, securing Covers to Dash Washer, Shakeproof, under Nuts Washer, Plain, under Nuts		2 8 8 8
BD.19711	COVER ASSEMBLY, SEALING REDUNDANT ACCELERATOR PEDAL HOUSING APERTURE IN DASH		1 L.H. DRIVE CARS ONLY.
BD.19706 UFN.125/L C.724 FW.104/T	Gasket, under Cover Nut, securing Cover to Dash Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		1 3 3 3
BD.20589	SEAL, IN ACCELERATOR PEDAL HOUSING, FOR LOWER STEERING COLUMN		1 Fitted from Chassis No. 3 875001 to 877487.
C.20488	SEAL, IN ACCELERATOR PEDAL HOUSING, FOR LOWER STEERING COLUMN		1 Fitted to Chassis No. 877488 and subs.
BD.19710 UCS.413/3H C.721	Retainer, for Seal Screw, Set, securing Retainer Washer, Shakeproof, on Setscrews		1 3 3
BD.19717	PLUG (BLACK P.V.C.) SEALING REDUNDANT HOLES IN DASH		3
BD.15501	WINDSCREEN GLASS	38–59	1
BD.15514 BD.17573 BD.20856 BD.17380/7 BD.17702 BD.17701 BD.17703 BD.17704 BD.20881 BD.20882 BD.20562 BD.540/1 BD.1814/4	Rubber Seal, around Windscreen Glass Rubber Insert, for Seal Chrome Finisher, at top edge of Windscreen Rubber Seal, under Finisher Chrome Finisher at R.H. side of Windscreen Chrome Finisher at bottom edge of Windscreen Chrome Finisher at bottom Finishers Chrome Finisher at R.H. side of Windscreen Joint Piece, for side and bottom Finishers Chrome Finisher at R.H. side of Windscreen Chrome Finisher at bottom edge of Windscreen Chrome Finisher at bottom edge of Windscreen Screw, Self-Tapping, securing Side Finishers Pop Rivet, securing Side Finishers	38-60 38-61 38-62 38-63 38-64 38-65 38-66 38-67	1 1 1 1 Fitted from Chassis No. 1 850001 to 850087.

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.15508	CHROME CAPPING AT TOP OF R.H. WINDSCREEN PILLAR	38–68	1	
BD.15509	CHROME CAPPING AT TOP OF L.H. WINDSCREEN PILLAR	38–69	1	
BD.15534/3	Screw, Set, securing Cappings to side of Windscreen Pillars		2	
BD.16940/2	Screw, Set, securing Cappings to top of Windscreen Pillars		2	
BD.20456	TRIM PANEL ASSEMBLY ON R.H. SCREEN PILLAR	38-70	1	
BD.20457	TRIM PANEL ASSEMBLY ON L.H. SCREEN PILLAR	38–71	1	
BD.21133	Spring Clip, securing Trim Panels	38–72	4	
BD.21181	LICENCE HOLDER ON WINDSCREEN		1	
BD.19752	SCREEN RAIL FACIA ASSEMBLY, COMPLETE	39- 1	1	FOR SPARES REPLACEMENTS
BD.20590 BD.20591 BD.20592 BD.539/22	Bezel, for centre Demister Slot Bezel, for intermediate Demister Slots Bezel, for outer Demister Slots Screw, Self-Tapping, securing Bezels		1 2 2 10	USE BD.22732 TOGETHER WITH BD.23077.
BD.22732	SCREEN RAIL FACIA ASSEMBLY, COMPLETE		1]
	All items are as for Screen Rail Facia Assembly BD.19752.			MAY BE USED TO REPLACE BD.19752.
BD.23077	"Y" Piece, for Air Duct Hoses		2	J
UFN.119/L C.723/A AW.102/T	Nut, securing Screen Rail Facia Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		4 4 4	
BD.21182 BD.21183 BD.1814/2 BD.20565 BD.20566	Bracket, for R.H. outer fixing of Screen Rail Facia Bracket, for L.H. outer fixing of Screen Rail Facia Pop Rivet, securing Brackets to Dash Bracket, for R.H. inner fixing of Screen Rail Facia Bracket, for L.H. inner fixing of Screen Rail Facia		1 1 4 1	

	OPEN CARS ONLY			
Part No.	Description	Plate No.	No. per Unit	Remarks
BD.19643	L.H. FACIA PANEL ASSEMBLY	39- 2	1	R.H. DRIVE CARS ONLY.
BD.19699 BD.20605 UFN.119/L C.723/A BD.1229/16 C.1094 BD.20633/1	Cubby Box, in L.H. Facia Fixing Strip, securing Cubby Box at top Nut, securing Fixing Strip Washer, Shakeproof, on Setscrews Screw, Self-Tapping, securing Cubby Box at bottom Distance Piece, on Self-Tapping Screws Spire Nut, on Self-Tapping Screws		1 1 3 3 3 3	
BD.19644	R.H. FACIA PANEL ASSEMBLY	39- 3	1	R.H. DRIVE CARS ONLY.
BD.19645	L.H. FACIA PANEL ASSEMBLY		1	L.H. DRIVE CARS ONLY, BUT NOT REQUIRED FOR ITALY.
BD.20812	L.H. FACIA PANEL ASSEMBLY		1	REQUIRED ONLY FOR L.H. DRIVE CARS EXPORTED TO ITALY.
BD.19646	R.H. FACIA PANEL ASSEMBLY		. 1	L.H. DRIVE CARS ONLY.
BD.19698 BD.20605 UFN.119/L C.723/A BD.1229/16 C.1094 BD.20633/1	Cubby Box, in R.H. Facia Fixing Strip, securing Cubby Box at top Nut, securing Fixing Strip Washer, Shakeproof, under Nuts Screw, Self-Tapping, securing Cubby Box at bottom Distance Piece, on Self-Tapping Screws Spire Nut, on Self-Tapping Screws		1 1 3 3 3 3	
BD.20861/1 UFS.119/3R C.723/A AW.102/T	Screw, Set, Pan Head, securing Facia Panels at centre Screw, Set, securing Facia Panels at centre Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers		4 2 4 6	
BD.19241 BD.19242 BD.1814/2 UFN.119/L C.723/A	Bracket, for fixing of L.H. Facia to Dash side Bracket, for fixing of R.H. Facia to Dash side Pop Rivet, securing Brackets Nut, securing Facias to Brackets Washer, Shakeproof, under Nuts		1 1 4 4 4	
BD.20636	GRAB HANDLE ASSEMBLY AT R.H. SIDE OF DASH		1	L.H. DRIVE CARS ONLY.

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20637	GRAB HANDLE ASSEMBLY AT L.H. SIDE OF DASH	39– 4	1	R.H. DRIVE CARS ONLY.
UCS.119/3R C.723/A	Screw, Set, securing Grab Handle to Facia Panel Washer, Shakeproof, on Setscrews		2 2	
BD.20640 BD.540/19 BD.20639 C.739	Bracket, for fixing of Grab Handle to Dash side Screw, Self-Tapping, securing Bracket Special Bolt, securing Grab Handle to Bracket Washer, Shakeproof, on Special Bolt		1 2 1 1	
BD.20462	CASING ASSEMBLY, UNDER R.H. SIDE OF SCUTTLE	39- 5	1	
BD.20463	CASING ASSEMBLY, UNDER L.H. SIDE OF SCUTTLE	39- 6	1	R.H. DRIVE CARS ONLY.
BD.20470	CASING ASSEMBLY, UNDER CENTRE OF SCUTTLE	39- 7	1	
BD.20728	COVER ASSEMBLY, PROTECTING WIRING HARNESS AT L.H. SIDE OF DASH	39- 8	1	
8D.20464	CASING ASSEMBLY, UNDER R.H. SIDE OF SCUTTLE		1	
BD.20465	CASING ASSEMBLY, UNDER L.H. SIDE OF SCUTTLE		1	L.H. DRIVE CARS ONLY.
BD.20471	CASING ASSEMBLY, UNDER CENTRE OF SCUTTLE		1	
BD.21136 BD.8537/1 BD.532/2 BD.8536/6	Fixing Bracket, for Scuttle Casings Screw, Self-Tapping, securing Casings Cup Washer, on Self-Tapping Screws Spire Nut, on Self-Tapping Screws		4 2 2 2	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20035	FRONT FINISHER PANEL ASSEMBLY ABOVE GEARBOX TUNNEL	39- 9	1 .	
BD.19967 BD.19984 UCN.113/L C.721 AW.104/T BD.20409 BD.22669	Face Panel, for Front Finisher Grille Assembly, in Loudspeaker Apertures Nut, securing Grilles to Front Finisher Panel Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers Ash Tray and Panel Assembly Tapped Plate, securing Ash Tray Panel to Front Finisher Panel		1 2 8 8 8 1 2	Fitted from Chassis No. 850001 to 850609. 875001 to 878301.
BD.13713/2	Screw, Set, securing Ash Tray Panel to Front Finisher Panel		4	
C.2017/1	Washer, Special, on Setscrews		4 .	J
BD.23648	FRONT FINISHER PANEL ASSEMBLY ABOVE GEARBOX TUNNEL		1	}
BD.23649	Face Panel, for Front Finisher		1	Fitted to Chassis No. 850610 and subs.
	All other items are as for Front Finisher Assembly BD.20035.		-	878302 and subs.
BD.19049	Bracket Assembly, L.H., for fixing of Front Finisher Panel		1	
BD.19050	Bracket Assembly, R.H., for fixing of Front Finisher Panel		1	
UFS.419/4H C.723/A	Screw, Set, securing Brackets to Dash Washer, Shakeproof, on Setscrews		4	
BD.17589 BD.541/32	Knob, securing Front Finisher Panel Washer, Special, behind Knobs		4	
BD.20409	ASH TRAY AND PANEL ASSEMBLY		1	
BD.20403 BD.20410 BD.20412 AN.106/K C.720 BD.24393 BD.24394 BD.540/19 BD.711/9	Panel Assembly Ash Tray Assembly, complete Motif only, on Ash Tray Nut, securing Motif Washer, Shakeproof, under Nut Light Shield (Rubber Strip 15" × 3" × 10") Retainer, for Light Shield Self-Tapping Screw, securing Retainer Self-Tapping Screw, securing Retainer	39–10 39–11	1 1 1 1 1 1 1 2 2 2	
BD.20722	FINISHER PANEL ASSEMBLY IN RADIO CONTROL UNIT APERTURE	39–12	1)
UFN.119/L C.723/A BD.541/13	Nut, securing Finisher to Front Finisher Panel Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		2 2 2	NOT REQUIRED WHEN RADIO IS FITTED.
BD.17354	BASE PLATE AND SURROUND (CHROME PLATED) FOR RADIO APERTURE FINISHER PANEL	39–13	1	NOT REQUIRED WHEN RADIO IS FITTED.

				FOR OPEN CARS ONL!
Part No.	Description	Plate No.	No. per Unit	Remarks
BD.15488	GEARBOX COVER	39–14	1	SUPERSEDED BY BD.24129.
BD.8691/7 BD.542/3	Screw, Self-Tapping, securing Gearbox Cover Washer, Plain, on Self-Tapping Screws		12 12	
BD.24129	GEARBOX COVER		1	SUPERSEDES BD.15488.
BD.8691/7 BD.542/3	Screw, Self-Tapping, securing Gearbox Cover Washer, Plain, on Self-Tapping Screws		12 12	
BD.10821	RUBBER PLUG, SEALING GEARBOX ACCESS APERTURES		2	
BD.20031	FINISHER PANEL ASSEMBLY ON GEARBOX COVER AND PROPELLER SHAFT TUNNEL	39-15	1 .	Fitted from Chassis No.
BD.19979 BD.19971 BD.19981 BD.22385	Top Face Panel Gauntlet Face Panel Chrome Bezel, at top of Gauntlet Panel Rivet, securing Bezel to Gauntlet Panel		1 1 1 14	850001 to 850609. 875001 to 878301.
BD.23650	FINISHER PANEL ASSEMBLY ON GEARBOX COVER AND PROPELLER SHAFT TUNNEL		1 .	Fitted to Chassis No.
BD.23651 BD.23652 BD.19981 BD.22385	Top Face Panel Gauntlet Face Panel Chrome Bezel, at top of Gauntlet Panel Rivet, securing Bezel to Gauntlet Panel		1 1 1 14 -	850610 and subs. 878302 and subs.
BD.20469	Seal, for Handbrake Lever Aperture (Rubber Strip		1	
BD.19728 BD.19729	$\frac{1}{16}'' \times 2\frac{1}{2}'' \times 6''$) Chrome Ferrule, at top of Gear Lever Gauntlet Ferrule Base (Nylon)		1	
BD.17546/1 BD.541/32	Screw, Set, securing Finisher Panel to Tunnel Special Washer, on Setscrews		3	
BD.20820	SEAT SQUAB FRAME ASSEMBLY (TRIMMED)	39–16	2	
BD.20148	SEAT CUSHION ASSEMBLY	39-17	2	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.18958	LOCKING SLIDE FOR R.H. SEAT		1	Fitted from Chassis No. 850001 to 850526. 875001 to 877355.
BD.18959	LOCKING SLIDE FOR L.H. SEAT	39-18	1	
BD.22810	LOCKING SLIDE FOR L.H. SEAT		1	Fitted to Chassis No. 850527 and subs. 877356 and subs.
BD.22811	LOCKING SLIDE FOR R.H. SEAT		1	
BD.18960	SEAT SLIDE (PLAIN)	39–19	2	Fitted from Chassis No. 850001 to 850526. 875001 to 877355.
BD.22812	SEAT SLIDE (PLAIN)		2	Fitted to Chassis No. 850527 and subs.
BD.18117/4 BD.17648 UFN.125/L BD.542/3 C.724 C.18698	Screw, Set, securing Slides to Floor Packing, between Slides and Floor Nut, securing Slides to Seats Washer, Special, under Nuts Washer, Shakeproof, on Setscrews and under Nuts Distance Piece, at fixings of Slides to Seats		8 8 8 8 16 4	877356 and subs.
BD.19378 UFS.519/4H UFN.119/L C.723/A C.5203/1	Support Strap, for Adjusting Levers Screw, Set, securing Support Straps Nut, on Setscrews Washer, Shakeproof, under Nuts Washer, Special, under Shakeproof Washers		2 4 4 4	
BD.20216	MAT ASSEMBLY, ON FLOOR, BEHIND SEATS		2	Fitted from Chassis No. 850001 to 850526. 875001 to 877355.
BD.23624	MAT ASSEMBLY, ON FLOOR, BEHIND SEATS		2	Fitted to Chassis No. 850527 and subs. 877356 and subs.
BD.20436	SHIELD ASSEMBLY, FRONT, FOR HEAT INSULATION FROM EXHAUST SYSTEM	39–20	1	Fitted from Chassis No. 850001 to 850648. 875001 to 878888.

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.25237	SHIELD ASSEMBLY, FRONT, FOR HEAT INSULATION FROM EXHAUST SYSTEM		1	Fitted to Chassis No. 850649 and subs. 878889 and subs. See note below.
BD.711/23 UFS.125/3R C.724 BD.19059/1	Screw, Self-Tapping, securing Shield to Floor Screw, Set, securing Shield to Floor Washer, Shakeproof, on Setscrews Screw, Self-Tapping, securing Shield to gearbox side panel		2 1 1 1	
BD.18545 BD.8633/2	Cup Washer, on Self-Tapping Screw Spire Nut, on Self-Tapping Screw		1	
BD.20439	SHIELD ASSEMBLY, REAR, FOR HEAT INSULATION FROM EXHAUST SYSTEM	39-21	1	
BD.1814/5	Pop Rivet, securing Shield to Body		8	
BD.20452	TRIM PANEL ASSEMBLY ON R.H. SHUT PILLAR	39–22	1	
BD.20453	TRIM PANEL ASSEMBLY ON L.H. SHUT PILLAR		1	
BD.20379	TRIM PANEL ASSEMBLY BETWEEN R.H. REAR WHEEL ARCH AND SHUT PILLAR	39-23	1	
BD.2703	Clip, for fixing of Trim Panel		5	
BD.20380	TRIM PANEL ASSEMBLY BETWEEN L.H. REAR WHEEL ARCH AND SHUT PILLAR		1	
BD.2703	Clip, for fixing of Trim Panel		. 5	
BD.539/4 BD.532/1 BD.711/3	Screw, Self-Tapping, securing Trim Panels to Body Cup Washer, on Self-Tapping Screws Screw, Self-Tapping, securing Trim Panels to Body		2 2 8	

NOTE: The following cars were fitted with Heat Shield BD.20436:
R.H. Drive 850653, 850654.
L.H. Drive 878958, 878900, 878907, 878908, 878913, 878914, 878915, 878926, 878936, 878937, 878939, 878958, 878986, 879005, 879024, 879049.

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20383	QUARTER TRIM PANEL ASSEMBLY ABOVE R.H. REAR WHEEL ARCH	39–24	1	
BD.20384	QUARTER TRIM PANEL ASSEMBLY ABOVE L.H. REAR WHEEL ARCH		1	
BD.1749	Stud, on Quarter Trim Panels, for "Lift the Dot"		2	
AN.102/L C.723 AW.102/T	Fasteners Nut, securing Studs Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		2 2 2	
BD.20532	TRIM PANEL ASSEMBLY, R.H., ON TONNEAU, BELOW BACKLIGHT	39-25	1	
BD.20533	TRIM PANEL ASSEMBLY, L.H., ON	39-26	1	
PD 530/4	TONNEAU, BELOW BACKLIGHT		2	
BD.539/1 BD.539/4	Screw, Self-Tapping, securing Quarter and Tonneau Trims (7 long) Screw, Self-Tapping, securing Quarter and Tonneau		4	
BD.532/1	Trims (½" long) Cup Washer, on Self-Tapping Screws		6	
BD.20343	MAT ASSEMBLY ON REAR	39–27	1.	Fitted from Chassis No. 850001 to 850526.
	BULKHEAD PANEL			875001 to 877355.
BD.23625	MAT ASSEMBLY ON REAR BULKHEAD PANEL		1	Fitted to Chassis No. 850527 and subs. 877356 and subs.
BD.21484	R.H. DOOR ASSEMBLY, COMPLETE (INCLUDING GLASS, TRIM, LOCK AND HANDLES, ETC.)		1	

Part No.	Description	Plate No.	No. per Unit	Remarks	
BD.21485	L.H. DOOR ASSEMBLY, COMPLETE (INCLUDING GLASS, TRIM, LOCK AND HANDLES, ETC.)		1		
BD.20095	LOCK ASSEMBLY ON R.H. DOOR (WB.3/11289)		1		
BD.20096	LOCK ASSEMBLY ON L.H. DOOR (WB.3/11290)	40– 1	1		
BD.19445 BD.23473 BD.1708/9	Link, between Locks and Outside Handle (WB.1/8881) Clip, retaining Links (WB.3/6928) Spring Washer, for Link fixing at Lock	40- 2 40- 3	2 4 2		
UFS.419/3H C.723/A BD.20780/3	Screw, Set, securing Lock to Doors Washer, Shakeproof, on Setscrews Shakeproof Screw, securing Lock to Doors		6 6 2		
BD.19245	OUTSIDE HANDLE ON R.H. DOOR (1/8871)		1		
7903 9601	Operating Lever Assembly for R.H. Door Handle (1/6491) Housing, for Tension Spring in R.H. Door Handle (1/8868)		1 1		
BD.21486	Locking Barrel, for "F" Series Key, in Handle		1		
BD.19246	OUTSIDE HANDLE ON L.H. DOOR (1/8870)	40- 4	1		
7904	Operating Lever Assembly for L.H. Door		1		
9602	Handle (1/6492) Housing, for Tension Spring in L.H. Door Handle (1/8869)		1		
BD.21486	Locking Barrel, for "F" Series Key, in handle		1		
UFN.119/L C.723/A AW.102/T	Nut, securing Outside Handles Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		4 4 4		
BD.20098	REMOTE CONTROL AND LINK ASSEMBLY, FOR OPERATION OF R.H. DOOR LOCK (3/16347)		1		

Part No.	Description	Plate No.	No. per Unit	Remarks	
BD.20097	REMOTE CONTROL AND LINK ASSEMBLY, FOR OPERATION OF L.H. DOOR LOCK (3/16349)	40- 5	1		
BD.19575 BD.23743 BD.19574	Wavy Washer, at connection of Link to Lock Spring Clip, securing Link to Lock Washer, Special, behind Spring Clips	40- 6 40- 7	2 2 2		
UFS.419/3H C.723/A	Screw, Set, securing Remote Controls to Doors Washer, Shakeproof, on Setscrews		6		
BD.10728	INSIDE HANDLE FOR DOORS (WB.1/3858)	40- 8	2		
BD.10729	HANDLE OPERATING WINDOW REGULATORS (WB.1/6671)	40- 9	2		
BD.10730	OUTER ESCUTCHEON BEHIND REGULATOR AND INSIDE DOOR HANDLES (W.128)	40–10	4		
BD.10731	INNER ESCUTCHEON BEHIND REGULATOR AND INSIDE DOOR HANDLES (W.129)	4 0–11	4		
BD.10732	SPRING BEHIND ESCUTCHEONS (41/379)	4 0–12	4		
BD.10734 BD.10733	Rubber Plug, behind Handles (16-10) Peg, securing Handles to Remote Controls and Regulators	4013 4014	4 4		
BD.20522	REGULATOR ASSEMBLY FOR WINDOW IN R.H. DOOR		1		

BD.20932 REGULATOR ASSEMBLY FOR WINDOW IN L.H. DOOR	Part No.	Description	Plate No.	No. per Unit	Remarks
UPN.125/L Washer, Shakeproof, on Setscrews and under Nuts BD.20997 FIXED FRAME ASSEMBLY FOR WINDOW IN R.H. DOOR BD.10099 Felt, In forward channel of Fixed Frames 40-17 2 BD.20698 BD.20698 Bracket, for forward mounting of Fixed Frames 40-18 2 BD.20698 Bracket, for rear mounting of Fixed Frames 40-19 2 UPN.125/L UFN.125/L UFN.125/L UFN.125/L UFN.125/L UFN.125/L Screw, Set, securing Brackets to Doors and Fixed Frames 2 to Brackets Washer, Plain, under Shakeproof Washers 8 BD.17621 BD.17621 BD.17621 Screw, Set, Frapping, securing Fixed Frames to Doors at top 3 top 3 top 3 pire Nut, on Self-Tapping, Securing Frames to Doors 4 Security Spire Nut, on Self-Tapping Serews 5 Serews, Set, Tapping, Securing Frames to Doors 6 Spire Nut, on Self-Tapping Serews 5 Frames Nut, on Self-Tapping Serews 5 Frames Nut, on Self-Tapping Plan Head) securing 7 As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frames to Doors As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frames to Doors As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frame mountings As req'd Packing Washer (18 S.W. G.) at Fixed Frames Top Doors Packing Washer (18	BD.20523		40–15	1	
BD.20998 FIXED FRAME ASSEMBLY FOR WINDOW IN L.H. DOOR BD.10099 Felt, in forward channel of Fixed Frames 40–17 2 BD.16465 Bracket, for forward mounting of Fixed Frames 40–18 2 BD.16465 Bracket, for rear mounting of Fixed Frames 40–18 2 BD.16465 Bracket, for rear mounting of Fixed Frames 40–19 2 Nut, securing Brackets to Doors and Fixed Frames to Brackets 50 parckets 50 pa	UFN.125/L	Nut, securing Regulator to Doors		8	
WINDOW IN L.H. DOOR BD.10099 Felt, In forward channel of Fixed Frames 40–17 2 BD.16465 BD.20668 Bracket, for rear mounting of Fixed Frames 40–18 2 BD.20668 Bracket, for rear mounting of Fixed Frames 40–19 2 Nut, securing Brackets to Doors and Fixed Frames to Brackets 50 Bracket	BD.20 99 7			1	
BD.16465 BD.20668 BD.20668 BD.20668 BD.20668 BD.20668 BD.20668 BD.20668 BD.20668 BD.20668 BD.20673/2 BD.20679 BD.207576 BD.20668 BD.20679 BD.20873/2 BD.20873/2 BD.20873/2 BD.20873/2 BD.20873/2 BD.20873/2 BD.20873/2 BD.20873/2 BD.15976 GLASS ASSEMBLY, FOR WINDOW BD.15976 BD.15976 GLASS ASSEMBLY, FOR WINDOW BD.15976 BD.15976 BD.15976 GLASS ASSEMBLY, FOR WINDOW BD.15976 BD.15976 BD.15976 BD.20873/2 BD.20873	BD.20998	***************************************	40–16	1	
BD.20668 Bracket, for rear mounting of Fixed Frames 40–19 2 UFN.125/L Nut, securing Brackets to Doors and Fixed Frames to Brackets UFS.125/4R Screw, Set, securing Brackets to Doors and Fixed Frames to Brackets C.724 Washer, Shakeproof, under Nuts and on Setscrews 8 BD.17621/1 Screw, Self-Tapping, securing Fixed Frames to Doors at top at top Spire Nut, on Self-Tapping Screws 6 BD.540/8 Screw, Self-Tapping (Countersunk Head) securing 4 Frames to Doors BD.17623/2 Screw, Self-Tapping (Pan Head) securing Frames to Doors BD.20873/1 Packing Washer (18 S.W.G.) at Fixed Frame mountings As req'd BD.20873/2 Packing Washer (10 S.W.G.) at Fixed Frame mountings As req'd BD.15975 GLASS ASSEMBLY, FOR WINDOW 1 BD.15976 GLASS ASSEMBLY, FOR WINDOW 40–21 1 BD.15976 GLASS ASSEMBLY, FOR WINDOW 40–21 1 BD.5440/6 Square Nut, limiting downward movement of Glasses 2	BD.10099	Felt, in forward channel of Fixed Frames	40-17	2	
UFS.125/4R Screw, Sett, securing Brackets to Doors and Fixed Frames to Brackets C.724 Washer, Shakeproof, under Nuts and on Setscrews FW.104/T Washer, Shakeproof, under Nuts and on Setscrews BD.17622/1 Screw, Self-Tapping, securing Fixed Frames to Doors at top BD.17621 Spire Nut, on Self-Tapping Screws BD.540/8 Screw, Self-Tapping (Countersunk Head) securing Frames to Doors BD.17623/2 BD.20873/1 BD.20873/1 Packing Washer (18 S.W.G.) at Fixed Frame mountings BD.19397/2 Rubber Seal, for front Channel of Window Frames BD.19397/2 BD.15975 GLASS ASSEMBLY, FOR WINDOW IN R.H. DOOR BD.15976 GLASS ASSEMBLY, FOR WINDOW BD.15976 GLASS ASSEMBLY, FOR WINDOW Square Nut, limiting downward movement of Glasses 2	BD.20668	Bracket, for rear mounting of Fixed Frames Nut, securing Brackets to Doors and Fixed Frames to		2	
BD.17622/1 Screw, Self-Tapping, securing Fixed Frames to Doors 6 BD.17621 Spire Nut, on Self-Tapping Screws 6 BD.540/8 Screw, Self-Tapping (Countersunk Head) securing 4 Frames to Doors 6 BD.20873/1 Screw, Self-Tapping (Pan Head) securing Frames to Doors 6 BD.20873/2 Packing Washer (18 S.W.G.) at Fixed Frame mountings As req'd BD.20873/2 Packing Washer (10 S.W.G.) at Fixed Frame mountings As req'd BD.19397/2 Rubber Seal, for front Channel of Window Frames 40–20 2 BD.15975 GLASS ASSEMBLY, FOR WINDOW 1 BD.15976 GLASS ASSEMBLY, FOR WINDOW 40–21 1 IN L.H. DOOR 1 BD.5440/6 Square Nut, limiting downward movement of Glasses 2	UFS.125/4R	Screw, Set, securing Brackets to Doors and Fixed Frames		2	
BD.17621 Spire Nut, on Self-Tapping Screws 6 BD.540/8 Screw, Self-Tapping (Countersunk Head) securing 4 Frames to Doors BD 17623/2 Screw, Self-Tapping (Pan Head) securing Frames to Doors BD 20873/1 Packing Washer (18 S.W.G.) at Fixed Frame mountings As req'd BD.20873/2 Packing Washer (10 S.W.G.) at Fixed Frame mountings As req'd BD.19397/2 Rubber Seal, for front Channel of Window Frames 40–20 2 BD.15975 GLASS ASSEMBLY, FOR WINDOW 1 IN R.H. DOOR 1 BD.15976 GLASS ASSEMBLY, FOR WINDOW 40–21 1 IN L.H. DOOR 2 BD.5440/6 Square Nut, limiting downward movement of Glasses 2					
BD.17621 BD.540/8 BD.540/8 BD.540/8 BD.540/8 Screw, Self-Tapping (Countersunk Head) securing Frames to Doors BD.20873/1 BD.20873/1 BD.20873/2 Packing Washer (18 S.W.G.) at Fixed Frame mountings BD.20873/2 Packing Washer (10 S.W.G.) at Fixed Frame mountings BD.19397/2 BD.19397/2 Rubber Seal, for front Channel of Window Frames BD.15975 GLASS ASSEMBLY, FOR WINDOW IN R.H. DOOR BD.15976 GLASS ASSEMBLY, FOR WINDOW BD.15976 GLASS ASSEMBLY, FOR WINDOW BD.15976 GLASS ASSEMBLY, FOR WINDOW BD.5440/6 Square Nut, limiting downward movement of Glasses 2	BD.17622/1			6	
BD 17623/2 Screw, Self-Tapping (Pan Head) securing Frames to Doors BD 20873/1 Packing Washer (18 S.W.G.) at Fixed Frame mountings As req'd		Spire Nut, on Self-Tapping Screws Screw, Self-Tapping (Countersunk Head) securing			
BD.15975 GLASS ASSEMBLY, FOR WINDOW 1 BD.15976 GLASS ASSEMBLY, FOR WINDOW 40-21 1 IN L.H. DOOR BD.5440/6 Square Nut, limiting downward movement of Glasses 2	BD.20873/1	Screw, Self-Tapping (Pan Head) securing Frames to Doors Packing Washer (18 S.W.G.) at Fixed Frame mountings		As req'd	
BD.15976 GLASS ASSEMBLY, FOR WINDOW 40-21 1 IN L.H. DOOR BD.5440/6 Square Nut, limiting downward movement of Glasses 2	BD.19397/2	Rubber Seal, for front Channel of Window Frames	40–20	2	
IN L.H. DOOR BD.5440/6 Square Nut, limiting downward movement of Glasses 2	BD.15975			1	
	BD.15976	GLASS ASSEMBLY, FOR WINDOW IN L.H. DOOR	40–21	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.16997	CHROME FINISHER ASSEMBLY AT TOP OF R.H. DOOR		1	
BD.16700 BD.10413	Outer Seal, for Door Glass Clip, securing Outer Seal		1 7	
				Fitted from Chassis No. 850001 to 850506. 875001 to 877201.
BD.16998	CHROME FINISHER ASSEMBLY AT TOP OF L.H. DOOR	40-22	. 1	
BD.16700 BD.10413	Outer Seal, for Door Glass Clip, securing Outer Seal		1 7	
BD.540/9	Screw, Self-Tapping, securing Chrome Finishers		4 .	}
BD.21333	CHROME FINISHER ASSEMBLY AT TOP OF R.H. DOOR		1	
BD.16700 BD.10413	Outer Seal, for Door Glass Clip, securing Outer Seal		1 7	
				Fitted to Chassis No.
				> 850507 and subs. 877202 and subs.
BD.21334	CHROME FINISHER ASSEMBLY AT TOP OF L.H. DOOR		1	
BD.16700 BD.10413	Outer Seal, for Door Glass Clip, securing Outer Seal		1 7	
BD.540/9	Screw, Self-Tapping, securing Chrome Finishers		4 .	J
BD.19070	STRIKER FOR MAP LIGHT DOOR SWITCHES	40–23	4	
BD.539/15	Screw, Self-Tapping, securing Strikers		4	
BD.19223	FILLER BLOCK, ON SHUT FACE OF R.H. DOOR, SEATING RUBBER SEAL		1	
8D.19224	FILLER BLOCK, ON SHUT FACE OF	40-24	1	
1100 544 211	L.H. DOOR, SEATING RUBBER SEAL		_	
UCS.516/3H	Screw, Set, securing Filler Blocks		2	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD,15504	UPPER TRIM PANEL ASSEMBLY ON R.H. DOOR		1	
BD.20010/3 BD.20082	Weatherstrip, for Door Glass Clip, securing Weatherstrip		1 5	
BD.15505	UPPER TRIM PANEL ASSEMBLY ON L.H. DOOR	40-25	1	
BD.20010/3 BD.20082	Weatherstrip, for Door Glass Clip, securing Weatherstrip		1 5	
BD.540/12	Screw, Self-Tapping, securing Upper Trim Panels		4	
BD.20190	CHROME FINISHER ON UPPER TRIM PANELS	40-26	2	
BD.17 497 BD.711/1	Clip, securing Chrome Finishers Screw, Self-Tapping, securing Clips		10 10	
BD.15510	CASING ASSEMBLY ON R.H. DOOR		1	
BD.15511	CASING ASSEMBLY ON L.H. DOOR	40-27	1	
BD.18068 BD.21133	Clip, for fixing of Casings Clip, for fixing of Casings at front edge		38 4	
BD.20503	CHROME FINISHER ON DOOR CASINGS	40-28	2	
BD.115 4 6	Clip, securing Chrome Finishers		10	
BD.25376	SEALING RUBBER AND RETAINER ASSEMBLY, LOWER, FOR R.H. "A" POST		1	
BD.25308	Sealing Rubber only		1	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.25377	SEALING RUBBER AND RETAINER ASSEMBLY, LOWER, FOR L.H. "A" POST	40-29	1	
BD.25309	Sealing Rubber only		1	
BD.21202	SEALING RUBBER, UPPER, FOR "A" POSTS	40-30	2	
BD.21197	SEALING RUBBER, FOR DOOR SILLS	40-31	2	SUPERSEDED BY BD.24789.
BD.24789	SEALING RUBBER, FOR DOOR SILLS		2	SUPERSEDES BD.21197.
BD.21196	SEALING RUBBER, FOR BODY SHUT PILLARS	40-32	2	
BD.19295	STRIKER FOR R.H. DOOR LOCK (WB.3/8994)		1	
BD.19296	STRIKER FOR L.H. DOOR LOCK (WB.3/8995)	40–33	1	
BD.19297 BD.19298 BD.17821/7	Shakeproof Shim, under Strikers (WB.3/9586) Shim, packing Strikers (20 S.W.G.) Screw, Set, securing Strikers		2 As req'd 6	
BD.19129	CHROME FINISHER AT EDGE OF DOOR SILLS	40–34	2	
BD.16794	Clip, securing Finishers	40-35	14	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.15898	LOCK ASSEMBLY FOR BOOT LID (WB.3/10875)	41- 1	1	
UFS.319/4H C.723/A AW.102/T UFN.119/L	Screw, Set, securing Lock to Bracket Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers Nut, securing Lock		4 4 2	
BD.16202	BRACKET, FOR MOUNTING OF BOOT LID LOCK	41- 2	1	
UFN.119/L C.723/A AW.102/T	Nut, securing Bracket Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		4 4 4	
BD.15899	CONTROL CABLE ASSEMBLY FOR RELEASE OF BOOT LID LOCK	41- 3	1	
BD.16213 UFS.119/3R UFN.119/L C.723/A C.18461	Clamp, for Outer Cable Screw, Set, securing Outer Cable to Clamp Nut, securing Clamp to Bracket Washer, Shakeproof, under Nut Clip, for Outer Cable	41- 4	1 1 1 1	
BD.15489	STRIKER FOR BOOT LID LOCK (371/130)	41- 5	1	
BD.8291/1 C.724 FW.104/T BD.11321	Screw, Set, securing Striker to Boot Lid Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers Shim (.036" thick) for Striker		4 4 4 As req'd	
BD.17726	"JAGUAR" MOTIF ON BOOT LID	4 1- 6	1	
BD.10735 BD.15293	Spire Nut, securing Motif Rubber Washer, under Spire Nuts		3	
BD.18055/1	RUBBER SEAL FOR BOOT LID	41- 7	1	
BD.659/10	DRAIN TUBE FOR BOOT LID APERTURE		1 Fi	tted from Chassis No. 850001 to 850117. 875001 to 875520.

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.23335	DRAIN TUBE AT R.H. SIDE OF BOOT LID APERTURE		1	
				Fitted to Chassis No. 850118 and subs. 875521 and subs.
BD.659/12	DRAIN TUBE AT L.H. SIDE OF BOOT LID APERTURE		1 .	
BD.22536	RUBBER BUFFER CUSHIONING PETROL FILLER LID		2	
BD.18492	COVER PLATE, IN BOOT FLOOR TOP PANEL, OVER REAR SUSPENSION UNIT		1	
BD.18493 BD.8691/6	Rubber Seal, under Cover Plate Screw, Self-Tapping, securing Cover Plate		1 7	
BD.19053	Spring Latch, in Top Panel, for Boot R.H. Floorboard	41- 8	1	•
BD.1814/1	fixing Pop Rivet, securing Spring Latch		2	
BD,19051	R.H. FLOORBOARD ASSEMBLY, IN BOOT	4 1– 9	1	
BD.10958 BD.9909/5 C.723	Stud, for Floorboard fixing Tee Nut, receiving Stud Washer, Shakeproof, under Nut		1 1 1	
BD.19054	Spring Clip, on Number Plate Panel, retaining R.H. Floorboard		1	
BD.1814/1	Pop Rivet, securing Spring Clip		3	
BD.19052	L.H. FLOORBOARD ASSEMBLY, IN BOOT	41-10	1	
BD.19059/2 BD.18545 BD.20641/2 BD.541/34 BD.4321	Screw, Set, securing L.H. Floorboard Cup Washer, on Setscrews Screw, Self-Tapping, securing L.H. Floorboard Washer, Special, on Self-Tapping Screw Rubber Buffer, in Support Strip		2 2 1 1 3	

Part No.		Plate No.	No. per Unit Remarks	
BD.11007/1	SPARE WHEEL CLAMP ASSEMBLY	41–11	1	
BD.10637 BD.11008/1 BD.10639 C.704/1	Handle, operating Spare Wheel Clamp Screw Plate, on Screw, holding Spare Wheel Mills Pin, securing Handle to Screw		1 1 1 1	
3D.3438 3D.711/8	Clip, on Boot Floor, carrying Jack Handle Self-Tapping Screw, securing Clip		2 NOT REQUIRED FOR JACK 2 WITH INTEGRAL HANDLE	
3D.659/9	DRAIN TUBE FOR PETROL FILLER BOX (20" LONG)		1	
C.2905/2	Clip, securing Drain Tube		2	
BD.196 37	TRIM BOARD ON BOOT FORWARD BULKHEAD	4 1–12	1	
3D.19394	TRIM BOARD AT R.H. SIDE OF BOOT	4 1–13	1	
BD.19395	TRIM BOARD AT L.H. SIDE OF BOOT	41-14	1	
3D.539/4 3D.532/1	Screw, Self-Tapping, securing Side Trim Boards Cup Washer, on Self-Tapping Screws		8 8	
BD. 2033 5	MAT ASSEMBLY ON BOOT FLOOR		1	
BD.1286/1 BD.1286/2	Button, for fixing of Mat to Boot Floor Socket, securing Buttons to Mat		4 4	
BD.1286/3 BD.540/1	Stud, receiving Buttons Screw, Self-Tapping, securing Studs to Boot Floor		4 4	
C.18921	REAR NUMBER PLATE		1	
BD.1229/13 BD.6581	Screw, Self-Tapping, securing Rear Number Plate Rubber Plug, in Rear Number Plate Panel		4 4	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.19092/1	CHROME BEADING AT R.H. SIDE OF REAR NUMBER PLATE	4 1-15	1	
BD.19092/2	CHROME BEADING AT L.H. SIDE OF REAR NUMBER PLATE	41–16	1	
BD.24183 BD.711/6	JOINT PIECE FOR BEADINGS Screw, Self-Tapping, securing Joint Piece	41–17	1	
BD.15891	SEAL ASSEMBLY AT FRONT OF R.H. REAR WHEEL ARCH	41-18	1	
BD.15892 BD.15893	SEAL ASSEMBLY AT FRONT OF L.H. REAR WHEEL ARCH Rubber Strip, on Seals	41–19	1 2	
BD.15894	SEAL ASSEMBLY AT REAR OF R.H.	4 1–20	1	Fitted from Chassis No. 850001 to 850655. 875001 to 879023.
	REAR WHEEL ARCH			
BD.15895	SEAL ASSEMBLY AT REAR OF L.H. REAR WHEEL ARCH	41-21	1	
BD.15896	Rubber Strip, on Seals		2	
BD.1814/2	Pop Rivet, securing Wheel Arch Seals to Body		16	1

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.25200	SEALING PLATE AT FRONT OF R.H. REAR WHEEL ARCH		1	
BD.25201	SEALING PLATE AT FRONT OF L.H. REAR WHEEL ARCH		1	
BD.25198	SEALING PLATE AT REAR OF R.H. REAR WHEEL ARCH		1	
BD.25199	SEALING PLATE AT REAR OF L.H. REAR WHEEL ARCH		1	Fitted to Chassis No. 850656 and subs. 879024 and subs.
BD.25363	SEALING PLATE, UPPER, FOR R.H. REAR WHEEL ARCH		1	
BD.25364	SEALING PLATE, UPPER, FOR L.H. REAR WHEEL ARCH		1	
BD.11712/1	Pop Rivet, securing Sealing Plates		22	}
	INTERIOR TRIMMING			
BD.23626	Face Piece (Moquette) for Bulkhead lower (15" × 50")		1	Fitted to Chassis No. 850527 and subs.
BD.20345	Face Piece (Moquette) on R.H. Rear Wheel Arch		1	877356 and subs.
BD.20346	(17"×19") Face Piece (Moquette) on L.H. Rear Wheel Arch		1	
BD.20344 BD.20375	(17"×19") Felt Backing, for Rear Wheel Arches (12"×15") Face Piece (Vynide) on R.H. side of Floor Cross		2	
BD.20376	Member $(9^{n} \times 24^{n})$ Face Piece (Vynide) on L.H. side of Floor Cross		1	
BD.20541 BD.20913 BD.20456/2	Member (9" × 24") Face Piece (Vynide) on Door Sills (14" × 36") Backing (Polyurethane) for Sills Face Piece (Rexine) on Screen Pillars, at side of		2 2 2	
BD.21185	Facias (3" × 5") Face Piece (Rexine) behind Boot Lid Lock Control		1	
	(3"×3") Face Piece (Vynide) at R.H. mounting for Hood-		1	
BD.20377				
BD.20377 BD.20378	sticks $(9'' \times 14'')$ Face Piece (Vynide) at L.H. mounting for Hood-		1	
	sticks (9"×14") Face Piece (Vynide) at L.H. mounting for Hood- sticks (9"×14") Face Piece (Vynide) on Tonneau Tacking Strips		1	
BD.20378	sticks (9"×14") Face Piece (Vynide) at L.H. mounting for Hoodsticks (9"×14") Face Piece (Vynide) on Tonneau Tacking Strips (2"×66") Cover Assembly, protecting Wiring Harness at			
BD.20378 BD.20906 BD.20728 BD.1814/6	sticks (9"×14") Face Piece (Vynide) at L.H. mounting for Hoodsticks (9"×14") Face Piece (Vynide) on Tonneau Tacking Strips (2"×66") Cover Assembly, protecting Wiring Harness at L.H. side of Scuttle Pop Rivet, securing Cover		1 1 2	
BD.20378 BD.20906 BD.20728	sticks (9" × 14") Face Piece (Vynide) at L.H. mounting for Hoodsticks (9" × 14") Face Piece (Vynide) on Tonneau Tacking Strips (2" × 66") Cover Assembly, protecting Wiring Harness at L.H. side of Scuttle		1 1	

Part No.	Description	Plate No.	No. per Unit	Remarks
	SEALING RUBBERS			
BD.18559	Sealing Rubber, lower, for R.H. "A" Post	42- 1	1	
BD.18560	Sealing Rubber, lower, for L.H. "A" Post	42- 2	1	
BD.21202	Sealing Rubber, Upper, for "A" Posts (133" long)	42- 3	2	
BD.21197	Sealing Rubber, for Door Sills	42- 4	2	SUPERSEDED BY BD.24789.
BD.24789	Sealing Rubber, for Door Sills		2	SUPERSEDES BD.21197.
BD.21196	Sealing Rubber, for Body Shut Pillars	42- 5	2	
3D.20413	Sealing Rubber, for front of Cantrails (41 long)	42- 6	2	Fitted from Chassis No.
3D.20414	Sealing Rubber, for centre of Cantrails (8%" long)	42- 7	2	
BD.20415	Sealing Rubber, for rear of Cantrails (4" long)	42- 8	2	850001 to 850091.
BD.20416	Sealing Rubber, for Hood Pillars	42- 9	2	875001 to 875373.
BD.21799/1	Sealing Rubber, for front of R.H. Cantrail (48" long)		1	ጎ
BD.21800/1	Sealing Rubber, for front of L.H. Cantrail (41 long)		1	
BD.21799/2	Sealing Rubber, for centre of R.H. Cantrail (878" long)		1	Fitted to Chassis No.
BD.21800/2	Sealing Rubber, for centre of L.H. Cantrail (87 "long)		1	> 850092 and subs.
BD.21799/3	Sealing Rubber, for rear of R.H. Cantrail (4" long)		1	875374 and subs.
BD.21800/3	Sealing Rubber, for rear of L.H. Cantrail (4" long)		1	6/33/4 and subs.
BD. 21799 /4	Sealing Rubber, for R.H. Hood Pillar		1	
BD.21800/4	Sealing Rubber, for L.H. Hood Pillar		1	J
3D.18055/1	Sealing Rubber, for Boot Lid (121" long)	42-10	1	-
BD.17413	Sealing Rubber, for Canopy Panel to top of Windscreen (55" long)	42–11	1	NOT REQUIRED WHEN GLASS FIBRE CANOPY IS FITTED.
BD.22392/1	Sealing Rubber, for Canopy Panel to top of Windscreen (494" long)		1	REQUIRED WHEN GLASS FIBRE CANOPY IS FITTED.
3D.20903/1	Sealing Rubber, for rear edge of Bonnet (68" long)	42-12	1	· · · · · · · · · · · · · · · · · · ·

ANTI-DRUM MATERIAL

BD.20272 BD.20273 BD.20211 BD.20212 BD.20217	Flintkote, on Door Panels (9"×24") Flintkote, on Door Bottom Rails (2"×18") Flintkote, for R.H. side of Scuttle (15"×13") Flintkote, for L.H. side of Scuttle (15"×13") Flintkote, on Front Floors (27" × 19½")	2 2 1 1 2	Fitted from Chassis No. 850001 to 850357. 875001 to 876581.
BD.22965 BD.22966 BD.22965 BD.22967 BD.20422 BD.20902 BD.20215 BD.20340 BD.20341 BD.20342	Flintkote, on R.H. Front Floor Flintkote, on L.H. Front Floor Flintkote, on R.H. Front Floor Flintkote, on L.H. Front Floor Flintkote, at top front of Gearbox Cover (7"×8") Flintkote, on Tunnel (16"×18") Flintkote, on Floor Panel, behind Seats (21"×18\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1 1 1 1 1 2 1 1 2	Fitted to Chassis No. 850358 and subs. Fitted to Chassis No. 876582 and subs.

Part No.	Description	Plate No.	No. per Unit	Remarks
	CARPETS FOR R.H. DRIVE CARS			
BD.20347 BD.20348 BD.22962 BD.22963 BD.20350 BD.20352 BD.20353 BD.20354 BD.20355	Carpet Assembly, on R.H. Front Floor Carpet Assembly, on L.H. Front Floor Carpet Assembly, on R.H. Front Floor Carpet Assembly, on L.H. Front Floor Carpet Assembly, on Toeboards Carpet Assembly, at front R.H. side of Tunnel Carpet Assembly, at front L.H. side of Tunnel Carpet Assembly, at rear R.H. side of Tunnel Carpet Assembly, at rear R.H. side of Tunnel Carpet Assembly, at rear L.H. side of Tunnel Carpet Assembly, at rear L.H. side of Tunnel	42–13 42–14 42–15 42–16 42–17 42–18 42–19	1 1 1 1 2 1 1 1	Fitted from Chassis No. 850001 to 850357. Fitted to Chassis No. 850358 and subs.
	CARPETS FOR L.H. DRIVE CARS			
BD.20347 BD.20349 BD.22962 BD.22964 BD.20350 BD.20352 BD.20353 BD.20354 BD.20355	Carpet Assembly, on R.H. Front Floor Carpet Assembly, on L.H. Front Floor Carpet Assembly, on R.H. Front Floor Carpet Assembly, on L.H. Front Floor Carpet Assembly, on Toeboards Carpet Assembly, at front R.H. side of Tunnel Carpet Assembly, at front L.H. side of Tunnel Carpet Assembly, at rear R.H. side of Tunnel Carpet Assembly, at rear R.H. side of Tunnel Carpet Assembly, at rear L.H. side of Tunnel Carpet Assembly, at rear L.H. side of Tunnel		1 1 1 1 2 1 1 1	Fitted from Chassis No. 875001 to 876581. Fitted to Chassis No. 876582 and subs.
	INSULATING FELTS FOR R.H. DRIVE			
BD 20218	CARS		1	
BD.20218 BD.20230 BD.20230	CARS Rubberised Felt, on R.H. Front Floor (28"×19½"×½") Rubberised Felt, on L.H. Front Floor (28"×19½"×½")		1 1	
BD.20230 BD.20220 BD.20221	CARS Rubberised Felt, on R.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on R.H. Toe Board $(13'' \times 10'' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Toe Board $(14'' \times 10'' \times \frac{1}{2}'')$		1 1 1	
BD.20230 BD.20220 BD.20221 BD.20235	CARS Rubberised Felt, on R.H. Front Floor $(28''\times19\frac{1}{2}''\times\frac{1}{2}'')$ Rubberised Felt, on L.H. Front Floor $(28''\times19\frac{1}{2}''\times\frac{1}{2}'')$ Rubberised Felt, on R.H. Toe Board $(13''\times10''\times\frac{1}{2}'')$ Rubberised Felt, on L.H. Toe Board $(14''\times10''\times\frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(19''\times19''\times\frac{1}{2}'')$		1 1 1	
BD.20230 BD.20220 BD.20221	CARS Rubberised Felt, on R.H. Front Floor $(28''\times19\frac{1}{2}''\times\frac{1}{2}'')$ Rubberised Felt, on L.H. Front Floor $(28''\times19\frac{1}{2}''\times\frac{1}{2}'')$ Rubberised Felt, on R.H. Toe Board $(13''\times10''\times\frac{1}{2}'')$ Rubberised Felt, on L.H. Toe Board $(14''\times10''\times\frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle		1 1 1	
BD.20230 BD.20220 BD.20221 BD.20235 BD.20236	Rubberised Felt, on R.H. Front Floor $(28''\times19\frac{1}{2}''\times\frac{1}{2}'')$ Rubberised Felt, on L.H. Front Floor $(28''\times19\frac{1}{2}''\times\frac{1}{2}'')$ Rubberised Felt, on R.H. Toe Board $(13''\times10''\times\frac{1}{2}'')$ Rubberised Felt, on L.H. Toe Board $(14''\times10''\times\frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(19''\times19''\times\frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(18\frac{1}{2}''\times10\frac{1}{2}''\times\frac{1}{2}'')$		1 1 1 1	
BD.20230 BD.20220 BD.20221 BD.20235 BD.20236 BD.20237	Rubberised Felt, on R.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on R.H. Toe Board $(13'' \times 10'' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Toe Board $(14'' \times 10'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(19'' \times 19'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(18\frac{1}{2}'' \times 10\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, under L.H. side of Scuttle $(15'' \times 8\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, Gearbox Cover to Scuttle $(10'' \times 7'' \times \frac{1}{2}'')$ Rubberised Felt, at top of Gearbox Cover		1 1 1 1 1	
BD.20230 BD.20220 BD.20221 BD.20235 BD.20236 BD.20237 BD.20227	Rubberised Felt, on R.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on R.H. Toe Board $(13'' \times 10'' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Toe Board $(14'' \times 10'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(19'' \times 19'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(18\frac{1}{2}'' \times 10\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, under L.H. side of Scuttle $(15'' \times 8\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, Gearbox Cover to Scuttle $(10'' \times 7'' \times \frac{1}{2}'')$ Rubberised Felt, at top of Gearbox Cover $(7'' \times 7'' \times \frac{1}{2}'')$ Rubberised Felt, at front R.H. side of Tunnel		1 1 1 1 1	
BD.20230 BD.20220 BD.20221 BD.20235 BD.20236 BD.20237 BD.20227 BD.21233	Rubberised Felt, on R.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on R.H. Toe Board $(13'' \times 10^{1}' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Toe Board $(14'' \times 10'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(19'' \times 19'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(18\frac{1}{2}'' \times 10\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, under L.H. side of Scuttle $(15'' \times 8\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, Gearbox Cover to Scuttle $(10'' \times 7'' \times \frac{1}{2}'')$ Rubberised Felt, at top of Gearbox Cover $(7'' \times 7'' \times \frac{1}{2}'')$ Rubberised Felt, at front R.H. side of Tunnel $(15'' \times 11'' \times \frac{1}{2}'')$ Rubberised Felt, at front L.H. side of Tunnel		1 1 1 1 1 1 1 1	
BD.20230 BD.20220 BD.20221 BD.20235 BD.20236 BD.20237 BD.20227 BD.21233 BD.20205	Rubberised Felt, on R.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on R.H. Toe Board $(13'' \times 10'' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Toe Board $(14'' \times 10'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(19'' \times 19'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(18\frac{1}{2}'' \times 10\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, under L.H. side of Scuttle $(15'' \times 8\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, Gearbox Cover to Scuttle $(10'' \times 7'' \times \frac{1}{2}'')$ Rubberised Felt, at top of Gearbox Cover $(7'' \times 7'' \times \frac{1}{2}'')$ Rubberised Felt, at front R.H. side of Tunnel $(15'' \times 11'' \times \frac{1}{2}'')$ Rubberised Felt, at front L.H. side of Tunnel $(15'' \times 11'' \times \frac{1}{2}'')$ Rubberised Felt, at R.H. side of Tunnel		1 1 1 1 1 1 1 1 1	
BD.20230 BD.20220 BD.20221 BD.20235 BD.20236 BD.20237 BD.20227 BD.21233 BD.20205 BD.20206	Rubberised Felt, on R.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on R.H. Toe Board $(13'' \times 10'' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Toe Board $(14'' \times 10'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(19'' \times 19'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(18\frac{1}{2}'' \times 10\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, under L.H. side of Scuttle $(15'' \times 8\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, Gearbox Cover to Scuttle $(10'' \times 7'' \times \frac{1}{2}'')$ Rubberised Felt, at top of Gearbox Cover $(7'' \times 7'' \times \frac{1}{2}'')$ Rubberised Felt, at front R.H. side of Tunnel $(15'' \times 11'' \times \frac{1}{2}'')$ Rubberised Felt, at R.H. side of Tunnel $(15'' \times 11'' \times \frac{1}{2}'')$ Rubberised Felt, at R.H. side of Tunnel $(17'' \times 8^{''} \times \frac{1}{2}'')$ Rubberised Felt, at L.H. side of Tunnel		1 1 1 1 1 1 1 1	
BD.20230 BD.20220 BD.20221 BD.20235 BD.20236 BD.20237 BD.20227 BD.21233 BD.20205 BD.20206 BD.20207 BD.20208 BD.20339	Rubberised Felt, on R.H. Front Floor (28"×19½"×½") Rubberised Felt, on L.H. Front Floor (28"×19½"×½") Rubberised Felt, on R.H. Toe Board (13"×10"×½") Rubberised Felt, on L.H. Toe Board (14"×10"×½") Rubberised Felt, under R.H. side of Scuttle (19"×19"×½") Rubberised Felt, under R.H. side of Scuttle (18½"×10½"×½") Rubberised Felt, under L.H. side of Scuttle (15"×8½"×½") Rubberised Felt, Gearbox Cover to Scuttle (10"×7"×½") Rubberised Felt, at top of Gearbox Cover (7"×7"×½") Rubberised Felt, at front R.H. side of Tunnel (15"×11"×½") Rubberised Felt, at front L.H. side of Tunnel (15"×11"×½") Rubberised Felt, at R.H. side of Tunnel (17"×8"×½") Rubberised Felt, at L.H. side of Tunnel (17"×8"×½") Rubberised Felt, at L.H. side of Tunnel (17"×8"×½") Rubberised Felt, at L.H. side of Tunnel (17"×8"×½") Rubberised Felt, under Petrol Tank (6"×7"×½")		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
BD.20230 BD.20220 BD.20221 BD.20235 BD.20236 BD.20237 BD.20227 BD.21233 BD.20205 BD.20206 BD.20207 BD.20208	Rubberised Felt, on R.H. Front Floor $(28''\times19\frac{1}{2}''\times\frac{1}{2}'')$ Rubberised Felt, on L.H. Front Floor $(28''\times19\frac{1}{2}''\times\frac{1}{2}'')$ Rubberised Felt, on R.H. Toe Board $(13''\times10''\times\frac{1}{2}'')$ Rubberised Felt, on L.H. Toe Board $(14''\times10''\times\frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(19''\times19''\times\frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(18\frac{1}{2}''\times10\frac{1}{2}''\times\frac{1}{2}'')$ Rubberised Felt, under L.H. side of Scuttle $(15''\times8\frac{1}{2}''\times\frac{1}{2}'')$ Rubberised Felt, Gearbox Cover to Scuttle $(10''\times7''\times\frac{1}{2}'')$ Rubberised Felt, at top of Gearbox Cover $(7''\times7''\times\frac{1}{2}'')$ Rubberised Felt, at front R.H. side of Tunnel $(15''\times11''\times\frac{1}{2}'')$ Rubberised Felt, at R.H. side of Tunnel $(15''\times11''\times\frac{1}{2}'')$ Rubberised Felt, at R.H. side of Tunnel $(17''\times8''\times\frac{1}{2}'')$ Rubberised Felt, at L.H. side of Tunnel $(17''\times8''\times\frac{1}{2}'')$ Rubberised Felt, at centre of Rear Bulkhead Panel $(48''\times13\frac{1}{4}''\times\frac{1}{4}'')$		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
BD.20230 BD.20220 BD.20221 BD.20235 BD.20236 BD.20237 BD.20227 BD.21233 BD.20205 BD.20206 BD.20207 BD.20208 BD.20339 BD.20672	Rubberised Felt, on R.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on R.H. Toe Board $(13'' \times 10^{2}' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Toe Board $(14'' \times 10'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(19'' \times 19'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle $(18\frac{1}{2}'' \times 10\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, under L.H. side of Scuttle $(15'' \times 8\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, Gearbox Cover to Scuttle $(10'' \times 7'' \times \frac{1}{2}'')$ Rubberised Felt, at front R.H. side of Tunnel $(15'' \times 11'' \times \frac{1}{2}'')$ Rubberised Felt, at front L.H. side of Tunnel $(15'' \times 11'' \times \frac{1}{2}'')$ Rubberised Felt, at R.H. side of Tunnel $(17'' \times 8'' \times \frac{1}{2}'')$ Rubberised Felt, at L.H. side of Tunnel $(17'' \times 8'' \times \frac{1}{2}'')$ Rubberised Felt, at L.H. side of Tunnel $(17'' \times 8'' \times \frac{1}{2}'')$ Rubberised Felt, at centre of Rear Bulkhead Panel		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Part No.	Description	Plate No.	No. per Unit	Remarks
	INSULATING FELTS FOR L.H. DRIVE CARS			
BD.20218	Rubberised Felt, on R.H. Front Floor		1	
BD.20219	$(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt , on L.H. Front Floor		1	
BD.20220	$(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on R.H. Toe Board		1	•
BD.20221	(13"×10"×½") Rubberised Felt, on L.H. Toe Board		1	
BD.20224	$(14'' \times 10'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle		1	
BD.20225	$(19'' \times 19'' \times \frac{1}{2}'')$ Rubberised Felt, under L.H. side of Scuttle		1	
BD.20226	$(18\frac{1}{2}"\times10\frac{1}{2}"\times\frac{1}{2}")$ Rubberised Felt, under L.H. side of Scuttle		1	
BD.20227	$(15'' \times 9\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, Gearbox Cover to Scuttle		1	
BD.21233	(10"×7"×½") Rubberised Felt, at top of Gearbox Cover		1	
BD.20205	(7"×7"×½") Rubberised Felt, at front R.H. side of Tunnel		1	
BD.20206	(15"×11"×½") Rubberised Felt, at front L.H. side of Tunnel		1	
BD.20207	(15"×11"×½") Rubberised Felt, at R.H. side of Tunnel		1	
	$(17'' \times 8'' \times \frac{1}{2}'')$		1	
BD.20208	Rubberised Felt, at L.H. side of Tunnel (17"×8"×\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		·	
BD.20672	Rubberised Felt, at centre of Rear Bulkhead Panel $(48'' \times 13\frac{1}{2}'' \times \frac{1}{2}'')$		1	
BD.20339	Rubberised Felt, under Petrol Tank $(6'' \times 7'' \times \frac{1}{2}'')$		1	
BD.20222 BD.20223	Hardura, on R.H. Toe Board $(14'' \times 10'' \times \frac{1}{2}'')$ Hardura, on L.H. Toe Board $(14'' \times 10'' \times \frac{1}{2}'')$		1	
BD.20231 BD.20232	Hardura, for Scuttle Top, R.H. $(17"\times18"\times\frac{1}{4}")$ Hardura, for Scuttle Top, L.H. $(10"\times19"\times\frac{1}{4}")$		1	
BD.20233	Hardura , for Scuttle Top, centre $(7'' \times 8'' \times \frac{1}{4}'')$		1	
BD.19464	HOOD STICKS ASSEMBLY	43 1	1	
BD.19492	Stop Stud, in No. 2 Links		2	
UFN.225/L BD.20359	Locknut, on Stop Studs Pivot Bolt, securing Link No. 1 to Link No. 2		2 2	
BD.19259 BD.19193	Dome Nut, on Pivot Bolts Pivot Bolt, joining Link No. 3 to Main Stick		2 2	
BD.21193 BD.541/22	Pivot Bolt, joining Link No. 6 to Main Stick Brass Washer, on Pivot Bolts		2	
BD.541/23 BD.19302	Brass Washer, on Pivot Bolts Bolt, securing Link No. 1 to Canopy Rail		6 4	
BD.541/32	Washer, Special, on Bolts		4	
UFN.125/ L C. 724	Nut, on Bolts Washer, Shakeproof, under Nuts		4	
BD.19249	Cantrail Channel, L.H. Front	43- 2	1	
BD.19250 BD.19249/1	Cantrail Channel, R.H. Front Cantrail Channel, L.H. Rear	43- 3	1	
BD.19250/1 UFS.519/4H	Cantrail Channel, R.H. Rear Screw, Set, securing Cantrail Channels to Hoodstick		1 6	
UFS.119/4R	Links Screw, Set, securing Cantrail Channels to Hoodstick		4	
BD.541/28	Links Special Washer, on Setscrews		10	
AW.102/T UFN.119/L	Washer, Plain, on Setscrews Nut, on Setscrews		4 10	
C.723/A	Washer, Shakeproof, under Nuts Main Head Pillar Assembly, L.H.	43- 4	10	
BD.19367 BD.19368	Main Head Pillar Assembly, R.H.		i 4	
UCS.513/4H BD.532/1	Screw, Set, securing Pillars to Main Stick Washer, Cupped, under Shakeproof Washer		As req'd.	
UFS.419/3H C.723/A	Screw, Set, securing Pillars to Main Stick Washer, Shakeproof, on Setscrews		4	
AW.102/T	Washer, Plain, under Shakeproof Washer		4	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20657	PIVOT BRACKET ASSEMBLY, R.H., FOR MAIN STICK		1	
BD.19458	PIVOT BRACKET ASSEMBLY, L.H., FOR MAIN STICK	43- 5	1	
UFN.131/L C.725 FW.105/T BD.23 4 69	Nut, securing Pivot Brackets to Wheel Arches Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers Shim, for Pivot Bracket adjustment		4 4 4 As req'd	
BD.19160 BD.19393 BD.541/30	Bolt, Special, pivoting Main Stick Bolt, Special, securing Control Link to Body Brass Washer, on Special Bolts		2 2 6	
BD.17413	SEALING RUBBER FOR CANOPY PANEL TO TOP OF WINDSCREEN (55" LONG)		1	NOT REQUIRED WHEN GLASS FIBRE CANOPY IS FITTED.
BD.22392/1	SEALING RUBBER FOR CANOPY PANEL TO TOP OF WINDSCREEN (49½" LONG)		1	REQUIRED WHEN GLASS FIBRE CANOPY IS FITTED.
BD.20413	SEALING RUBBER FOR FRONT OF CANTRAILS (4% LONG)		2	Fitted from Chassis No. 850001 to 850091. 875001 to 875373.
BD.21799/1	SEALING RUBBER FOR FRONT OF R.H. CANTRAIL ($4_8^{\prime\prime}$ LONG)		1	Fitted to Chassis No.
BD.21800/1	SEALING RUBBER FOR FRONT OF L.H. CANTRAIL (4\frac{1}{8}" LONG)		1	850092 and subs. 875374 and subs.
BD.20414	SEALING RUBBER FOR CENTRE OF CANTRAILS (8½" LONG)		2	Fitted from Chassis No. 850001 to 850091. 875001 to 875373.
BD.21799/2	SEALING RUBBER FOR CENTRE OF R.H. CANTRAIL (8½ LONG)		1	Fitted to Chassis No.
BD.21800/2	SEALING RUBBER FOR CENTRE OF L.H. CANTRAIL (8 ½ LONG)		1	850092 and subs. 875374 and subs.

BODY FITTINGS

FOR OPEN CARS ONLY

Part No.	Description	Plate No.	No. per Unit	Remarks
B D.20415	SEALING RUBBER FOR REAR OF CANTRAILS (4" LONG)		2	Fitted from Chassis No. 850001 to 850091. 875001 to 875373.
BD.21799/3	SEALING RUBBER FOR REAR OF R.H. CANTRAIL (4" LONG)		1	Fitted to Chassis No. 850092 and subs.
BD.21800/3	SEALING RUBBER FOR REAR OF L.H. CANTRAIL (4" LONG)		1	875374 and subs.
	SEAL RETAINERS)
BD.19254 BD.19255 BD.19256 BD.19257 BD.1814/2	Retainer Assembly, on L.H. Front Cantrail Retainer Assembly, on R.H. Front Cantrail Retainer Assembly, on L.H. Rear Cantrail Retainer Assembly, on R.H. Rear Cantrail Pop Rivet, securing Retainers		1 1 1 1	NOT REQUIRED WHEN GLASS FIBRE CANOPY IS FITTED.
BD.23734 BD.23733 BD.23736 BD.23735 BD.1814/2	Retainer Assembly, on L.H. Front Cantrail Retainer Assembly, on R.H. Front Cantrail Retainer Assembly, on L.H. Rear Cantrail Retainer Assembly, on R.H. Rear Cantrail Pop Rivet, securing Retainers		1 1 1 1 24	REQUIRED WHEN GLASS FIBRE CANOPY IS FITTED.
BD. 20416	SEALING RUBBER FOR HOOD PILLARS		2	Fitted from Chassis No. 850001 to 850091. 875001 to 875373.
BD.21799/4	SEALING RUBBER FOR R.H. HOOD PILLAR		1	
BD.21800/4	SEALING RUBBER FOR L.H. HOOD PILLAR		1	Fitted to Chassis No. 850092 and subs. 875374 and subs.
BD.19293	DRIP MOULDING 'L.H.' AT REAR OF HOOD OPENING	43- 6	1	

BODY FITTINGS FOR OPEN CARS ONLY

				TOR OFFIA CARS CIALT
Part No.	Description	Plate No.	No. per Unit	Remarks
BD.19294	DRIP MOULDING 'R.H.' AT REAR OF HOOD OPENING		1	
BD.711/18	Screw, Self-Tapping, securing Drip Mouldings		10	
BD.20582	HOOD CLOTH ASSEMBLY, COMPLETE	43- 7	1	
BD.568/1 BD.568/2	Socket, on Hood Cloth, for "Lift the Dot" Fasteners Clinch Plate, securing Sockets		2 2	
	TACKING STRIPS			
BD.20140 BD.20141	Tacking Strip, L.H., for Hood Cloth fixing		1	
BD.20142 BD.711/1	Tacking Strip, R.H., for Hood Cloth fixing Tacking Strip, Centre, for Hood Cloth fixing Servey, Solf Tacking Tacking Servey		1 1 14	
BD.20460 BD.20461	Screw, Self-Tapping, securing Tacking Strips Fillet (Hardwood) for Tonneau Side, R.H. inner Fillet (Hardwood) for Tonneau Side, I.H. inner		1	
BD.540/14	Fillet (Hardwood) for Tonneau Side, L.H. inner Screw, Self-Tapping, securing Fillets		6	
BD.20099	CHROME BEADING ON CANOPY RAIL	43- 8	1	NOT REQUIRED WHEN GLASS FIBRE CANOPY
BD.16794	Clip, securing Beading	43- 9	20	IS FITTED.
BD.24649	CHROME BEADING ON CANOPY RAIL		1	REQUIRED WHEN
BD.17497 BD.540/24	Clip, securing Beading Screw, Self-Tapping, securing Beading		13 13	GLASS FIBRE CANOPY IS FITTED.
BD.19683	CHROME BEADING ON TONNEAU	4 3–10	1	
BD.11719	Clip, securing Beading		14	
BD.711/3	Screw, Self-Tapping, securing Clips		14	USE BD.21397 FOR ALL
BD.9248 UCN.116/L C.722	Special Bolt, securing Chrome Beading Nut, on Special Bolts Washer, Shakeproof, under Nuts		2 2 2	REPLACEMENTS
BD.21397	CHROME BEADING ON TONNEAU		1 .	SUPERSEDES BD.19683
BD.539/10 BD.539/16	Screw, Self.Tapping, securing Chrome Beading Screw, Self-Tapping, securing Chrome Beading		8 2 .	
BD.20658	HOOK PLATE, UNDER TONNEAU BEADING, FOR FIXING OF HOOD ENVELOPE	43–11	4	
BD.540/1	Screw, Self-Tapping, securing Hook Plates		8	

BODY FITTINGS FOR OPEN CARS ONLY

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.15907	TOGGLE CLAMP ASSEMBLY, OUTER, SECURING HOOD WHEN RAISED	4 3–12	2	
BD.15912 BD.20892	Hook only, for Toggle Clamps Locknut, for Hooks		2 2	NOT REQUIRED WHEN GLASS FIBRE CANOPY
BD.17546/2 C.724 BD.541/32 BD.23581/1	Screw, Set, securing Toggle Clamps to Canopy Rail Washer, Shakeproof, on Setscrews Washer, Special, under Shakeproof Washers Anti Rattle Tube, for Toggle Clamps		4 4 4 2	IS FITTED.
50.23301/1	And Native Tube, for 1066 Champs		2	
BD.22678	TOGGLE CLAMP ASSEMBLY, OUTER, SECURING HOOD WHEN RAISED		2	
BD.15912 BD.20892	Hook only, for Toggle Clamps Locknut, for Hooks		2 2	REQUIRED WHEN GLASS FIBRE CANOPY IS FITTED.
BD.13713/2 BD.21516/5 BD.541/27	Screw, Set, securing Toggle Clamps to Canopy Rail Washer, Shakeproof, on Setscrews Washer, Special, under Shakeproof Washers		4 4 4	
BD.15508	CHROME SOCKET, AT TOP OF R.H. SCREEN PILLAR, RECEIVING HOOK		1	
•				
BD.15509	CHROME SOCKET, AT TOP OF L.H. SCREEN PILLAR, RECEIVING HOOK	43–13	1	
BD.15534/3 BD.16940/2	Screw, Set, securing Cappings to side of Screen Pillars Screw, Set, securing Cappings to top of Screen Pillars		2 2	
BD.21098	RUBBER SEALING PAD AT TOP OF R.H. SCREEN PILLAR		1	
3D.21099	RUBBER SEALING PAD AT TOP OF L.H. SCREEN PILLAR		1	
BD.540/12	Screw, Self-Tapping, securing Sealing Pads		2	
BD.1 9515	TOGGLE CLAMP ASSEMBLY, CENTRE, SECURING HOOD WHEN RAISED	43-14	1	
BD.15912 BD.20892	Hook only, for Toggle Clamp Locknut, for Hook		1	
3D.13713/2	Screw, Set, securing Toggle Clamp to Canopy Rail (\frac{1}{2}" long)		2	
3D.13713/6 3D.541/27	Screw, Set, securing Toggle Clamp to Canopy Rail (1" long) Special Washers, on Setscrews		2 4	
3D.541/2/ 3D.23581/1	Anti Rattle Tube, for Toggle Clamps		1	

BODY FITTINGS

FOR OPEN CARS ONLY

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20857	CHROME SOCKET, AT TOP OF WINDSCREEN, RECEIVING CENTRE TOGGLE	43-15	1	
BD.20861/1	Screw, Set, Self-Locking, securing Boss to Screen Top Finisher		2	
BD.19517	TENSION ROD, BETWEEN SOCKET AND SCREEN RAIL	4 3–16	1	
BD.19518 FW.104/T	Nut, securing Tension Rod to Bracket on Dash Washer, Plain, under Nuts		2 2	
BD.23138	Bracket Assembly, on Dash, receiving lower end of Tension Rod		1	
BD.1229/14 BD.8633/6	Screw, Self-Tapping, securing Bracket to Dash Spire Nut, on Self-Tapping Screws		4	
BD.20660	STRAP ASSEMBLY, ON CANOPY RAIL, FOR FIXING OF HOOD WHEN FOLDED	43–17	2	
BD.20674 BD.568/2	Socket, on Straps, for "Lift the Dot" Fasteners Clinch Plate, securing Sockets		2 2	
BD.20659 BD.13713/7 C.2017/2 BD.20781	Chrome Bezel, in Canopy Panel, for Straps Screw, Set, securing Straps to Canopy Rail Washer, Special, on Setscrews Spacer, on Setscrews	43–18	2 2 2 2	NOT REQUIRED WHEN GLASS FIBRE CANOPY
BD.1750	"Lift the Dot" Stud, securing end of Straps when not in use		2	IS FITTED.
BD.23610 BD.13713/3 C.2017/2 BD.20781	Chrome Bezel, in Canopy Panel, for Straps Screw, Set, securing Straps to Canopy Rail Washer, Special, on Setscrews Spacer, on Setscrews		2 2 2 2	REQUIRED WHEN GLASS FIBRE CANOPY
BD.1749	"Lift the Dot" Stud, securing end of Straps when not in use		2	IS FITTED.
BD.20721	ENVELOPE ASSEMBLY, ENCLOSING HOOD WHEN FOLDED	43 –19	1	
BD.568/1 BD.568/2 BD.3822	Socket, on Envelope, for "Lift the Dot" Fasteners Clinch Plate, securing Sockets "Tenax" Fastener Assembly, for fixing of Hood Envelope		3 3 2	
BD.1749	Stud (Short) on Rear Floor Panel, receiving "Lift the Dot" Fasteners		1	
BD.4076	Stud (Long) on Rear Floor Panel, receiving "Lift the Dot" Fasteners		2	
AN.102/L C.723	Nut, securing Studs Washer, Shakeproof, under Nuts		3	
BD.3822	"TENAX" FASTENER ASSEMBLY, COMPLETE		2	
BD.3822/1 BD.3822/2 BD.23608	Button only (Tenax No. 31) Nut, securing Buttons (Tenax No. 32) Stud, receiving Buttons		2 2 2	
C.723A	Washer, Shakeproof, on Stud		2	




PLATE 38




PLATE 39




PLATE 40




PLATE 41




PLATE 42




PLATE 43

BODY SHELL

FITTED FROM CHASSIS No. 860001 TO 860478, 885001 TO 886013

Part No.	Description	Plate No.	No. per Unit	Remarks	
BD.19350	BODY SHELL ASSEMBLY, COMPLETE		1		
BD.19334	Underframe Assembly		1		
BD.16550	Bonnet and Front Wings Assembly		1	Fitted from Chassis No. 860001 to 860004.	
BD.19929	Bonnet and Front Wings Assembly		1	885001 to 885020. Fitted from Chassis No. 860005 to 860478.	
C.16942	Front Sub-Frame Assembly		1	885021 to 886013. Fitted from Chassis No. 860001 to 860138.	
C.19339	Front Sub-Frame Assembly		1	885001 to 885384. Fitted from Chassis No. 860139 to 860478.	For Fixings to Main Body Portion, please
C 45044	F . 6 M A 11			885385 to 886013.	refer to Section
C.15014 C.15029	Front Cross Member Assembly R.H. Side Member Assembly		1		for Front Frame.
C.15030	L.H. Side Member Assembly		1		
C.16803	Hinge, for Bonnet		2	Fitted from Chassis No.	,
	-			860001 to 860138. 885001 to 885384.	
C.19326	Hinge, for Bonnet		2	Fitted from Chassis No. 860139 to 860478. 885385 to 886013.	
BD.19739	Door Shell Assembly, R.H.		1		
BD.19740	Door Shell Assembly, L.H.		1		
BD.15495	Hinge Assembly, for R.H. Door		1		
BD.15496 BD.20957	Hinge Assembly, for L.H. Door Scuttle Top Panel Assembly		1		
BD.19341	R.H. Windscreen Pillar Assembly		i		
BD.19342	L.H. Windscreen Pillar Assembly		1		
BD.15217	Filler Panel between R.H. Screen Pillar and Scuttle Top Panel		1		
BD.15218	Filler Panel between L.H. Screen Pillar and Scuttle Top Panel		1		
BD.15467	Closing Panel, under R.H. Screen Pillar		1		
BD.15468 BD.17069	Closing Panel, under L.H. Screen Pillar Corner Panel, Dash to Scuttle Top, R.H.		1		
BD.17070	Corner Panel, Dash to Scuttle Top, L.H.		1		
BD.15180	Exterior Panel Assembly, R.H. Dash Side		1		
BD.15181	Exterior Panel Assembly, L.H. Dash Side		1		
BD.15133 BD.15134	R.H. Sill Outer Panel L.H. Sill Outer Panel		1		
6D.15184	End Plate, at front of R.H. Sill		1		
BD.15187	Bracket Assembly, at front of R.H. Sill, mounting Air Cleaner		1		
BD.15185	End Plate Assembly, at front of L.H. Sill		1		
BD.15186	Bracket Assembly, at front of L.H. Sill, mounting Battery Tray		1		
BD.19586 BD.19338	Bracket Assembly, for Jack location Panel Assembly, lower rear		2 1		
BD.20310	Rear Wing Panel Assembly, R.H.		i		
BD.20311	Rear Wing Panel Assembly, L.H.		1		
BD.19340/4	Tail Panel, below Boot Lid		1		
BD.19340/1 BD.19617	Roof Panel Assembly Cantrail Panel Assembly, R.H.		1		
BD.19618	Cantrail Panel Assembly, L.H.		1		
BD.20809	Support Panel Assembly at R.H. side of Boot Lid		1		
BD.20810	aperture Support Panel Assembly at L.H. side of Boot Lid aperture		1		
BD.19550	Boot Lid Shell Assembly		1		
BD.20306	Hinge Assembly, upper, for Boot Lid		1		
BD.20307	Hinge Assembly, lower, for Boot Lid		1		
BD.19355 BD.19532	Lid Assembly, for Petrol Filler Box Fixing Bracket, outer, for R.H. Stop/Tail Lamp		1		
BD.19533	Fixing Bracket, outer, for K.H. Stop/Tail Lamp		1		
BD.19534	Fixing Bracket, inner, for R.H. Stop/Tail Lamp		i		
BD.19535	Fixing Bracket, inner, for L.H. Stop/Tail Lamp		1		
BD.19869	Reinforcement Channel, at top of R.H. Windscreen Pillar		1		

BODY SHELL
FOR FIXED HEAD COUPE ONLY

FITTED FROM CHASSIS No. 860479 TO 860580, 886014 TO 886092

Part No.	Description	Plate No.	No. per Unit	Remarks	
BD.20748	BODY SHELL ASSEMBLY, COMPLETE		1		
BD.19334	Underframe Assembly		1		
BD.19929	Bonnet and Front Wings Assembly		1		
C.19339	Front Sub-Frame Assembly		i		
C.15014			1		
C.15029	Front Cross Member Assembly R.H. Side Member Assembly		1		
C.15029	L.H. Side Member Assembly				
			1		
C.19326	Hinge, for Bonnet		2		
BD.19739	Door Shell Assembly, R.H.		1		
BD.19740	Door Shell Assembly, L.H.		1		
BD.15495	Hinge Assembly, for R.H. Door		1		
BD.15496	Hinge Assembly, for L.H. Door		1		
BD.20957	Scuttle Top Panel Assembly		1		
BD.23913	R.H. Windscreen Pillar Assembly		1		
BD.23914	L.H. Windscreen Pillar Assembly		1		
BD.15217	Filler Panel, between R.H. Screen Pillar and Scuttle Top Panel		1		
BD.15218	Filler Panel, between L.H. Screen Pillar and Scuttle Top Panel		1		
BD.15467	Closing Panel, under R.H. Screen Pillar		1		
BD.15468	Closing Panel, under L.H. Screen Pillar		1		
BD.17069	Corner Panel, Dash to Scuttle Top, R.H.		1		
BD.17070	Corner Panel, Dash to Scuttle Top, L.H.		1		
BD.15180	Exterior Panel Assembly, R.H. Dash Side		1		
BD.15181	Exterior Panel Assembly, L.H. Dash Side		i		
BD.15133	R.H. Sill Outer Panel		1		
BD.15134	L.H. Sill Outer Panel		i		
BD.15184	End Plate, at front of R.H. Sill		1		
BD.15187	Bracket Assembly, at front of R.H. Sill, mounting Air Cleaner		1		
BD.15185	End Plate Assembly, at front of L.H. Sill		1		
BD.15186	Bracket Assembly, at front of L.H. Sill, mounting Battery Tray		1		
BD.19586	Bracket Assembly, for Jack Location		2		
BD.19338	Panei Assembly, Lower Rear		1		
BD.23180	Roof Panel and Rear Wings Assembly		1		
BD.19635	Drain Tube, for Boot Lid Aperture		1		
BD.19532	Fixing Bracket, outer, for R.H. Stop/Tail Lamp		1		
BD.19533	Fixing Bracket, outer, for L.H. Stop/Tail Lamo		1		
BD.19534	Fixing Bracket, inner, for R.H. Stop/Tail Lamp		1		
BD.19535	Fixing Bracket, inner, for L.H. Stop/Tail Lamp		1		
BD.20203	Reinforcement Channel, at top of R.H. Windscreen Pillar		1		
BD.20202	Reinforcement Channel, at top of L.H. Windscreen Pillar		1		
BD.21448	Drip Bead Extension, on R.H. Windscreen Pillar		1		
BD.21449	Drip Bead Extension, on L.H. Windscreen Pillar		1		
BD.19544	Boot Lid Shell Assembly		1		
BD.19626	Support Panel Assembly, at R.H. Side of Boot Lid Aperture		1		
BD.19627	Support Panel Assembly, at L.H. Side of Boot Lid Aperture		1		
BD.20261	Hinge Assembly, for Boot Lid		2		
BD.22242	Lid Assembly, for Petrol Filler Box		1		
BD.19552	Hinge Assembly, for Petrol Filler Lid		1		

BODY SHELL FOR FIXED HEAD COUPE ONLY

FITTED FROM CHASSIS No. 860581 AND SUBS., 886093 AND SUBS.

Part No.	Description	Plate No.	No. per Unit	Remarks	
3D.22941	BODY SHELL ASSEMBLY, COMPLETE		1		
3D.22936	Underframe Assembly		1		
	All other items are as for Body Shell Assembly BD.	20748.			

BODY UNDERFRAME AND PANELS FOR FIXED HEAD COUPE ONLY

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.19334	BODY UNDERFRAME ASSEMBLY		1	Fitted from Chassis No. 860001 to 860580. 885001 to 886092.
BD.15171	Floor Assembly		1	Fitted from Chassis No. 860001 to 860175.
BD.23141	Floor Assembly (Complete with Heel Wells)		1	885001 to 885503. Fitted from Chassis No. 860176 to 860580.
BD.19337	Rear End Assembly		1	885504 to 886092.
BD.22936	BODY UNDERFRAME ASSEMBLY		1	Fitted to Chassis No.
BD.22819 BD.23100	Floor Assembly Rear End Assembly	44- 1	1	860581 and subs. 886093 and subs.
BD.15171	FLOOR ASSEMBLY		1	Fitted from Chassis No.
BD.19238	Bracket Assembly, for Exhaust Silencer Mounting		. 4	860001 to 860175. 885001 to 885503.
BD.23141	FLOOR ASSEMBLY (COMPLETE WITH HEEL WELLS)		1	Fitted from Chassis No.
BD.15131/2 BD.19238	Heel Well, only Bracket Assembly, for Exhaust Silencer Mounting		2	885504 to 886092.
BD.22819	FLOOR ASSEMBLY (COMPLETE WITH HEEL WELLS)	44 – 1	1	Fitted to Chassis No. 860581 and subs.
BD.15131/2 BD.19238	Heel Well, only Bracket Assembly, for Exhaust Silencer Mounting		2 4	886093 and subs.
BD.15588/1 BD.15588/2 BD.15588/4 BD.15588/5 BD.19902 BD.22756	Plastic Plug, in Floor (3" dia.) Plastic Plug, in Floor (3" dia.) Plastic Plug, in Floor (3" dia.) Plastic Plug, in Floor (3" dia.) Plastic Plug, in Floor (3" dia.) Plastic Plug, in Floor Plastic Plug, in Floor (Safety Harness)		26 2 2 10 1	R.H. DRIVE CARS ONLY.
BD.19337	REAR END ASSEMBLY		1	
BD.16650 BD.19322 BD.19323 BD.19322/3 BD.19323/3 BD.20544 BD.20545 BD.19628 BD.19629 BD.19545 BD.19546 BD.19546 BD.19546 BD.17445 BD.1977 BD.19078 BD.19078 BD.19078	Tunnel Assembly Shut Pillar Assembly, R.H. Shut Pillar Assembly, L.H. Support Panel, for R.H. Inner Quarter Support Panel, for L.H. Inner Quarter Wheel Arch Panel Assembly, R.H. Inner forward Wheel Arch Panel Assembly, L.H. Inner forward Wheel Arch Panel Assembly, R.H. Outer forward Wheel Arch Panel Assembly, R.H. Outer forward Wheel Arch Panel Assembly, L.H. Couter forward Wheel Arch Panel Assembly, L.H. rear Wheel Arch Panel Assembly, L.H. rear Floor Panel, rear Cross Member Assembly, for Rear Floor Stiffening Bracket, at sides of Rear Floor Cross Member Bracket Assembly, R.H., for mounting of Rear Suspension Cross Member Bracket Assembly, L.H., for mounting of Rear Suspension Cross Member Top Panel Assembly, above Rear Floor Panel Assembly, for front of Petrol Tank and Spare Wheel Compartment Reinforcement Angle, between Tank Compart-	44 _16	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Fitted from Chassis No. 860001 to 860580. 885001 to 886092.

BODY UNDERFRAME AND PANELS

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.23100	REAR END ASSEMBLY		1	J
BD.22809 BD.22816	Floor Panel Assembly Stiffening Bracket, at R.H. side of Rear Cross		1 1	Fitted to Chassis No. 860581 and subs.
BD.22817	Member Stiffening Bracket, at L.H. side of Rear Cross		1	886093 and subs.
	Member All other items are as for Rear End Assembly BD.193	37.		J
BD.19132	Bracket Assembly, for mounting of Rear Suspension Bump Stop Rubbers		2	
BD.15137	Panel Assembly, at R.H. side of Gearbox	44-18	1	
BD.15138	Panel Assembly, at L.H. side of Gearbox	44–19 44–20	1	
BD.15198 BD.15199	Reinforcement Panel, for R.H. Shut Pillar Reinforcement Panel, for L.H. Shut Pillar	44-21	1	
BD.19897	Closing Panel Assembly, for R.H. Shut Pillar	44-22	i	
BD.19898	Closing Panel Assembly, for L.H. Shut Pillar	44-23	i	
BD.17456 BD.18368	Support Panel, for Shut Pillars Reinforcement Panel, lower rear, for Propeller Shaft Tunnel		2 1	
BD.15982	Reinforcement Panel, at rear of R.H. Sill	44-24	1	
BD.15983	Reinforcement Panel, at rear of L.H. Sill	44-25	1	
BD.16488	Reinforcement Panel, at front of Sills	44-26	2	
BD.15202	Closing Panel, for front of R.H. Sill	44-27	1	
BD.15203 BD.14918	Closing Panel, for front of L.H. Sill Reinforcement Panel, for R.H. Dash side	44–28	1	
BD.14919	Reinforcement Panel, for L.H. Dash side	44-29	i	
BD.16942	Closing Panel Assembly, R.H. lower Dash front	11-27	i	
BD.16943	Closing Panel, L.H. lower Dash, front		1	
BD.15180	EXTERIOR PANEL ASSEMBLY, R.H. DASH SIDE	44-30	1	
BD.15181	EXTERIOR PANEL ASSEMBLY, L.H. DASH SIDE	44 –31	1	
BD.15133	R.H. SILL OUTER PANEL	44–32	1	
BD.15184 BD.15187	End Plate, at front of R.H. Sill Bracket Assembly, at side of R.H. Sill for Mounting		1 1	
	Air Cleaner			
BD.15134	L.H. SILL OUTER PANEL	44 – 3 3	1	
BD.15185	End Plate Assembly, at front of L.H. Sill		1	
BD.15186	Bracket Assembly, at side of L.H. Sill for Mounting Battery Tray		1	
BD.19586	BRACKET, UNDER SILLS, FOR JACK LOCATION		2	
BD.19739	DOOR SHELL ASSEMBLY, R.H.	44-34	1	
BD.19739		44-34		
BD.19739 BD.19741	Outer Panel Assembly, for R.H. Door	44-34	1	
BD.19739 BD.19741 BD.15453	Outer Panel Assembly, for R.H. Door Inner Panel Assembly, for R.H. Door	44-34	1	
BD.19739 BD.19741 BD.15453 BD.21030	Outer Panel Assembly, for R.H. Door Inner Panel Assembly, for R.H. Door Drain Tray, at top of R.H. Door	44-34	1 1 1	
BD.19739 BD.19741 BD.15453 BD.21030 BD.11712/1	Outer Panel Assembly, for R.H. Door Inner Panel Assembly, for R.H. Door Drain Tray, at top of R.H. Door Pop Rivet, securing Drain Tray	44-34	1 1 1	
BD.19739 BD.19741 BD.15453 BD.21030 BD.11712/1 BD.20878	Outer Panel Assembly, for R.H. Door Inner Panel Assembly, for R.H. Door Drain Tray, at top of R.H. Door	44-34	1 1 1 2 2 6	
BD.19739 BD.19741 BD.15453 BD.21030 BD.11712/1 BD.20878 BD.1814/1 BD.21180	Outer Panel Assembly, for R.H. Door Inner Panel Assembly, for R.H. Door Drain Tray, at top of R.H. Door Pop Rivet, securing Drain Tray Shroud, for Drain Holes at bottom of Door Pop Rivet, securing Shrouds Drain Tube Rubber, for Tray	44-34	1 1 1 2 2 6 1	
BD.19739 BD.19741 BD.15453 BD.21030 BD.11712/1 BD.20878 BD.1814/1 BD.21180 BD.20978	Outer Panel Assembly, for R.H. Door Inner Panel Assembly, for R.H. Door Drain Tray, at top of R.H. Door Pop Rivet, securing Drain Tray Shroud, for Drain Holes at bottom of Door Pop Rivet, securing Shrouds Drain Tube Rubber, for Tray Shroud, for Drain Holes, at front of Door	44-34	1 1 1 2 2 6 1	
BD.19739 BD.19741 BD.15453 BD.21030 BD.11712/1 BD.20878 BD.1814/1 BD.21180	Outer Panel Assembly, for R.H. Door Inner Panel Assembly, for R.H. Door Drain Tray, at top of R.H. Door Pop Rivet, securing Drain Tray Shroud, for Drain Holes at bottom of Door Pop Rivet, securing Shrouds Drain Tube Rubber, for Tray	44-34	1 1 1 2 2 6 1	

BODY UNDERFRAME AND PANELS FOR FIXED HEAD COUPE ONLY

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.19740	DOOR SHELL ASSEMBLY, L.H.	44-35	1	
BD.19742 BD.15454 BD.21031	Outer Panel Assembly, for L.H. Door Inner Panel Assembly, for L.H. Door Drain Tray, at top of L.H. Door		1 1 1	
	All other items are as for Door Shell Assembly BD.1	9739.		
BD.15495	HINGE ASSEMBLY, FOR R.H. DOOR	44 –36	1	
BD.15496	HINGE ASSEMBLY, FOR L.H. DOOR	44-37	1	
C.16168	Grease Nipple, on Door Hinges (Tec.YH.109)		2	
BD.22662	CHECK ARM ASSEMBLY FOR DOORS	44-38	2	
BD.22661 UCS.519/4H	Brass Cam, for Check Arms Screw, Set, Csk. Hd., securing Cam to Check Arms		2	Self-Tapping Screw BD.17503/1 may be
UFS.425/5H C.724	Screw, Set, securing Check Arm to Door Hinges Washer, Shakeproof, on Setscrews		4	required for some cars.
BD.17034/5 BD.711/20	Screw, Set, securing Hinge to Doors Screw, Self-Tapping, securing Hinge to Doors		8 4	
BD.13565/3 FG.105/X	Screw, Set, securing Hinges to Body Washer, Spring, on Setscrews		8	
BD.20310	REAR WING ASSEMBLY, R.H.	44-39	1	Fitted from Chassis No.
BD.20311	REAR WING ASSEMBLY, L.H.	44-40	1	860001 to 860478. 875001 to 886013.
BD.24830	REAR WING ASSEMBLY, R.H.		1	Fitted to Chassis No.
BD.24831	REAR WING ASSEMBLY, L.H.		1	860479 and subs. 886014 and subs.
BD.19340/4	TAIL PANEL, BELOW BOOT LID	44-41	1	Fitted from Chassis No. 860001 to 860478. 875001 to 886013.
BD.19878/1	GUTTER AT R.H. SIDE OF BOOT LID APERTURE	44 –42	1]
BD.19878/2	GUTTER AT L.H. SIDE OF BOOT LID APERTURE	44-43	1	
BD.19878/3	GUTTER AT TOP OF BOOT LID APERTURE	44_44	1	Fitted from Chassis No. 860001 to 860478. 875001 to 886013.
BD.19878/4	GUTTER AT BOTTOM OF BOOT LID APERTURE	44-45	1	

BODY UNDERFRAME AND PANELS

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.21386	PETROL FILLER BOX ASSEMBLY IN L.H. WING		1 1	Fitted from Chassis No. 860001 to 860478. 875001 to 886013.
BD.19339	PETROL FILLER BOX ASSEMBLY IN L.H. WING	44-46	1 F	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.19340/1	ROOF PANEL ASSEMBLY		1)
BD.19619 BD.19672 BD.19617 BD.19618	Windscreen Header Panel Assembly Reinforcement Rail Assembly, at rear of Roof R.H. Cantrail Panel Assembly L.H. Cantrail Panel Assembly		1 1 1	Fitted from Chassis No. 860001 to 860478. 875001 to 886013.
BD.19540/1	ROOF PANEL ASSEMBLY	44-47	1)
BD.20106 BD.20119 BD.20115 BD.20116	Windscreen Header Panel Assembly Reinforcement Rail Assembly, at rear of Roof R.H. Cantrail Panel Assembly L.H. Cantrail Panel Assembly		1 1 1	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.19619	WINDSCREEN HEADER PANEL ASSEMBLY		1 -	Fitted from Chassis No. 860001 to 860478.
BD.19762	Reinforcement Rail Assembly, for Roof		1 .	885001 to 886013.
BD.20106	WINDSCREEN HEADER PANEL	44-48	1 .	Fitted to Chassis No.
BD.20119	Reinforcement Rail Assembly, for Roof	44-49	1 .	886014 and subs.
BD.19617	R.H. CANTRAIL PANEL ASSEMBLY		1	Fitted from Chassis No. 860001 to 860478.
BD.19618	L.H. CANTRAIL PANEL ASSEMBLY		1 .	885001 to 886013.
BD.20115	R.H. CANTRAIL PANEL ASSEMBLY	44 –50	1	Fitted to Chassis No. 860479 and subs.
BD.20116	L.H. CANTRAIL PANEL ASSEMBLY	44-51	1 .	886014 and subs.
BD.21354	DRIP BEAD EXTENSION ON R.H. CANTRAIL PANEL		1	Fitted from Chassis No.
BD.21355	DRIP BEAD EXTENSION ON L.H. CANTRAIL PANEL		1	860001 to 860478. 885001 to 886013.

BODY UNDERFRAME AND PANELS FOR FIXED HEAD COUPE ONLY

Part No.	Description	Plate No.	No. per Unit Remarks
BD.21448	DRIP BEAD EXTENSION ON R.H. CANTRAIL PANEL	44 –52	Fitted to Chassis No. 860479 and subs.
BD.21449	DRIP BEAD EXTENSION ON L.H. CANTRAIL PANEL	44-53	886014 and subs.
BD.20809	SUPPORT PANEL ASSEMBLY, AT R.H. SIDE OF BOOT LID APERTURE		1 } Fitted from Chassis No. 860001 to 860478.
BD.20810	SUPPORT PANEL ASSEMBLY, AT L.H. SIDE OF BOOT LID APERTURE		885001 to 886013.
BD.19626	SUPPORT PANEL ASSEMBLY, AT R.H. SIDE OF BOOT LID APERTURE	44–54	Fitted to Chassis No.
BD.19627	SUPPORT PANEL ASSEMBLY, AT L.H. SIDE OF BOOT LID APERTURE	44-55	860479 and subs. 886014 and subs.
BD.19550	BOOT LID SHELL ASSEMBLY		1 Fitted from Chassis No. 860001 to 860478. 885001 to 886013.
BD.195 44	BOOT LID SHELL ASSEMBLY	4 4 –56	1 Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.20306	HINGE ASSEMBLY, UPPER, FOR BOOT LID		1
BD.20307	HINGE ASSEMBLY, LOWER, FOR BOOT LID		1 Fitted from Chassis No. 860001 to 860478. 885001 to 886013.
UFS.125/4R C.724 BD.541/20 UFS.425/3H C.724	Screw, Set, securing Hinges to Boot Lid Washer, Shakeproof, on Setscrews Special Washer, under Shakeproof Washers Screw, Set, securing Hinges to Body Washer, Shakeproof, on Setscrews		4 4 8 8
BD.20261	HINGE ASSEMBLY, FOR BOOT LID	44-57	2
BD.17034/3 BD.2906/6 BD.23163 UFS.125/5R C.724 BD.23164	Screw, Set, securing Hinges to Boot Lid Washer, Shakeproof, Csk., on Setscrews Shim, between Hinges and Boot Lid Screw, Set, securing Hinges to Body Washer, Shakeproof, on Setscrews Shim, between Hinges and Body	44–58 44–59	As req'd 8 8 8 As req'd 9 As req'
BD.19355	LID ASSEMBLY, FOR PETROL FILLER BOX		1 Fitted from Chassis No. 860001 to 860478. 885001 to 886013.

BODY UNDERFRAME AND PANELS

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.22242	LID ASSEMBLY, FOR PETROL FILLER BOX	44-60	1	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.19552	HINGE ASSEMBLY FOR PETROL FILLER LID	11- 61	1	
BD.8291/1 C.724 FW.104/T	Screw, Set, securing Hinge to Lid, and to Body Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers		4 4 4	
BD.15930	SPRING, BETWEEN LID AND HINGE	44–62	1	
BD.19338	PANEL ASSEMBLY, LOWER REAR	44-63	1	
BD.18837 BD.18838	Lower Panel, R.H. Outer Lower Panel, L.H. Outer	44-64	1	
BD.19532 BD.19533 BD.19534 BD.19535	Fixing Bracket, outer, for R.H. Stop/Tail Lamp Fixing Bracket, outer, for L.H. Stop/Tail Lamp Fixing Bracket, inner, for R.H. Stop/Tail Lamp Fixing Bracket, inner, for L.H. Stop/Tail Lamp		1 1 1	
BD.19970	PANEL ASSEMBLY FOR REAR NUMBER PLATE		1	
BD.16550	BONNET AND FRONT WINGS ASSEMBLY		1	
BD.15174 BD.15175 BD.16557 BD.16839/3 UCS.125/5R	Centre Panel Assembly, for Bonnet Front Under Panel Assembly Air Duct Lower Panel Assembly Screw, Self-Tapping, securing Air Duct Panel to Valances Screw, Set, securing Front Under Panel to Valances,	45 1 45 2 45 3	1 1 1 6	
UCN.125/L FG.104/X	Centre Panel and Wings Nut, on Setscrews Washer, Spring, under Nuts and on Self-Tapping		14 20	
BD.542/3	Screws Washer, Special, on Setscrews and Self-Tapping Screws		34	
BD.15176 BD.15177 UCS.125/5R UCN.125/L FG.104/X BD.542/3	Front Wing Assembly, R.H. Front Wing Assembly, L.H. Screw, Set, securing Wings to Centre Panel Nut, on Setscrews Washer, Spring, under Nuts Washer, Special, on Setscrews	45- 4 45- 5	1 18 18 18 18 36	Fitted from Chassis No. 860001 to 860004, 885001 to 885020.
BD.19021 BD.19022 BD.16839/2 FG.104/X	R.H. Valance and Air Duct Assembly L.H. Valance and Air Duct Assembly Screw, Self-Tapping, securing Valance and Duct Assemblies to Centre Panel and Front Under Panel Washer, Spring, on Self-Tapping Screws	45– 6 45– 7	1 1 23 23	
BD.542/3 BD.16422	Washer, Special, under Spring Washers R.H. Front Diaphragm Assembly, mounting Headlamp	45- 8	23 1	
BD.16423 UCS.125/5R	 L.H. Front Diaphragm Assembly, mounting Headlamp Screw, Set, securing Diaphragms to Wings 	45– 9	1 8	
UCN.125/L BD.16839/2	Nut, on Setscrews Screw, Self-Tapping, securing Diaphragms to Valances, Wings and Front Under Panel		8 26	

BODY UNDERFRAME AND PANELS FOR FIXED HEAD COUPE ONLY

Part No.	Description	Plate No.	No. per Unit	Remarks	
	BONNET AND FRONT WINGS ASSEMBLY (continued)				
FG.104/X	Washer, Spring, on Setscrews, and Self-Tapping		34		
BD.542/3	Screws Washer, Special, on Setscrews and Self-Tapping		42		
BD.22749 BD.22750 BD.22750 BD.22749/1 BD.1328/2 UFS.419/3H UFN.119/L C.723/A AW.102/T BD.16381 BD.16382 UCS.125/5R UCN.125/L BD.16839/2 FG.104/X BD.542/3 BD.18767 UFS.125/4R FG.104/X FW.104/T	Screws Sealing Panel, for R.H. Headlamp Diaphragm Sealing Panel, for L.H. Headlamp Diaphragm Felt, on Sealing Panel Rivet, securing Felt to Panel Screw, Set, securing Sealing Panel Nut, on Setscrews Washer, Shakeproof, on Setscrews Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers R.H. Diaphragm Assembly, at rear of Bonnet L.H. Diaphragm Assembly, at rear of Bonnet Screw, Set, securing Rear Diaphragms to Wings, Valances, and Centre Panel Nut, on Setscrews Screw, Self-Tapping, securing Rear Diaphragms to Centre Panel Washer, Spring, on Setscrews and Self-Tapping Screws Washer, Special, on Setscrews and Self-Tapping Screws Reinforcing Angle, between Wings and Centre Panel at rear Screw, Set, securing Reinforcing Angles Washer, Spring, on Setscrews Washer, Plain, under Spring Washers	45-10 45-11	1 1 4 8 2 2 2 2 1 1 1 8 7 25 43 2	Fitted from Chassis No. 860001 to 860004. 885001 to 885020.	
BD.19929	BONNET AND FRONT WINGS ASSEMBLY		1		
BD.19930 BD.19931	Front Wing Assembly, R.H. Front Wing Assembly, L.H.		1	Fitted to Chassis No. 860005 and subs. 885021 and subs.	
	All other items are as for Bonnet and Front Wing Assembly BD.16550.			,	
C.16803	BONNET HINGE	45–12	2)	
C.16804 C.8667/5	Nylon Bush, in Hinges Nut, Self-Locking, retaining Hinges on Sub-Frame Cross	45–13	4 2	Fitted from Chassis No. 860001 to 860138.	
C.8676	Bar Washer, Plain, under Nuts		2	885001 to 885384.	
C.19326	BONNET HINGE		2]	
C.16804 C.19330 UFB.137/18R FG.106/X	Nylon Bush, in Bonnet Hinges Bearing (Steel) for Bonnet Hinges Bolt, retaining Bonnet Hinges to Front Sub-Frame Washer, Spring, on Bolts		4 2 2 2	Fitted to Chassis No. 860139 and subs. 885385 and subs.	
BD.13565/6 BD.13565/8 C.725 C.985 BD.18951 BD.18951/1 BD.20950/1 BD.20950/2	Screw, Set, securing Hinges to Bonnet Screw, Set, securing Hinges to Bonnet Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers Shim (.064" thick) for Bonnet Hinges Shim (.036" thick) for Bonnet Hinges Special Shim (Slotted) (.036" thick) for Bonnet Hinges Special Shim (Slotted) (.128" thick) for Bonnet Hinges		4 4 8 8 As req'd As req'd As req'd		

BODY UNDERFRAME AND PANELS FOR FIXED HEAD COUPE ONLY

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20957	SCUTTLE TOP PANEL ASSEMBLY	45–14	1	
BD.19341	R.H. WINDSCREEN PILLAR ASSEMBLY	45–15	1	
BD.19342	L.H. WINDSCREEN PILLAR ASSEMBLY	45–16	1	
BD.19869 BD.19870	Reinforcement Channel, at top of R.H. Pillar Reinforcement Channel, at top of L.H. Pillar	45–15A 45–16A	1	Fitted from Chassis No. 860001 to 860478. 885001 to 886013.
BD.15217	Filler Panel, between R.H. Windscreen Pillar and	45–17	1	
BD.15218	Scuttle Top Panel Filler Panel, between L.H. Windscreen Pillar and Scuttle Top Panel	4 5–18	1	j
BD.23913	R.H. WINDSCREEN PILLAR ASSEMBLY		1	
BD.23914	L.H. WINDSCREEN PILLAR ASSEMBLY		1	Fitted to Chassis No.
BD.20203 BD.20202	Reinforcement Channel, at top of R.H. Pillar Reinforcement Channel, at top of L.H. Pillar		1 1	> 860479 and subs. 886014 and subs.
BD.15217	Filler Panel, between R.H. Windscreen Pillar and		1	
BD.15218	Scuttle Top Panel Filler Panel, between L.H. Windscreen Pillar and Scuttle Top Panel		1	
BD.17069	CORNER PANEL, DASH TO SCUTTLE TOP, R.H.	45–19	1	
BD.17070	CORNER PANEL, DASH TO SCUTTLE TOP, L.H.	45–20	1	
BD.15467	CLOSING PANEL, UNDER R.H. WINDSCREEN PILLAR	45–21	1	
BD.15468	CLOSING PANEL, UNDER L.H. WINDSCREEN PILLAR	45–22	1	
BD.18710	FRAME ASSEMBLY MOUNTING STONEGUARD	45–23	1	




PLATE 44




PLATE 45

BD.19145 R.H. FRONT BUMPER ASSEMBLY 1	Part No.	Description	Plate No.	No. per Unit	Remarks	
BD.15533	BD.19145	R.H. FRONT BUMPER ASSEMBLY		1		
BD.15532 Bar Assembly only, for L.H. Front Bumper	BD.19146	L.H. FRONT BUMPER ASSEMBLY		1		
UFN.137/L Nut, securing Over Rider to Front Bumpers 2	BD.15532 BD.19111 BD.19112	Bar Assembly only, for L.H. Front Bumper Over Rider Assembly, on R.H. Front Bumper Over Rider Assembly, on L.H. Front Bumper	46- 2 46- 3 46- 4	1 1 1		
FW.104/T	UFN.137/L FG.106/X FW.106/T BD.19113 UFS.125/6R	Nut, securing Over Rider to Front Bumpers Washer, Spring, under Nuts Washer, Plain, under Spring Washers Extension Assembly, for fixing of Motif Bar Screw, Set, securing Extension Bracket to Over Rider	46 6	2 2 2 2 4		
FG.106/X	FW.104/T	Washer, Plain, under Shakeproof Washers		4		
BD.10313 Clip, securing Seal	FG.106/X C.410 BD.20893	Washer, Spring, on Setscrews Washer, Plain, under Spring Washers Spacer, on Setscrews at side fixings		4 4 2		
C.16336 MOTIF 46-10 1 BD.19033 Backing Piece, behind Motif 46-11 1 BD.19034 Spring Clip, retaining Motif 46-12 1 BD.11501 Screw, Self-Tapping, securing Spring Clip 46-13 2 UFS.125/5R Screw, Set, securing Motif Bar 2 FG.104/X Washer, Spring, on Setscrews 2 BD.19147 R.H. REAR BUMPER ASSEMBLY 1 BD.19148 L.H. REAR BUMPER ASSEMBLY 1 BD.15887 Bar Assembly only, for R.H. Rear Bumper 46-15 1 BD.19138 Bar Assembly only, for L.H. Rear Bumper 46-15 1 BD.19135 Over Rider Assembly, on R.H. Rear Bumper 46-16 1 DVER RIGHT ASSEMBLY Nut, securing Over Rider Assembly, on L.H. Rear Bumper 46-17 1 Nut, securing Over Rider to Rear Bumpers 46-17 1 Nut, securing Over Rider to Rear Bumper 2 BD.19149 Washer, Spring, under Nuts 2 Washer, Spring, under Nuts 46-18 2 UFS.131/6R Screw, Set, securing Rear Bumpers to Body 2						
BD.19033 Backing Piece, behind Motif 46–11 1 1 1 1 1 1 1 1 1	BD.17700	MOTIF BAR IN AIR INTAKE APERTURE	46- 9	1		
BD.19033 Backing Piece, behind Motif 46–11 1 1 1 1 1 1 1 1 1						
BD.19034 Spring Clip, retaining Motif 46–12 1	C.16336	MOTIF	46–10	1		
## BD.19147 R.H. REAR BUMPER ASSEMBLY 1 ## BD.19148 L.H. REAR BUMPER ASSEMBLY 1 ## BD.15887 Bar Assembly only, for R.H. Rear Bumper 46–14 1 ## BD.15888 Bar Assembly only, for L.H. Rear Bumper 46–15 1 ## BD.19135 Over Rider Assembly, on R.H. Rear Bumper 46–16 1 ## BD.19136 Over Rider Assembly, on L.H. Rear Bumper 46–17 1 ## BD.19136 Over Rider Assembly, on L.H. Rear Bumper 46–17 1 ## BD.19136 UFN.137/L Nut, securing Over Rider to Rear Bumpers 2 ## FW.106/T Washer, Spring, under Nuts 2 ## Washer, Plain, under Spring Washers 2 ## BD.19149 Beading, between Over Rider and Rear Bumpers 46–18 2 ## UFS.131/6R Screw, Set. securing Rear Bumpers to Body 2	BD.19034	Spring Clip, retaining Motif	46-12	1		
BD.19148 L.H. REAR BUMPER ASSEMBLY BD.15887 Bar Assembly only, for R.H. Rear Bumper 46–14 1 BD.15888 Bar Assembly only, for L.H. Rear Bumper 46–15 1 BD.19135 Over Rider Assembly, on R.H. Rear Bumper 46–16 1 BD.19136 Over Rider Assembly, on L.H. Rear Bumper 46–17 1 UFN.137/L Nut, securing Over Rider to Rear Bumpers 2 FG.106/X Washer, Spring, under Nuts 2 FW.106/T Washer, Plain, under Spring Washers 2 BD.19149 Beading, between Over Rider and Rear Bumpers 46–18 2 UFS.131/6R Screw, Set. securing Rear Bumpers to Body 2						
BD.15887 Bar Assembly only, for R.H. Rear Bumper 46-14 1 BD.15888 Bar Assembly only, for L.H. Rear Bumper 46-15 1 BD.19135 Over Rider Assembly, on R.H. Rear Bumper 46-16 1 BD.19136 Over Rider Assembly, on L.H. Rear Bumper 46-17 1 UFN.137/L Nut, securing Over Rider to Rear Bumpers 2 FG.106/X Washer, Spring, under Nuts 2 FW.106/T Washer, Plain, under Spring Washers 2 BD.19149 Beading, between Over Rider and Rear Bumpers 46-18 2 UFS.131/6R Screw, Set. securing Rear Bumpers to Body 2	BD.19147	R.H. REAR BUMPER ASSEMBLY		1		
BD.15888 Bar Assembly only, for L.H. Rear Bumper 46-15 1 BD.19135 Over Rider Assembly, on R.H. Rear Bumper 46-16 1 BD.19136 Over Rider Assembly, on L.H. Rear Bumper 46-17 1 UFN.137/L Nut, securing Over Rider to Rear Bumpers 2 FG.106/X Washer, Spring, under Nuts 2 FW.106/T Washer, Plain, under Spring Washers 2 BD.19149 Beading, between Over Rider and Rear Bumpers 46-18 UFS.131/6R Screw, Set, securing Rear Bumpers to Body 2	BD.19148	L.H. REAR BUMPER ASSEMBLY		1		
UFS.131/6R Screw, Set, securing Rear Bumpers to Body 2	BD.15888 BD.19135 BD.19136 UFN.137/L FG.106/X FW.106/T	Bar Assembly only, for L.H. Rear Bumper Over Rider Assembly, on R.H. Rear Bumper Over Rider Assembly, on L.H. Rear Bumper Nut, securing Over Rider to Rear Bumpers Washer, Spring, under Nuts Washer, Plain, under Spring Washers	46–15 46–16 46–17	1 1 1 2 2 2		
UFN.137/L Nut, securing Rear Bumpers to Body FG.106/X Washer, Spring, on Setscrews and under Nuts FW.106/T Washer, Plain, under Spring Washers BD.20893 Nylon Spacer, at Rear Bumper mountings 4	UFS.131/6R FG.105/X FW.105/T UFS.137/10R UFN.137/L FG.106/X FW.106/T	Washer, Spring, on Setscrews Washer, Spring, on Setscrews Washer, Plain, under Spring Washers Screw, Set, securing Rear Bumpers to Body Nut, securing Rear Bumpers to Body Washer, Spring, on Setscrews and under Nuts Washer, Plain, under Spring Washers	10-10	2 2 2 2 2 4 4		

			TOR TIXED HEAD CO				
Part No.	Description	Plate No.	No. per Unit	Remarks			
BD.16789	CHROME FINISHER ASSEMBLY, AROUND R.H. HEADLAMP APERTURE	46-20	1				
BD.16790	CHROME FINISHER ASSEMBLY, AROUND L.H. HEADLAMP APERTURE	4 6–21	1				
BD.16786	GLASS IN R.H. HEADLAMP APERTURE	46 –22	1				
BD.16787	GLASS IN L.H. HEADLAMP APERTURE	4 6–23	1				
BD.16788	RUBBER SEAL AROUND HEADLAMP GLASSES	4 6–24	2				
BD.19013/2 BD.8633/2	Screw, Self-Tapping, securing Headlamp Finishers and Glasses to Bonnet Spire Nut, on Self-Tapping Screws		12 }	FOR USE ONLY WITH SPIRE NUT FIXING.			
BD.22780/4	Screw, Set, securing Finishers and Headlamp Glasses to Bonnet			OR USE ONLY WITH FAPPED PLATE FIXING.			
BD.17651	FINISHING PANEL ASSEMBLY IN R.H. HEADLAMP RECESS	46 –25	1				
BD.17652	FINISHING PANEL ASSEMBLY IN L.H. HEADLAMP RECESS	46-26	1				
BD.20543/1 UFS.119/6R UFS.119/8R AG.102/X AW.102/T UFN.119/L C.1094	Rubber Seal, for forward edge of Panels Screw, Set, securing Panels to Headlamp Diaphragms Screw, Set, securing Panels to Headlamp Diaphragms Washer, Spring, on Setscrews Washer, Plain, under Spring Washers Nut, on Setscrews Distance Piece, for Panels	46–27	2 2 4 6 6 6 As req'd				
BD.19029/2	CHROME BEADING FORWARD OF HEADLAMP APERTURES	46 –28	2				
BD.19029/1	CHROME BEADING, AT REAR OF HEADLAMP APERTURES	46-29	2				
BD.19030	Brass Clip, securing Chrome Beads	46 -30	22				

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20989	RUBBER PLUG SEALING APERTURE IN BONNET FRONT UNDER PANEL		1	NOT REQUIRED WHEN FRONT NUMBER PLATE CARRIER IS FITTED.
BD.20934	PIVOTED CARRIER BRACKET ASSEM- BLY FOR FRONT NUMBER PLATE		1	
UFN.125/L	Nut, securing Carrier Bracket to Bonnet Front Under		2	
C.724 BD.20939	Panel Washer, Shakeproof, under Nuts Packing Block (Aluminium) at Carrier Bracket fixings		2 2	TO BE FITTED ONLY AS REQUIRED
BD.20936	CONTROL ROD, OPERATING CARRIER BRACKET PIVOT WHEN BONNET IS MOVED		1	
C.13806	Clip, securing Control Rod to Carrier Bracket		1	J
C.4548	GROMMET, IN BONNET FRONT UNDER PANEL, FOR CONTROL ROD		, 1	
BD.20937	FORK END FOR CONNECTION OF CONTROL ROD TO BRACKET ON FRONT SUB-FRAME		1	TO BE FITTED ONLY AS REQUIRED
UFN.125/L	Nut, locking Fork End to Control Rod		1	
J.103/10S	Clevis Pin, securing Fork End to Bracket on Front		1	
L.102/4U AW.102/T	Sub-Frame Split Pin, retaining Clevis Pin Washer, Plain, behind Split Pin		1 1)
BD.20093	STONE GUARD ASSEMBLY AT REAR OF BONNET AIR INTAKE APERTURE	46-31	1	
BD.20150/3 C.723/A BD.541/34	Screw, Set, securing Stone Guard to Bonnet Washer, Shakeproof, on Setscrews Special Washer, under Shakeproof Washers, at side		8 8 6	
.AW.102/T	fixings Washer, Plain, under Shakeproof Washers at top fixings		2	
BD.20579 UFS.125/4R UFN.125/L C.724 FW.104/T	Bracket, for lower fixing of Stone Guard Screw, Set, securing Brackets and Stone Guard Nut, on Setscrews Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		2 4 4 4 4	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.18710	FRAME ASSEMBLY FOR FIXING OF STONE GUARD	46–32	1	
BD.19031	Felt Strip, at top of Frame $(\frac{1}{4}" \times \frac{5}{8}" \times 23")$		1	
BD.16839/2 BD.542/3	Screw, Self-Tapping, securing Frame to Bonnet Special Washer, on Self-Tapping Screws		6	
BD.20014	BONNET BALANCE LINK ASSEMBLY, R.H.	46-33	1	
BD.20015	BONNET BALANCE LINK ASSEMBLY, L.H.	46-34	1	
BD.19972 BD.20013/4 L.102/6U	Spring, on Bonnet Balance Links Brass Washer, at each side of spring "eyes" Split Pin, retaining Springs		4 16 8	
BD.8291/2 C.724 BD.541/20	Screw, Set, securing Balance Links to Bonnet Washer, Shakeproof, on Setscrews Special Washer, under Shakeproof Washers		8 8 8	
BD.19736 BD.20013/1 BD.20013/2 C.8667/1	Bolt (Shouldered) securing Balance Links to Front Frame Brass Washer, on Bolts Brass Washer, on Bolts Nut, Self-Locking, on Bolts		2 2 2 2	
BD.19178	GRILLE AT REAR OF BONNET	46-35	1	
BD.17290 UFS.419/4H C.723/A	Thread Cutting Fix, securing Grille to Bonnet Screw, Set, securing Grille to Bonnet Washer, Shakeproof, on Setscrews		2 2 2	
BD.20315	BONNET SAFETY CATCH ASSEMBLY	46-36	1	
DD.20318 J.103/15S L.102/4U BD.541/28	Spring, on Safety Catch Clevis Pin, through Safety Catch Split Pin, retaining Clevis Pin Special Washer, behind Split Pin		1 1 1	
BD.20319 UFS.419/3H C.723/A	Tapped Plate, for fixing of Safety Catch Screw, Set, securing Safety Catch to Bonnet Washer, Shakeproof, on Setscrews		1 4 4	
BD.20320	BRACKET, RECEIVING SAFETY CATCH	46 –37	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.19730	EXTENSION ASSEMBLY, AT REAR OF L.H. BONNET DUCT, FOR HEATER AIR INTAKE	46-38	1	
BD.23657 BD.16839/3 FG.104/X BD.542/3	Rubber Seal, for Air Intake Extension Screw, Self-Tapping, securing Extension to Bonnet Washer, Spring, on Self-Tapping Screws Special Washer, under Spring Washers	46-39	1 6 6 6	
BD.20816/1	Rubber Seal, between Bonnet L.H. Valance and Frame	46-40	1	
BD.20735 BD.20816/2	Side Member $(\frac{3}{3}, "\times 1\frac{3}{4}" \times 9\frac{1}{4}")$ Fixing Strip, for Rubber Seal Rubber Seal, between Bonnet L.H. Rear Diaphragm and	46-41 46-42	1	
BD.20736 BD.1814/2	Frame Side Member (\frac{1}{2}"\times 1\frac{1}{4}"\times 4") Fixing Strip, for Rubber Seal Pop Rivet, securing Fixing Strips	46-43	1 8	
BD.16015	LOCK ASSEMBLY AT R.H. SIDE OF BONNET (WB.3/10894)	46-44	1	
BD.16016	LOCK ASSEMBLY AT L.H. SIDE OF BONNET (WB.3/10893)	46-45	1	
UCS.419/4H AG.102/X	Screw, Set, securing Locks to Bonnet Washer, Spring, on Setscrews		8 8	
BD.2551	ESCUTCHEON FOR BONNET LOCKS	46-46	2	Fitted from Chassis No. 860001 to 860004. 885001 to 885020.
	(WB.16049/B)			
BD.540/9	Screw, Self-Tapping, securing Escutcheons		4	
BD.16012	BRACKET ASSEMBLY ENGAGING BONNET LOCKS	46-47	2	
UFS.119/6R C.723/A AW.102/T BD.16013	Screw, Set, securing Brackets to Body Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers Shim, under Brackets		4 4 4 As req'd	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.19890	R.H. LOCKING HOOK ASSEMBLY FOR BONNET		1	
BD.19891	L.H. LOCKING HOOK ASSEMBLY FOR BONNET		1	
BD.19894 C.8737/1	Lever, on Locking Hook Shafts Nut, securing Levers to Shafts		2 2	
BD.19883	BRACKET ASSEMBLY, MOUNTING LOCKING HOOKS		2	
BD.18307/2 C.724	Screw, Set, securing Brackets to Dash Washer, Shakeproof, on Setscrews		6	
BD.19977	HANDLE AND ROD ASSEMBLY FOR R.H. LOCKING HOOK		1	
BD.19978	HANDLE AND ROD ASSEMBLY FOR L.H. LOCKING HOOK		1	Fitted to Chassis No. 860005 and subs. 885021 and subs.
BD.19903 BD.19904 BD.19895 BD.19013/2 BD.8633/8	Handle only Escutcheon Neoprene Seal, on Rods Screw, Self-Tapping, securing Escutcheons to Body Speed Nut, on Self-Tapping Screws (5NU.1686)		2 2 2 4 4	
C.13806	Linkage Clip, securing Operating Rods to Locking Hooks		2	
BD.19905	BRACKET ASSEMBLY, ON BONNET SIDE PANEL, ENGAGING R.H. HOOK		1	
BD.19906	BRACKET ASSEMBLY, ON BONNET SIDE PANEL, ENGAGING L.H. HOOK		1	
BD.18307/2 C.724 BD.541/6	Screw, Set, securing Brackets to Bonnet Washer, Shakeproof, on Setscrews Special Washer, under Shakeproof Washers		4 4 4	
BD.19896 UFN.231/L BD.19936 BD.19917 BD.8291/2 C.724	Locating Peg, on Brackets Nut, securing Locating Pegs Rubber Buffer, on Locating Pegs Bracket, receiving Locating Pegs Screw, Set, securing Brackets to Dash Washer, Shakeproof, on Setscrews		2 4 2 2 4 4	

1011111				
Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20903/1	REST RUBBER FOR REAR EDGE OF BONNET	46-48	1	
BD.10224	RUBBER BUFFER, CUSHIONING BONNET SIDES IN CLOSED POSITION	46 -4 9	2	Fitted from Chassis No. 860001 to 860004.
UFS.131/8R UFN.231/L	Screw, Set, securing Rubber Buffers to Dash Nut, on Setscrews		2 2	885001 to 885020.
BD.15165	CARRIER BRACKET, FOR BATTERY TRAY	46-50	1	
UFS.125/4R FG.104/X FW.104/T UFN.125/L	Screw, Set, securing Carrier Bracket to L.H. Sill Washer, Spring, on Setscrews Washer, Plain, under Spring Washers Nut, on Setscrews		5 5 5 5	
BD.20048	R.H. UNDERSHIELD FOR FRONT FRAME	46 –51	1	
BD.20047	L.H. UNDERSHIELD FOR FRONT FRAME	46–52	1	
BD.20049 UFS.125/4R	Bracket, for fixing of Undershields to Front Frame Screw, Set, securing Brackets and Undershields to Front		4	
UFN.125/L C.724 FW.104/T	Frame Nut, on Setscrews Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		4 4 4	
BD.8633/6	Spire Nut, for fixing of Undershields to Sills and Mudshields		8	
BD.8691/1	Screw, Self-Tapping, securing Undershields to Sills and Mudshields		8	•
AW.102/T	Washer, Plain, on Self-Tapping Screws		8	
BD.25541	Seal (Canvas/Rubber) for L.H. Front Frame Undershield		1	Fitted to Chassis No. 861121 and subs. 888353 and subs. May be fitted to cars prior to above Chassis numbers, if desired.
BD.19522	R.H. MUDSHIELD ASSEMBLY	46–53	1	
BD.20425 BD.20426 BD.11712/2	Bracket, upper, for fixing of R.H. Mudshield Bracket, lower, for fixing of R.H. Mudshield Pop Rivet, securing Mudshield		1 1 2	
BD.20434/1 BD.20429 BD.20427 BD.1814/6	Rubber Seal (27½" long) for R.H. Mudshield Fixing Strip, securing Seal to R.H. Mudshield Fixing Strip, securing Seal to R.H. Sill Pop Rivet, securing Fixing Strips and Seal		1 1 1 11	

				OK HIXED HEAD	
Part No.	Description	Plate No.	No. per Unit	Remarks	
BD.19521	L.H. MUDSHIELD ASSEMBLY	46-54	1		
BD.20426	Bracket, for fixing of L.H. Mudshield		1		
BD.20434/2 BD.20428 BD.20427 BD.1814/6	Rubber Seal (143" long) for L.H. Mudshield Fixing Strip, securing Seal to L.H. Mudshield Fixing Strip, securing Seal to L.H. Sill Pop Rivet, securing Fixing Strips and Seal		1 1 1 8		
UFS.125/4R BD.541/20 UFN.125/L C.724	Screw, Set, securing Mudshields to Front Frame and Sills Washer, Special, on Setscrews Nut, on Setscrews Washer, Shakeproof, under Nuts		10 10 10 10		
BD.19714	SEAL HOUSING FOR LOWER STEER- ING COLUMN THROUGH DASH	46-55	1		
BD.20589	Sealing Ring (P.V.C.)	4 6–56	1	Fitted from Chassis No. 860001 to 860646.	
C.20488	Sealing Ring		1	Fitted to Chassis No. 860647 and subs.	R.H. DRIVE
BD.19710 BD.19716/1	Retainer, for Sealing Ring Screw, Self-Tapping, securing Retainer	46–57	1 3		CARS ONLY.
BD.19707 UFS.125/5R FW.104/T UFN.125/L C.724	Gasket, under Steering Column Seal Screw, Set, securing Seal to Dash Washer, Plain, on Setscrews Nut, on Setscrews Washer, Shakeproof, under Nuts	46–58	1 4 4 4		
BD.19712	COVER ASSEMBLY, SEALING REDUN- DANT BRAKE PEDAL HOUSING APERTURE IN DASH		1		
BD.19707	Gasket, under Cover		1	R.H. DRIVE CARS	ONLY.
UFN.125/L C.72 4 FW.104/T	Nut, securing Cover to Dash Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		4 4 4	j	
BD.19713	COVER ASSEMBLY, SEALING REDUNDANT ACCELERATOR PEDAL HOUSING APERTURE IN DASH		1		
BD.19708 UFN.125/L C.724 FW.104/T	Gasket, under Cover Nut, securing Cover to Dash Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		1 4 4 4	R.H. DRIVE CARS	ONLY.
BD.19712	COVER ASSEMBLY, SEALING REDUN- DANT BRAKE PEDAL AND STEERING COLUMN APERTURES IN DASH		2	L.H. DRIVE CARS (ONI Y
BD.19707 UFN.125/L C.724 FW.104/T	Gasket, under Covers Nut, securing Covers to Dash Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		2 8 8 8	L.H. DRIVE CARS	JALI.

BODY FITTINGS

Part No.	Description	Plate No.	No. per Unit	Remarks	
BD.19711	COVER ASSEMBLY, SEALING REDUN- DANT ACCELERATOR PEDAL HOUSING APERTURE IN DASH		1	L.H. DRIVE CARS C	ONLY.
BD.19706 UFN.125/L C.724 FW.104/T	Gasket, under Cover Nut, securing Cover to Dash Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		1 3 3 3 3		· · · · · · · · · · · · · · · · · · ·
BD.20589	SEAL, IN ACCELERATOR PEDAL HOUSING, FOR LOWER STEERING COLUMN		. 1	Fitted from Chassis No. 885001 to 886213.	
C.20488	SEAL, IN ACCELERATOR PEDAL HOUSING, FOR LOWER STEERING COLUMN		1	Fitted to Chassis No. 886214 and subs.	L.H. DRIVE CARS ONLY.
BD.19710 UCS.413/3H C.721	Retainer, for Seal Screw, Set, securing Retainer Washer, Shakeproof, on Setscrews		1 3 3		
BD.19717	PLUG (BLACK P.V.C.) SEALING REDUNDANT HOLES IN DASH		3		
BD.19360	WINDSCREEN GLASS	46-59	1		
BD.20499 BD.19359 BD.20562 BD.20563 BD.19561 BD.19562	Rubber Seal, around Windscreen Glass Rubber Insert, for Seal Chrome Finisher, at bottom edge of Windscreen Chrome Finisher, at top edge of Windscreen Chrome Finisher, at R.H. side of Windscreen Chrome Finisher, at L.H. side of Windscreen	46-60 46-61 46-62 46-63 46-64 46-65	1 1 1 1 1		
BD.21365	R.H. SUN VISOR ASSEMBLY, COMPLETE		1		
BD.21366	L.H. SUN VISOR ASSEMBLY, COMPLETE		1		
BD.13642/5	Screw, Set, securing Sun Visors to Body		1		
BD.21181	LICENCE HOLDER ON WINDSCREEN		1.		

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20634	SCREEN RAIL FACIA ASSEMBLY, COMPLETE	47– 1	1,	FOR SPARES REPLACEMENTS
BD.20632 BD.20591 BD.20592 BD.539/22	Bezel, for centre Demister Slot Bezel, for intermediate Demister Slots Bezel, for outer Demister Slots Screw, Self-Tapping, securing Bezels		1 2 2 10 .	→ USE BD.23832 TOGETHER WITH BD.25214.
BD.23832	SCREEN RAIL FACIA ASSEMBLY, COMPLETE		1	
	All items are as for Screen Rail Facia Assembly BD.20634.		2	MAY BE USED TO REPLACE BD.20634.
BD.25214	"Y" Piece, for Air Duct Hoses			
UFN.119/L C.723/A AW.102/T	Nut, securing Screen Rail Facia Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		4 4	J
BD.21182 BD.21183 BD.1814/2 BD.20565 BD.20566	Bracket, for R.H. outer fixing of Screen Rail Facia Bracket, for L.H. outer fixing of Screen Rail Facia Pop Rivet, securing Brackets to Dash Bracket, for R.H. inner fixing of Screen Rail Facia Bracket, for L.H. inner fixing of Screen Rail Facia		4 1 1 4 1	
BD.19643	L.H. FACIA PANEL ASSEMBLY	47- 2	1	R.H. DRIVE CARS ONLY.
BD.19699 BD.20605 UFN.119/L C.723/A BD.1229/16 C.1094 BD.20633/1	Cubby Box in L.H. Facia Fixing Strip, securing Cubby Box at top Nut, securing Fixing Strip Washer, Shakeproof, under Nuts Screw, Self-Tapping, securing Cubby Box at bottom Distance Piece, on Self-Tapping Screws Spire Nut, on Self-Tapping Screws		1 1 3 3 3 3	
BD.19644	R.H. FACIA PANEL ASSEMBLY	47- 3	1	R.H. DRIVE CARS ONLY.
BD.19645	L.H. FACIA PANEL ASSEMBLY		1	L.H. DRIVE CARS ONLY, BUT NOT REQUIRED FOR ITALY.
BD.20812	L.H. FACIA PANEL ASSEMBLY		1	REQUIRED ONLY FOR L.H. DRIVE CARS EXPORTED TO ITALY.

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.19646	R.H. FACIA PANEL ASSEMBLY		1	L.H. DRIVE CARS ONLY.
BD.19698 BD.20605 UFN.119/L C.723/A BD.1229/16 C.1094 BD.20633/1	Cubby Box in R.H. Facia Fixing Strip, securing Cubby Box at top Nut, securing Fixing Strip Washer, Shakeproof, under Nuts Screw, Self-Tapping, securing Cubby Box at bottom Distance Piece, on Self-Tapping Screws Spire Nut, on Self-Tapping Screws		1 1 3 3 3 3 3	
BD.20861/1 UFS.119/3R C.723/A AW.102/T	Screw, Set, Pan Head, securing Facia Panels at centre Screw, Set, securing Facia Panels at centre Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers		4 2 4 6	
BD.19241 BD.19242 BD.1814/2 UFN.119/L C.723/A	Bracket, for fixing of L.H. Facia to Dash side Bracket, for fixing of R.H. Facia to Dash side Pop Rivet, securing Brackets Nut, securing Facias to Brackets Washer, Shakeproof, under Nuts		1 1 4 4 4	
BD.20636	GRAB HANDLE ASSEMBLY AT R.H. SIDE OF DASH		1	L.H. DRIVE CARS ONLY.
BD.20637	GRAB HANDLE ASSEMBLY AT L.H. SIDE OF DASH	47- 4	. 1	R.H. DRIVE CARS ONLY.
UCS.119/3R C.723/A	Screw, Set, securing Grab Handle to Facia Panel Washer, Shakeproof, on Setscrews		2 2	
BD.20640 BD.540/19 BD.20639 C.739	Bracket, for fixing of Grab Handle to Dash Side Screw, Self-Tapping, securing Bracket Special Bolt, securing Grab Handle to Bracket Washer, Shakeproof, on Special Bolt		1 2 1 1	
BD. 20462	SCUTTLE TOP CASING ASSEMBLY, R.H.	47- 5	1	
BD.20463	SCUTTLE TOP CASING ASSEMBLY, L.H.	47- 6	1 .	R.H. DRIVE CARS ONLY.
BD.20470	SCUTTLE TOP CASING ASSEMBLY, CENTRE	47- 7	1	
BD.20728	COVER ASSEMBLY, PROTECTING WIRING HARNESS AT L.H. SIDE OF DASH	4 7– 8	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20464	SCUTTLE TOP CASING ASSEMBLY, R.H.		1	
BD.20465	SCUTTLE TOP CASING ASSEMBLY, L.H.		1	L.H. DRIVE CARS ONLY.
BD.20471	SCUTTLE TOP CASING ASSEMBLY, CENTRE		1	
BD.21136 BD.8537/1 BD.532/2 BD.8536/6	Fixing Bracket, for Scuttle Casings Screw, Self-Tapping, securing Casings Cup Washer, on Self-Tapping Screws Spire Nut, on Self-Tapping Screws		4 2 2 2	
BD.20035	FRONT FINISHER PANEL ASSEMBLY ABOVE GEARBOX TUNNEL	47- 9	1	
BD.19967 BD.19984 UCN.113/L C.721 AW.104/T BD.20409 BD.22669 BD.13713/2 C.2017/1	Face Panel, for Front Finisher Grille Assembly in Loudspeaker Apertures Nut, securing Grilles to Front Finisher Panel Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers Ash Tray and Panel Assembly Tapped Plate, securing Ash Tray Panel to Front Finisher Panel Screw, Set, securing Ash Tray Panel to Front Finisher Panel Washer, Special, on Setscrews		1 2 8 8 8 8 1 2	Fitted from Chassis No. 860001 to 860912. 885001 to 887131.
BD.23648	FRONT FINISHER PANEL ASSEMBLY ABOVE GEARBOX TUNNEL		1]
BD.23649	Face Panel, for Front Finisher All other items are as for Front Finisher Assembly BD.20035.		1	Fitted to Chassis No. 860913 and subs. 887132 and subs.
BD.19049	Bracket Assembly, L.H., for fixing of Front Finisher		1	
BD.19050	Panel Bracket Assembly, R.H., for fixing of Front Finisher Panel		1	
UFS.419/4H C.723/A	Screw, Set, securing Brackets to Door Washer, Shakeproof, on Setscrews		4 4	
BD.17589 BD.541/32	Knob, securing Front Finisher Panel Special Washer, behind Knobs		4	
BD.20409	ASH TRAY AND PANEL ASSEMBLY		1	
BD.20403 BD.20410 BD.20412 AN.106/K C.720 BD.24393 BD.24394 BD.540/19 BD.711/9	Panel Assembly Ash Tray Assembly, complete Motif only, on Ash Tray Nut, securing Motif Washer, Shakeproof, under Nut Light Shield (Rubber Strip 16"×4"×10") Retainer, for Light Shield Self-Tapping Screw, securing Retainer Self-Tapping Screw, securing Retainer	47–10 47–11	1 1 1 1 1 1 1 2 2	

BODY FITTINGS

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20722	FINISHER PANEL ASSEMBLY IN RADIO CONTROL UNIT APERTURE	47-12	1	NOT REQUIRED WHEN RADIO IS
UFN.119/L C.723/A BD.541/13	Nut, securing Finisher to Front Finisher Panel Washer, Shakeproof, under Nuts Special Washer, under Shakeproof Washers		2 2 2	FITTED.
BD.17354	BASE PLATE AND SURROUND (CHROME PLATED) FOR RADIO APERTURE FINISHER PANEL	47–13	, 1	NOT REQUIRED WHEN RADIO IS FITTED.
BD.15488	GEARBOX COVER	47–14	1	SUPERSEDED BY BD.24129.
BD.8691/7 BD.542/3	Screw, Self-Tapping, securing Gearbox Cover Washer, Plain, on Self-Tapping Screws		12 12	
BD.24129	GEARBOX COVER		1	SUPERSEDES BD.15488.
BD.8691/7 BD.542/3	Screw, Self-Tapping, securing Gearbox Cover Washer, Plain, on Self-Tapping Screws		12 12	
BD.10821	RUBBER PLUG, SEALING GEARBOX ACCESS APERTURES		2	
8D.20031	FINISHER PANEL ASSEMBLY ON GEARBOX COVER AND PROPELLER SHAFT TUNNEL	4 7–15	1	Fitted from Chassis No.
BD.19979 BD.19971 BD.19981 BD.22385	Top Face Panel Gauntlet Face Panel Chrome Bezel, at top of Gauntlet Panel Rivet, securing Bezel to Gauntlet Panel		1 1 1 14	860001 to 860912. 885001 to 887131.
BD.23650	FINISHER PANEL ASSEMBLY ON GEARBOX COVER AND PROPELLER SHAFT TUNNEL		1	Fitted to Chassis No. 860913 and subs.
BD.23651 BD.23652 BD.19981 BD.22385	Top Face Panel Gauntlet Face Panel Chrome Bezel, at top of Gauntlet Panel Rivet, securing Bezel to Gauntlet Panel		1 1 1	887132 and subs.
BD.20469	Seal, for Handbrake Lever Aperture		1	
BD.19728 BD.19729	(Rubber Strip $\frac{1}{10}'' \times 2\frac{1}{2}'' \times 6''$) Chrome Ferrule, at top of Gear Lever Gauntlet Ferrule Base (Nylon)		1	
BD.17546/1 BD.541/32	Screw, Set, securing Finisher Panel to Tunnel Special Washer, on Setscrews		3	
BD.24175	SEAT SQUAB FRAME ASSEMBLY (TRIMMED)	47 – 16	2	

FOR FIXED HEAD COUPE ONLY

Part No.	Description	Plate No.	No. per Unit Remarks
BD.20148	SEAT CUSHION ASSEMBLY	47–17	2
BD.18958	LOCKING SLIDE FOR R.H. SEAT	47–18	Fitted from Chassis No. 860001 to 860580.
BD.18959	LOCKING SLIDE FOR L.H. SEAT		885001 to 886092.
BD. 2281 0	LOCKING SLIDE FOR L.H. SEAT		Fitted to Chassis No. 860581 and subs.
BD. 228 11	LOCKING SLIDE FOR R.H. SEAT		886093 and subs.
BD.18960	SEAT SLIDE (PLAIN)	47–19	 Fitted from Chassis No. 960001 to 860580. 885001 to 886092.
BD.22812	SEAT SLIDE (PLAIN)		2 Fitted to Chassis No. 860581 and subs. 886093 and subs.
BD.18117/4 BD.17648 UFN.125/L BD.542/3 C.724 C.18698	Screw, Set, securing Slides to Floor Packing, between Slides and Floor Nut, securing Slides to Seats Washer, Special, under Nuts Washer, Shakeproof, on Setscrews and under Nuts Distance Piece, at fixings of Slides to Seats		8 8 8 8 8 16
BD.19378 UFS.519/4H UFN.119/L C.723/A C.5203/1	Support Strap, for Adjusting Levers Screw, Set, securing Support Straps Nut, on Setscrews Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		2 4 4 4 4
BD.20436	SHIELD ASSEMBLY, FRONT, FOR HEAT INSULATION FROM EXHAUST SYSTEM	47–20	 Fitted from Chassis No. 860001 to 861061. 885001 to 888081.
BD.25237	SHIELD ASSEMBLY, FRONT, FOR HEAT INSULATION FROM EXHAUST SYSTEM		1 Fitted to Chassis No. 861062 and subs. 888082 and subs. See note below.
BD.711/23 UFS.125/3R C.724 BD.19059/1	Screw, Self-Tapping, securing Shield to Floor Screw, Set, securing Shield to Floor Washer, Shakeproof, on Setscrews Screw, Self-Tapping, securing Shield to Gearbox Side		2 1 1 1
BD.18545 BD.8633/2	Panel Cup Washer, on Self-Tapping Screw Spire Nut, on Self-Tapping Screw		1

NOTE: The following cars were fitted with BD.20436 Heat Shield:
R.H. Drive 861087.
L.H. Drive 888086, 888096, 888101, 888103, 888109, 888113, 888117, 888118, 888120, 888134, 888157, 888178, 888238.

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20439	SHIELD ASSEMBLY, REAR, FOR HEAT INSULATION FROM EXHAUST SYSTEM	47–21	1	
BD.1814/5	Pop Rivet, securing Shield to Body		8	
BD.20268	TRIM PANEL ASSEMBLY, FOR SHUT PILLAR, AT R.H. QUARTER	47–22	1	Fitted from Chassis No. > 860001 to 861098.
BD.20269	TRIM PANEL ASSEMBLY, FOR SHUT PILLAR, AT L.H. QUARTER		. 1	885001 to 888301.
BD.24463	TRIM PANEL ASSEMBLY, FOR SHUT PILLAR, AT R.H. QUARTER		1	
BD.24464	TRIM PANEL ASSEMBLY, FOR SHUT PILLAR, AT L.H. QUARTER		1	Fitted to Chassis No. 861099 and subs. 888302 and subs.
BD.21068/5	DRAUGHT PIPING ON SHUT PILLARS		2	
BD.20266	TRIM PANEL, REAR, ABOVE R.H. CANTRAIL	47-23	1	
BD. 2 0267	TRIM PANEL, REAR, ABOVE L.H. CANTRAIL		1	
BD.20216	MAT ASSEMBLY, ON FLOOR BEHIND SEATS	47– 24	2	Fitted from Chassis No. 860001 to 860580. 885001 to 886092.
BD.23624	MAT ASSEMBLY, ON FLOOR BEHIND SEATS		2	Fitted to Chassis No. 860581 and subs. 886093 and subs.

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20751	R.H. DOOR ASSEMBLY, COMPLETE (INCLUDING GLASS, TRIM, LOCK AND HANDLES, ETC.)		1	
				Fitted from Chassis No. > 860001 to 860478. 885001 to 886013.
BD.20752	L.H. DOOR ASSEMBLY, COMPLETE (INCLUDING GLASS, TRIM, LOCK AND HANDLES, ETC.)		1	
BD.22351	R.H. DOOR ASSEMBLY, COMPLETE (INCLUDING GLASS, TRIM, LOCK AND HANDLES, ETC.)		1	
				Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.22352	L.H. DOOR ASSEMBLY, COMPLETE (INCLUDING GLASS, TRIM, LOCK AND HANDLES, ETC.)		1	J doort and subs.
BD.20095	LOCK ASSEMBLY ON R.H. DOOR (WB.3/11289)		1	
BD.20096	LOCK ASSEMBLY ON L.H. DOOR (WB.3/11290)	48- 1	1	
BD.19445 BD.23473 BD.1708;9	Link, between Lock and Outside Handle (WB.1/8881) Clip, retaining Links (WB.3/6928) Spring Washer, for Link fixing at Lock	48- 2 48- 3	2 4 2	
UFS.419/3H C.723/A BD.20780/3	Screw, Set, securing Lock to Doors Washer, Shakeproof, on Setscrews Shakeproof Screw, securing Lock to Doors		6 6 2	
BD.19245	OUTSIDE HANDLE ON R.H. DOOR (WB.1/8871)		1	
7903	Operating Lever Assembly, for R.H. Door Handle (1/6491)	:	1	
9601 BD.21486	Housing, for Tension Spring in R.H. Handle (1/8868) Locking Barrel, for "F" series Key, in Handle		1	
BD.19246	OUTSIDE HANDLE ON L.H. DOOR (WB.1/8870)	48- 4	1	
7904	Operating Lever Assembly, for L.H. Door Handle (1/6492)		1	
9602 BD.21486	Housing, for Tension Spring, in L.H. Handle (1/8869 Locking Barrel for "F" series Key, in Handle)	1	
UFN.119/L C.723/A AW.102/T	Nut, securing Outside Handles Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		4 4	

BD.20098 REMOTE CONTROL AND LINK ASSEMBLY, FOR OPERATION OF R.H. DOOR LOCK (WB.3/16347) 1	
ASSEMBLY, FOR OPERATION OF L.H. DOOR LOCK (WB.3/16348) BD.19575 Wavy Washer, at connection of Link to Lock BD.23473 Spring Clip, securing Link to Lock BD.19574 Washer, Special, behind Spring Clips UFS.419/3H Screw, Set, securing Remote Control to Doors C.723/A Washer, Shakeproof, on Setscrews BD.10728 INSIDE HANDLE FOR DOORS (WB.1/3858) BD.10729 HANDLE OPERATING WINDOW REGULATORS (WB.1/6671) BD.10730 OUTER ESCUTCHEON BEHIND REGULATOR AND INSIDE DOOR 48- 6 2 48- 7 2 48- 7 2 48- 7 2 48- 7 6 48- 7 6 48- 7 2 48- 8 2 48- 8 2	
BD.23473 BD.19574 Spring Clip, securing Link to Lock Washer, Special, behind Spring Clips UFS.419/3H C.723/A Screw, Set, securing Remote Control to Doors Washer, Shakeproof, on Setscrews BD.10728 INSIDE HANDLE FOR DOORS (WB.1/3858) BD.10729 HANDLE OPERATING WINDOW REGULATORS (WB.1/6671) BD.10730 OUTER ESCUTCHEON BEHIND REGULATOR AND INSIDE DOOR 48- 7 2 2 48- 7 2 2 48- 7 2 48- 7 2 48- 7 2 48- 7 2 48- 8 2	
C.723/A Washer, Shakeproof, on Setscrews 6 BD.10728 INSIDE HANDLE FOR DOORS 48-8 2 (WB.1/3858) BD.10729 HANDLE OPERATING WINDOW 48-9 2 REGULATORS (WB.1/6671) BD.10730 OUTER ESCUTCHEON BEHIND 48-10 4 REGULATOR AND INSIDE DOOR	
(WB.1/3858) BD.10729 HANDLE OPERATING WINDOW 48-9 2 REGULATORS (WB.1/6671) BD.10730 OUTER ESCUTCHEON BEHIND 48-10 4 REGULATOR AND INSIDE DOOR	
REGULATORS (WB.1/6671) BD.10730 OUTER ESCUTCHEON BEHIND 48-10 4 REGULATOR AND INSIDE DOOR	
REGULATOR AND INSIDE DOOR	
TIMEDEC (TIME)	
BD.10731 INNER ESCUTCHEON BEHIND 48-11 4 REGULATOR AND INSIDE DOOR HANDLES (W.129)	
BD.10732 SPRING BEHIND ESCUTCHEONS 48-12 4 (41/379)	
BD.10734 Rubber Plug, behind Handles (16-10) 48-13 4 BD.10733 Peg, securing Handles to Remote Controls and Regulators 48-14	
BD.20522 REGULATOR ASSEMBLY, FOR WINDOW IN R.H. DOOR	
BD.20523 REGULATOR ASSEMBLY, FOR 48-15 1 WINDOW IN L.H. DOOR	
UFS.425/3H Screw, Set, securing Regulator to Doors 8 UFN.125/L O.724 Screw, Set, securing Regulator to Doors 8 Washer, Shakeproof, on Setscrews and under Nuts 16	

				K TIALD TILAD COOTE ONE
Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20511	FRAME ASSEMBLY, FOR WINDOW IN R.H. DOOR		1	Fitted from Chassis No.
BD.20512	FRAME ASSEMBLY, FOR WINDOW IN L.H. DOOR	48–16	1	860001 to 860478. 885001 to 886013.
3D. 2 0773	FRAME ASSEMBLY, FOR WINDOW IN R.H. DOOR		1	
				Fitted to Chassis No. 860479 and subs.
BD. 20774	FRAME ASSEMBLY, FOR WINDOW IN L.H. DOOR		1	886014 and subs.
BD.16465 BD.20668 UFN.125/L C.724 FW.104/T	Bracket, for forward fixing of Window Frames Bracket, for rear fixing of Window Frames Nut. securing Brackets to Doors and Frames to Brackets Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers	48–17 48–18	2 2 8 8 8	
BD.17622/1	Screw, Self-Tapping, securing Window Frames to Doors		6	
3D. 17621	at top Spire Nut, on Self-Tapping Screws		6	
BD.20517	GLASS ASSEMBLY, FOR WINDOW IN R.H. DOOR		1	
BD.2051 8	GLASS ASSEMBLY, FOR WINDOW IN L.H. DOOR	48–19	1	
BD.23361	FELT IN FORWARD AND TOP CHANNELS OF WINDOW FRAMES (32" × 1" × 49")	48–20	2	
3D.10099	FELT IN REAR CHANNEL OF WINDOW FRAMES $(\frac{3}{32}'' \times 1'' \times 28'')$	48–21	2	
BD.16 700	OUTER SEAL FOR DOOR GLASS	48–22	2	
SD.10413	Clip, securing Outer Seals	48-23	14	
BD.19070	STRIKER FOR MAP LIGHT DOOR	48-24	4	
BD.539/15	SWITCHES Screw, Self-Tapping, securing Strikers		4	
00.337,13	Geren, Jen-rapping, securing strikers		7	

R.H. DOOR BD.20010/3 Weather Strip, for Door Glass 1 Clip, securing Inner Seal 5 BD.19612 UPPER TRIM PANEL ASSEMBLY ON 48-25 1 L.H. DOOR BD.20010/3 Weather Strip, for Door Glass 1 Clip, securing Inner Seal 5 BD.20190 CHROME FINISHER ON UPPER TRIM 48-26 2 PANELS BD.17497 Clip, securing Finishers 10	Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20399 Clip, securing Inner Seal 5	BD.19611			1	
L.H. DOOR	BD.20010/3 BD.20399	Weather Strip, for Door Glass Clip, securing Inner Seal			
### ### ##############################	BD.19612		48-25	,1	
## PANELS ## BD.17497	BD.20010/3 BD.20399	Weather Strip, for Door Glass Clip, securing Inner Seal			
### BD.711/1	BD.20190		48-26	2	
BD.20568 CASING ASSEMBLY ON L.H. DOOR 48-27 1 BD.18068 Clip, for fixing of Casings 42 BD.711/3 Screw, Self-Tapping, securing Casing to Doors 4 BD.20503 CHROME FINISHER ON DOOR 48-28 2 CASINGS BD.11546 Clip, securing Chrome Finishers 10 BD.19295 STRIKER FOR R.H. DOOR LOCK (WB.3/8994) 1 BD.19296 STRIKER FOR L.H. DOOR LOCK (WB.3/8995) 1 BD.19297 Shakeproof Shim, under Strikers (WB.3/9586) 2 Shim, packing Strikers (20 S.W.G.) As req'd 5crew, Set, securing Strikers (Door Sills) 2 BD.19129 CHROME FINISHER AT EDGE OF 48-30 2 CHROME FINISHER AT EDGE OF 48-30 2	BD.17497 BD.711/1	Clip, securing Finishers Screw, Self-Tapping, securing Clips			
BD.18068 Clip, for fixing of Casings 42 BD.711/3 Screw, Self-Tapping, securing Casing to Doors 4 BD.20503 CHROME FINISHER ON DOOR CASINGS 48–28 2 BD.11546 Clip, securing Chrome Finishers 10 BD.19295 STRIKER FOR R.H. DOOR LOCK (WB.3/8994) 1 BD.19296 STRIKER FOR L.H. DOOR LOCK (WB.3/8995) \$9–29 1 BD.19297 Shakeproof Shim, under Strikers (WB.3/9586) Shim, packing Strikers (20 S.W.G.) 2 As req'd As req'd As req'd Screw, Set, securing Strikers BD.19129 CHROME FINISHER AT EDGE OF DOOR SILLS 48–30 2	BD.20567	CASING ASSEMBLY ON R.H. DOOR		1	
BD.711/3 Screw, Self-Tapping, securing Casing to Doors 4 BD.20503 CHROME FINISHER ON DOOR 48–28 2 CASINGS BD.11546 Clip, securing Chrome Finishers 10 BD.19295 STRIKER FOR R.H. DOOR LOCK (WB.3/8994) 1 BD.19296 STRIKER FOR L.H. DOOR LOCK (WB.3/8995) 1 BD.19297 Shakeproof Shim, under Strikers (WB.3/9586) Shim, packing Strikers (20 S.W.G.) As req'd 6 BD.19297 Screw, Set, securing Strikers (20 S.W.G.) 6 BD.19129 CHROME FINISHER AT EDGE OF 48–30 2 DOOR SILLS	BD.20568	CASING ASSEMBLY ON L.H. DOOR	48–27	1	
BD.20503 CHROME FINISHER ON DOOR 48-28 2 CASINGS BD.11546 Clip, securing Chrome Finishers 10 BD.19295 STRIKER FOR R.H. DOOR LOCK (WB.3/8994) BD.19296 STRIKER FOR L.H. DOOR LOCK (WB.3/8995) BD.19297 Shakeproof Shim, under Strikers (WB.3/9586) Shim, packing Strikers (20 S.W.G.) As req'd 6 BD.19297 Screw, Set, securing Strikers BD.19298 CHROME FINISHER AT EDGE OF 48-30 2 CHROME FINISHER AT EDGE OF 48-30 2	BD.18068	Clip, for fixing of Casings		42	
CASINGS BD.11546 Clip, securing Chrome Finishers 10 BD.19295 STRIKER FOR R.H. DOOR LOCK (WB.3/8994) BD.19296 STRIKER FOR L.H. DOOR LOCK (WB.3/8995) BD.19297 Shakeproof Shim, under Strikers (WB.3/9586) Shim, packing Strikers (20 S.W.G.) As req'd Screw, Set, securing Strikers 6 BD.19129 CHROME FINISHER AT EDGE OF 48–30 2 DOOR SILLS	BD.711/3	Screw, Self-Tapping, securing Casing to Doors		4	
BD.19295 STRIKER FOR R.H. DOOR LOCK (WB.3/8994) BD.19296 STRIKER FOR L.H. DOOR LOCK (WB.3/8995) BD.19297 Shakeproof Shim, under Strikers (WB.3/9586) 2 Shim, packing Strikers (20 S.W.G.) As req'd Screw, Set, securing Strikers 6 BD.19129 CHROME FINISHER AT EDGE OF 48–30 2 DOOR SILLS	BD.20503		48-28	2	
(WB.3/8994) BD.19296 STRIKER FOR L.H. DOOR LOCK (WB.3/8995) BD.19297 Shakeproof Shim, under Strikers (WB.3/9586) 2 BD.19298 Shim, packing Strikers (20 S.W.G.) As req'd Screw, Set, securing Strikers BD.19129 CHROME FINISHER AT EDGE OF 48–30 2 DOOR SILLS	BD.11546	Clip, securing Chrome Finishers		10	
(WB.3/8995) BD.19297 Shakeproof Shim, under Strikers (WB.3/9586) 2 BD.19298 Shim, packing Strikers (20 S.W.G.) As req'd BD.17821/7 Screw, Set, securing Strikers 6 BD.19129 CHROME FINISHER AT EDGE OF 48–30 2 DOOR SILLS	BD.19295			1	
BD.19298 BD.17821/7 Screw, Set, securing Strikers As req'd 6 BD.19129 CHROME FINISHER AT EDGE OF 48–30 DOOR SILLS As req'd 6	BD.19296		4 8–29	1	
DOOR SILLS	BD.19298	Shim, packing Strikers (20 S.W.G.)		As req'd	
	BD.19129		48–30	2	
	BD.16794			14	

				N FIXED HEAD COUPE ONL
Part No.	Description	Plate No.	No. per Unit	Remarks
BD.25376	SEALING RUBBER AND RETAINER ASSEMBLY, LOWER, FOR R.H. "A" POST		1	
BD.25308	Sealing Rubber only		1	
BD. 25377	SEALING RUBBER AND RETAINER ASSEMBLY, LOWER, FOR L.H. "A" POST	48-31	1	
BD.25309	Sealing Rubber only		1	
BD.21197	SEALING RUBBER FOR DOOR SILLS	4832	2	SUPERSEDED BY BD.24789.
BD.24789	SEALING RUBBER FOR DOOR SILLS		2	SUPERSEDES BD.21197.
BD.21196	SEALING RUBBER FOR BODY SHUT PILLARS	48–33	2	
BD.19397/1	SEALING RUBBER, IN TOP CHANNEL OF DOOR LIGHT FRAMES	48-34	2	
3D.19622	GLASS ASSEMBLY FOR R.H. QUARTER LIGHT		1	
BD.19623	GLASS ASSEMBLY FOR L.H. QUARTER LIGHT	48–35	1	Fitted from Chassis No. 860001 to 860194. 885001 to 885584.
3D.20494 3D.4899/1	Hinge Plate, for Quarter Lights Screw, Set, securing Hinge Plates to Hinge Pillars	48–36	2 10	
3D.22462	GLASS ASSEMBLY, FOR R.H.QUARTER LIGHT		1	Fitted from Chassis No.
3D. 22463	GLASS ASSEMBLY FOR L.H. QUARTER LIGHT		1	860195 to 860478. 885585 to 886013.
3D.21230 3D.17276/1	Attachment Block, for Quarter Light Catch Arm Screw, Set, securing Attachment Blocks to Quarter Light Frames		2 4	MAY BE USED TO REPLACE BD.19622 AND BD.19623.
3D. 20494 3D. 4899 /1	Hinge Plate, for Quarter Lights Screw, Set, securing Hinge Plates to Hinge Pillars		10	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20757	GLASS ASSEMBLY FOR R.H. QUARTER LIGHT		1	
BD.20758	GLASS ASSEMBLY FOR L.H. QUARTER LIGHT		1	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.21230 BD.17276/1	Attachment Block, for Quarter Light Catch Arm Screw, Set, securing Attachment Blocks to Quarter Light Frames		2 4	
BD.22515 BD.4899/1	Hinge Plate, for Quarter Lights Screw, Set, securing Hinge Plates to Hinge Pillars		10	
BD.20367	HINGE PILLAR ASSEMBLY FOR R.H. QUARTER LIGHT		1	
BD.20368	HINGE PILLAR ASSEMBLY FOR L.H. QUARTER LIGHT	48-37	1	Fitted from Chassis No. 860001 to 860478. 885001 to 886013.
BD.22331	Screw, Shakeproof Thread, securing Hinge Pillars to		4	
UCS.516/4H BD.22332	Body (Top) Screw, Set, securing Hinge Pillars to Body (Top) Tapped Plate Fixing (Bottom)		4 2	J
BD.20766	HINGE PILLAR ASSEMBLY FOR R.H. QUARTER LIGHT		1	
BD.20767	HINGE PILLAR ASSEMBLY FOR L.H. QUARTER LIGHT		1	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.22728/4 BD.22726 BD.22727	Screw, Set, securing Hinge Pillars to Body Shim, at top of Hinge Pillars Shim, at bottom of Hinge Pillars		8 As req'd As req'd	
BD.17071/2	SEALING RUBBER ON QUARTER LIGHT HINGE PILLARS	4 8–38	2	
BD.17071/2	SEALING RUBBER ON STANDING PILLAR OF DOOR LIGHT FRAME	4 8–39	2	

	- · · · · · · · · · · · · · · · · · · ·			
Part No.	Description	Plate No.	No. per Unit	Remarks
BD.21307	CATCH ASSEMBLY OPERATING R.H. QUARTER LIGHT		1	
BD.21308	CATCH ASSEMBLY OPERATING L.H. QUARTER LIGHT	48-40	1	Fitted from Chassis No. 860001 to 860194. 885001 to 885584.
BD.21232	Hinge Pin, securing Catch Arm to Quarter Light Frame	48-41	2	
BD.4863/2	Screw, Set, securing Catches to Body		4	
BD.21127	CATCH ASSEMBLY OPERATING R.H. QUARTER LIGHT		1	
BD.21128	CATCH ASSEMBLY OPERATING L.H. QUARTER LIGHT		1	Fitted from Chassis No. > 860195 to 860478. 885585 to 886013.
BD.22297 BD.1814/2 BD.21232 BD.22296	Reinforcing Plate, for Catch Assembly Pop Rivet, securing Reinforcing Plate Hinge Pin, securing Catch Arm to Quarter Light Frame Screw, Special, securing Catches to Body		2 4 2 4	
BD.20467	CATCH ASSEMBLY OPERATING R.H. QUARTER LIGHT		1	
				Fitted from Chassis No. 860479 to 861098.
BD.20468	CATCH ASSEMBLY OPERATING L.H. QUARTER LIGHT		1	886014 to 888301.
BD.21232 BD.539/23	Hinge Pin, securing Catch Arm to Quarter Light Frame Screw, Self-Tapping, securing Catches to Body		2 4	
BD.24406	CATCH ASSEMBLY OPERATING R.H. QUARTER LIGHT		1	
BD.24407	CATCH ASSEMBLY OPERATING L.H. QUARTER LIGHT		1	Fitted to Chassis No. 861099 and subs 888302 and subs.
BD.25722 BD.21232 BD.539/23	Shim, for Catch adjustment Hinge Pin, securing Catch Arm to Quarter Light Frame Screw, Self-Tapping, securing Catches to Body		As req'd 2 4	
BD.20500/2	SEALING RUBBER FOR CANTRAILS	48-42	2	Fitted from Chassis No.
BD.20497 BD.20498 BD.1814/2	Retainer, for Seal, on R.H. Cantrail Retainer, for Seal, on L.H. Cantrail Pop Rivet, securing Retainers	48-43	1 1 32	- 860001 to 860478. 885001 to 886013.

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20500/2 BD.20803 BD.20804 BD.1814/2	SEALING RUBBER FOR CANTRAILS Retainer, for Seal, on R.H. Cantrail Retainer, for Seal, on L.H. Cantrail Pop Rivet, securing Retainers		2 1 1 32	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.21577	FACING ASSEMBLY (HEADLINING) ON R.H. CANTRAIL AND REAR TRIM PANEL		1	Fitted from Chassis No.
BD.21578	FACING ASSEMBLY (HEADLINING) ON L.H. CANTRAIL AND REAR TRIM PANEL		1	860001 to 860478. 885001 to 886013.
BD.21340	Pad (Polyurethane) behind Facings		. 2	
BD.23515	FACING ASSEMBLY (HEADLINING) ON R.H. CANTRAIL AND REAR TRIM PANEL		. 1	
BD.23516	FACING ASSEMBLY (HEADLINING) ON L.H. CANTRAIL AND REAR TRIM PANEL		1	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.23517	Pad (Polyurethane) behind Facings		2	J
BD.20860	HEAD LINING		1	Fitted from Chassis No. 860001 to 860478. 885001 to 886013.
BD.23514	HEAD LINING		1	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.21078	PANEL ASSEMBLY FOR TRIMMING WINDSCREEN HEADER RAIL		1	Fitted from Chassis No. 860001 to 860478.
BD.21339	Pad (Polyurethane) on Panel		1	885001 to 886013.
BD.24086	TRIM PANEL ASSEMBLY FOR WINDSCREEN HEADER RAIL		1	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.1814/1 BD.1814/7	Pop Rivet, securing Panel Assembly Pop Rivet, securing Panel Assembly		5 6	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20191	CRASH PADDING ASSEMBLY ON R.H. CANTRAIL		1	Fitted from Chassis No. 860001 to 860478.
BD.20192	CRASH PADDING ASSEMBLY ON L.H. CANTRAIL	48_44	1	885001 to 886013.
BD.23508	CRASH PADDING ASSEMBLY ON R.H. CANTRAIL		1	Fitted from Chassis No.
BD.23509	CRASH PADDING ASSEMBLY ON L.H. CANTRAIL		1	860479 to 861098. 886014 to 888301.
BD.24457	CRASH PADDING ASSEMBLY ON R.H. CANTRAIL		1	
BD.24458	CRASH PADDING ASSEMBLY ON L.H. CANTRAIL		1	Fitted to Chassis No. 861099 and subs. 888302 and subs.
BD.24414	Finisher Bead, on Crash Padding		2	}
BD.711/1	Screw, Self-Tapping, securing Crash Padding		18	
BD.21356	CHROME BEAD ABOVE CANTRAIL PADDING		2	
BD.20174	CASING ASSEMBLY, BELOW R.H. QUARTER LIGHT		1	
BD.20175	CASING ASSEMBLY, BELOW L.H. QUARTER LIGHT	48-45	1	Fitted from Chassis No. > 860001 to 860580. 885001 to 886092.
BD.18068	Clip, for fixing of Casings		16	J
BD. 23552	CASING ASSEMBLY, BELOW R.H. QUARTER LIGHT		1	
BD.23553	CASING ASSEMBLY, BELOW L.H. QUARTER LIGHT		1	Fitted from Chassis No. > 860581 to 861098. 886093 to 888301.
BD.18068	Clip, securing Casings		18	J

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.24467	CASING ASSEMBLY, BELOW R.H. QUARTER LIGHT		1	
				Fitted to Chassis No. 861099 and subs.
BD.24468	CASING ASSEMBLY, BELOW L.H. QUARTER LIGHT		1	888302 and subs.
BD.18068	Clip, securing Casings		18	J
BD.711/3	Screw, Self-Tapping, securing Casings		12	
BD.24418	CRASH PADDING ASSEMBLY AT TOP OF R.H. QUARTER CASING		1	
BD.24419	CRASH PADDING ASSEMBLY AT TOP OF L.H. QUARTER CASING		. 1	Fitted to Chassis No. > 861099 and subs. 888302 and subs.
BD.24486 BD.24415	Finisher Bead, forward, on Crash Padding Finisher Bead, rear, on Crash Padding		2 2	
BD.711/7	Screw, Self-Tapping, securing Crash Padding to Quarters		12	}
BD.24834	CHROME FINISHER AT FORWARD END OF R.H. CRASH PADDING		1	
BD.24835	CHROME FINISHER AT FORWARD END OF L.H. CRASH PADDING		1	Fitted to Chassis No. 861099 and subs. 888302 and subs.
BD.711/3	Screw, Self-Tapping, securing Finishers		2	J
BD.20777	POCKET ASSEMBLY IN CASING BELOW R.H. QUARTER LIGHT		1	
BD.20778	POCKET ASSEMBLY IN CASING BELOW L.H. QUARTER LIGHT	4 8–46	1	
BD. 244 11	CHROME ESCUTCHEON FOR SAFETY HARNESS ATTACHMENT POINTS AT REAR QUARTERS		2	Fitted to Chassis No. 861099 and subs.
				888302 and subs.

				TIMES TILAS COCIE CALL
Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20184	CASING ASSEMBLY, R.H. REAR, AT SIDE OF LUGGAGE COMPARTMENT FLOOR	. 49~ 1	1	
				Fitted from Chassis No. > 860001 to 860478.
BD.20185	CASING ASSEMBLY, L.H. REAR, AT SIDE OF LUGGAGE COMPARTMENT FLOOR	49- 2	1	885001 to 886013.
BD.18068	Clip, securing Casings		32	
BD.20786	CASING ASSEMBLY, R.H. REAR, AT SIDE OF LUGGAGE COMPARTMENT FLOOR		1	
				Fitted from Chassis No. 860479 to 861098.
BD.20787	CASING ASSEMBLY, L.H. REAR, AT SIDE OF LUGGAGE COMPARTMENT FLOOR		1	886014 to 888301.
BD.18068	Clip, securing Casings		17	j
BD.24476	CASING ASSEMBLY, R.H. REAR, AT SIDE OF LUGGAGE COMPARTMENT FLOOR		1	
				Fitted to Chassis No.
BD.24477	CASING ASSEMBLY, L.H. REAR, AT SIDE OF LUGGAGE COMPARTMENT FLOOR		1	861099 and subs. 888302 and subs.
BD.18068	Clip, securing Casings		17	j
BD.20246	COVER ASSEMBLY, SEALING APERTURE IN L.H. REAR CASING	49 3	1	
BD.539/20 BD.543/3 BD.8536/4	Screw, Self-Tapping, securing Cover Cup Washer, on Self-Tapping Screws Spire Nut, on Self-Tapping Screws		2 2 2	
BD.20167	TRIM PANEL ASSEMBLY, BELOW BOOT LID APERTURE	49- 4	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20501	CHROME FINISHER ON R.H. ROOF GUTTER	49 – 5	1	Fitted from Chassis No. 860001 to 860478.
BD.20502	CHROME FINISHER ON L.H. ROOF GUTTER	49 – 6	1	885001 to 886013.
BD.20745	CHROME FINISHER ON R.H. ROOF GUTTER		1	Fitted to Chassis No.
BD.20746	CHROME FINISHER ON L.H. ROOF GUTTER		1	886014 and subs.
BD.19543	BOOT LID ASSEMBLY, COMPLETE (COMPRISING BOOT LID SHELL, GLASS, SEAL, FINISHERS, MOTIF, CASING, LOCK- STRIKER, PROP AND REST-RUBBER)		1	Fitted from Chassis No. 860001 to 860478. 885001 to 886013.
BD.19555	BOOT LID ASSEMBLY, COMPLETE (COMPRISING BOOT LID SHELL, GLASS, SEAL, FINISHERS, MOTIF, CASING, LOCK- STRIKER, PROP AND REST-RUBBER)		1	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.19362	GLASS IN BOOT LID	49 - 7	1	Fitted from Chassis No. 860001 to 860478. 885001 to 886013.
BD.19650	GLASS IN BOOT LID		1	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.20309	RUBBER SEAL AROUND BOOT LID GLASS	49- 8	1	
BD.20201	Insert, for Rubber Seal	49- 9	1	
BD.20158/1	CHROME FINISHER AT TOP OF RUBBER SEAL	49 –10	1	Fitted from Chassis No.
BD.20158/2	CHROME FINISHER AT BOTTOM OF RUBBER SEAL	49–11	1	860001 to 860478. 885001 to 886013.

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20159/1	CHROME FINISHER AT TOP OF RUBBER SEAL		1	Fitted to Chassis No. > 860479 and subs.
BD.20159/2	CHROME FINISHER AT BOTTOM OF RUBBER SEAL		1	886014 and subs.
BD.5366	Joint Piece, for Chrome Finisher	49 –12	2	
BD.17726	"JAGUAR" MOTIF ON BOOT LID	49–13	1	
BD.10735 BD.15293	Spire Nut, securing Motif Rubber Washer, under Spire Nuts		3	
BD.20163/1	PLASTIC FINISHER AROUND BOOT LID GUTTER	49-14	1	
BD.20500/1	SEALING RUBBER AROUND BOOT LID APERTURE	49–15	1	Fitted from Chassis No. 860001 to 860478. 885001 to 886013.
BD.23347/1	SEALING RUBBER AROUND BOOT LID APERTURE		1	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.22754	CASING ASSEMBLY (UPPER) ON BOOT LID, R.H.	49–16	1	Fitted from Chassis No.
BD.22755	CASING ASSEMBLY (UPPER) ON BOOT LID, L.H.	4 9–17	1	860001 to 860478. 885001 to 886013.
BD.22725	CASING ASSEMBLY (UPPER) ON BOOT LID		1	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD. 2376 3	CASING ASSEMBLY AT R.H. SIDE OF BOOT LID, BETWEEN UPPER AND LOWER CASING		1	Fitted to Chassis No. 860479 and subs.
BD.18068	Clip, securing Casing		2	886014 and subs.

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.20165	CASING ASSEMBLY (LOWER) ON BOOT LID	49–18	1	Fitted from Chassis No. > 860001 to 860478.
BD.18068	Clip, for fixing of Casing		14	885001 to 886013.
BD.20782	CASING ASSEMBLY (LOWER) ON BOOT LID		1	Fitted to Chassis No. > 860479 and subs.
BD.18068	Clip, for fixing of Casing		14	886014 and subs.
BD.20683	LOCK ASSEMBLY, COMPLETE, FOR BOOT LID	49–19	1	
BD.20061 UFS.419/5H BD.20122 BD.20573 BD.20645 UFS.419/3H C.723/A	Lock Mechanism Assembly (WB.3/16193) Screw, Set, securing Lock to Housing Spring, assisting Boot Lid opening Return Spring, for Operating Lever Clamp, for Operating Cable Screw, Set, securing Clamp Washer, Shakeproof, on Setscrews		1 4 1 1 1 1	
UFS.425/4H C.724 BD.541/32	Screw, Set, securing Lock Assembly to Body Washer, Shakeproof, on Setscrews Special Washer, under Shakeproof Washers		4 4 4	
BD.21298	RELEASE MECHANISM ASSEMBLY FOR BOOT LID LOCK		1	
BD.21066	Return Spring, for Release Mechanism		1	
BD.711/12	Screw, Self-Tapping, securing Release Mechanism to R.H. Quarter Panel		6	
BD.20900	ESCUTCHEON, IN R.H. QUARTER PANEL, AROUND RELEASE MECHANISM		1	
BD.540/11	Screw, Self-Tapping, securing Escutcheon		2	
BD. 2129 9	CABLE FOR RELEASE OF BOOT LID		1	
BD.22643	Pad, for Control Cable		1	
BD.20682	STRIKER AND SAFETY CATCH ASSEMBLY FOR BOOT LID LOCK	49-20	1	
BD.20574	Spring, on Safety Catch		1	Fitted from Chassis No. - 860001 to 860478.
UFS.425/4H C.724 BD.541/9	Screw, Set, securing Striker to Boot Lid Washer, Shakeproof, on Setscrews Special Washer, under Shakeproof Washers		2 2 2	885001 to 886013.

				OK TIMED TIEAD COOTE ONE!
Part No.	Description	Plate No.	No. per Unit	Remarks
BD.22596	STRIKER AND SAFETY CATCH ASSEMBLY FOR BOOT LID LOCK		1	
BD.20574	Spring, on Safety Catch		1	Fitted to Chassis No. 860479 and subs.
UNF.425/4H C.724 BD.541/32	Screw, Set, securing Striker to Boot Lid Washer, Shakeproof, on Setscrews Special Washer, under Shakeproof Washers		2 2 2	886014 and subs.
BD.659/10	DRAIN TUBE FOR BOOT LID APERTURE (9½" LONG)		1	
BD.21279	PROP, SUPPORTING BOOT LID IN OPEN POSITION	4 9–21	1	Fitted from Chassis No. 860001 to 860478. 885001 to 886013.
BD.23752	PROP, SUPPORTING BOOT LID IN OPEN POSITION		1	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.21280	PIVOT BRACKET ASSEMBLY, ON BOOT LID, FOR PROP	49-22	1	Fitted from Chassis No. 860001 to 860478. 885001 to 886013.
BD.21287	PIVOT BRACKET ASSEMBLY, ON BOOT LID, FOR PROP		1	Fitted to Chassis No. 860479 and subs. 886014 and subs.
BD.13713/2 C.723/A	Screw, Set, securing Pivot Bracket Washer, Shakeproof, on Setscrews		2 2	
C.15542 BD.1708/4 BD.848/2 L.102/6U	Clevis Pin, securing Prop in Pivot Bracket Washer, Double Coil Spring, on Clevis Pin Brass Washer, on Clevis Pin Split Pin, retaining Clevis Pin		1 1 2 1	
BD. 21281	BRACKET, ON BODY, RECEIVING PROP	49-23	1	
BD.13713/2 UFN.119/L C.723/A	Screw, Set, securing Bracket Nut, on Setscrews Washer, Shakeproof, under Nuts		2 2 2	Fitted from Chassis No. 860001 to 860478. 885001 to 886013.
BD.21311 UFS.419/4H UFN.119/L C.723/A	Plate, reinforcing Bracket Screw, Set, securing Plate to Body Nut, on Setscrews Washer, Shakeproof, under Nuts		1 2 2 2	
BD.23712	BRACKET, ON BODY, RECEIVING PROP		1	Fitted to Chassis No.
BD.13713/1 UFN.119/L C.723/A	Screw, Set, securing Bracket Nut, on Setscrews Washer, Shakeproof, under Nuts		2 2 2	860479 and subs. 886014 and subs.

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.21282	REST RUBBER ASSEMBLY, HOLDING PROP WHEN NOT IN USE	49-24	1	
BD.711/19	Screw, Self-Tapping, securing Rest Rubber to Boot Lid		2	
C.18921	REAR NUMBER PLATE		1	
BD.1229/13 BD.6581	Screw, Self-Tapping, securing Rear Number Plate Rubber Plug, in Rear Number Plate Panel		4	
BD.659/9	DRAIN TUBE FOR PETROL FILLER BOX (20" LONG)		1	
C.2905/2	Clip, securing Drain Tube		2	
BD.22536	RUBBER STOP, CUSHIONING PETROL FILLER LID		2	
BD.18492	COVER PLATE, IN FLOOR TOP PANEL OVER REAR SUSPENSION UNIT		1	
BD.18493 BD.8691/6	Rubber Seal, under Cover Plate Screw, Self-Tapping, securing Cover Plate		1 7	
BD.19053 BD.1814/1	Spring Latch, for fixing of Spare Wheel Cover Pop Rivet, securing Spring Latch to Floor		1 2	
BD.11007/1	SPARE WHEEL CLAMP ASSEMBLY	49-25	1	
BD.10637 BD.11008/1	Handle, operating Spare Wheel Clamp Screw		1	
BD.10639 C.704/1	Plate, on Screw, holding Spare Wheel Mills Pin, securing Handle to Screw		1	
BD.3438 BD.711/18	Clip, on Boot Floor, carrying Jack Handle Self-Tapping Screw, securing Clip		2	NOT REQUIRED FOR JACK WITH INTEGRAL HANDLE.
BD.21137	COVER ASSEMBLY OVER SPARE WHEEL	49–26	1	
BD.10958 BD.9909/5 C. 723	Stud, for fixing of Cover Tee Nut, receiving Stud Washer, Shakeproof, under Nut		1 1 1	
BD.22797	Spring Clip, for Spare Wheel Cover fixing		1	
UCS.511/4H UCN.111/L C.721	Screw, Set, securing Clip to Cover Nut, on Setscrews Washer, Shakeproof. under Nuts		3 3 3	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.19052	COVER ASSEMBLY OVER PETROL TANK	49-27	1	
BD.19059/2 BD.18545 BD.4321	Screw, Set, securing Cover Cup Washer, on Setscrews Rubber Buffer, in Support Strip		3 3 3	
BD.20214	MAT ASSEMBLY ON SPARE WHEEL COVER	49-28	1	Fitted from Chassis No. 860001 to 861092.
BD.1286/1 BD.1286/2	Button, for "Durable Dot" Fastener, securing Mat to Spare Wheel Cover Socket, securing Buttons		4	885001 to 888256.
BD.20213	MAT ASSEMBLY ON LUGGAGE COMPARTMENT FLOOR	49-29	1	
BD.1286/1	Button, for "Durable Dot" Fastener, securing Mat		7	Fitted from Chassis No.
BD.1286/2	to Floor Socket, securing Buttons		7	860001 to 861092. 885001 to 888256.
BD.1286/3	Stud, on Spare Wheel Cover and Luggage Compartment		11	003007 10 000230.
BD.540/1	Floor, receiving "Durable Dot" Fasteners Screw, Self-Tapping, securing Studs		11	J
BD.25664	MAT ASSEMBLY ON LUGGAGE COMPARTMENT FLOOR		1	Fitted to Chassis No. 861093 and subs.
BD.1286/1	Button, for "Durable Dot" Fastener, securing Mat to Floor		8	888257 and subs.
BD.1286/2	Socket, securing Buttons		8	May be fitted to replace two separate Mats BD.20213 and BD.20214, if desired
BD.1286/3 BD.540/1	Stud, receiving "Durable Dot" Fasteners Screw, Self-Tapping, securing Studs to Floor		8)
	RUBBER BEADING ON LUGGAGE FLOOR			
BD.604/2 BD.604/3 BD.604/4 BD.604/5 BD.604/6	Rubber Beading (394" long) Rubber Beading (38" long) Rubber Beading (112" long) Rubber Beading (284" long) Rubber Beading (264" long)	49–30 49–31 49–32 49–33 49–34	1 1 3 2	
	RETAINERS FOR RUBBER BEADING			
BD.332/13 BD.332/14 BD.20291/1 BD.20291/2 BD.20291/3	Retainer, for Beading (39" long) Retainer, for Beading (37½" long) Retainer, for Beading (11½" long) Retainer, for Beading (27½" long) Retainer, for Beading (26½" long)	49-35 49-36 49-37 49-38 49-39	1 1 3 2 1	
	- · · ·			

Part No.	Description	Plate No.	No. per Unit	Remarks
BD. 2079 5	HINGED EXTENSION ASSEMBLY FOR		1)
	LUGGAGE COMPARTMENT FLOOR			
3D.20131	Hinge, for Extension		3	
M.108/3R BD.20134	Woodscrew, securing Hinges to Extension		9 2	
BD.9909/5	Stud, for fixing of Extension in lowered position Nut, securing Studs		2	
C.2017/1 BD.20133	Chromed Washer, on Studs Chrome Strip, along edge of Extension		2 1	
BD.711/16	Screw, Self-Tapping, securing Chrome Strip		9	Fitted from Chassis No. > 860001 to 860580.
BD.17503/2 BD.9395	Screw, Self-Tapping, securing Extension Hinges to Body Sliding Catch, securing Hinged Extension in raised position		9 2	885001 to 886092.
BD.1499/6	Woodscrew, securing Sliding Catches to Extension		12	
BD.9912 BD.11712/1	Striker Plate, engaging Sliding Catches Pop Rivet, securing Striker Plates to Wheel Arches		2 4	
3D.604/1	Rubber Beading, on Hinged Extension (84" long)		3	·
3D.332/12 M.10 4 /3R	Retainer, for Rubber Beading (84" long) Woodscrew, securing Retainers		3 12	
C.9743	Rubber Buffer, cushioning Hinged Extension in raised		2	j ·
	position			
BD.22913	HINGED EXTENSION ASSEMBLY FOR LUGGAGE COMPARTMENT FLOOR	49-40	1	Fitted from Chassis No. 860581 to 861098.
				886093 to 888301.
BD.20131 M.108/3R	Hinge, for Extension Woodscrew, securing Hinges to Extension		3 9	
BD.23717	Stud, fixing Extension in lowered position		2	
BD.9909/5 BD. 22 914	Nut, securing Studs Chrome Strip, along edge of Extension		2 1	
BD.711/16	Screw, Self-Tapping, securing Chrome Strip		9	
BD.9395	Sliding Catch, securing Hinged Extension in raised position	49-4 1	2	
BD.1499/6	Woodscrew, securing Catches to Extension		12	
BD.20135 BD.21798	Luggage Stop Arm Assembly, on Extension Cover Plate, over Luggage Stop Apertures		2	
BD.13642/11	Screw, Set, securing Luggage Stops and Cover Plates		8	
BD.24398	HINGED EXTENSION ASSEMBLY FOR		1	Fitted to Chassis No. 861099 and subs.
BD.24398	HINGED EXTENSION ASSEMBLY FOR LUGGAGE COMPARTMENT FLOOR		1	
BD.24400	LUGGAGE COMPARTMENT FLOOR Hinge, for Extension		3	861099 and subs.
BD.24400 BD.13642/11	LUGGAGE COMPARTMENT FLOOR Hinge, for Extension Screw, Set, securing Hinges to Extension		3	861099 and subs.
BD.24400 BD.13642/11 BD.23717 BD.24403	Hinge, for Extension Screw, Set, securing Hinges to Extension Stud, fixing Extension in lowered position Chrome Strip, along edge of Extension		3 6 2 1	861099 and subs.
BD.24400 BD.13642/11 BD.23717 BD.24403 BD.24404	Hinge, for Extension Screw, Set, securing Hinges to Extension Stud, fixing Extension in lowered position Chrome Strip, along edge of Extension Chrome Capping, at R.H. end of Extension		3 6 2 1	861099 and subs.
BD.24400 BD.13642/11 BD.23717 BD.24403 BD.24404 BD.24405	Hinge, for Extension Screw, Set, securing Hinges to Extension Stud, fixing Extension in lowered position Chrome Strip, along edge of Extension Chrome Capping, at R.H. end of Extension Chrome Capping, at L.H. end of Extension Finger Pull, at centre of Extension		3 6 2 1 1 1	861099 and subs.
BD.24400 BD.13642/11 BD.23717 BD.24403 BD.24404 BD.24405 BD.24405 BD.24402	Hinge, for Extension Screw, Set, securing Hinges to Extension Stud, fixing Extension in lowered position Chrome Strip, along edge of Extension Chrome Capping, at R.H. end of Extension Chrome Capping, at L.H. end of Extension Finger Pull, at centre of Extension Screw, Self-Tapping, securing Chrome Strip,		3 6 2 1 1	861099 and subs.
BD.24400 BD.13642/11 BD.23717 BD.24403 BD.24404 BD.24405 BD.24405 BD.711/16 BD.9395	Hinge, for Extension Screw, Set, securing Hinges to Extension Stud, fixing Extension in lowered position Chrome Strip, along edge of Extension Chrome Capping, at R.H. end of Extension Chrome Capping, at L.H. end of Extension Finger Pull, at centre of Extension Screw, Self-Tapping, securing Chrome Strip, Cappings and Finger Pull Sliding Catch, securing Extension when raised		3 6 2 1 1 1 1 1 10	861099 and subs.
BD.24400 BD.13642/11 BD.23717 BD.24403 BD.24405 BD.24405 BD.24402 BD.711/16 BD.9395 BD.1499/6	Hinge, for Extension Screw, Set, securing Hinges to Extension Stud, fixing Extension in lowered position Chrome Strip, along edge of Extension Chrome Capping, at R.H. end of Extension Chrome Capping, at L.H. end of Extension Finger Pull, at centre of Extension Screw, Self-Tapping, securing Chrome Strip, Cappings and Finger Pull Sliding Catch, securing Extension when raised Woodscrew, securing Catches		3 6 2 1 1 1 1 10	861099 and subs.
BD.24400 BD.13642/11 BD.23717 BD.24403 BD.24404 BD.24405 BD.24402 BD.711/16 BD.9395 BD.1499/6 BD.13135 BD.21798	Hinge, for Extension Screw, Set, securing Hinges to Extension Stud, fixing Extension in lowered position Chrome Strip, along edge of Extension Chrome Capping, at R.H. end of Extension Chrome Capping, at L.H. end of Extension Chrome Capping, at L.H. end of Extension Finger Pull, at centre of Extension Screw, Self-Tapping, securing Chrome Strip, Cappings and Finger Pull Sliding Catch, securing Extension when raised Woodscrew, securing Catches Luggage Stop Arm Assembly Cover Plate, over Luggage Stop Apertures		3 6 2 1 1 1 1 10 2 12 2 2	861099 and subs.
BD.24400 BD.13642/11 BD.23717 BD.24403 BD.24404 BD.24405 BD.24402 BD.711/16 BD.9395 BD.1499/6 BD.20135 BD.21798	Hinge, for Extension Screw, Set, securing Hinges to Extension Stud, fixing Extension in lowered position Chrome Strip, along edge of Extension Chrome Capping, at R.H. end of Extension Chrome Capping, at L.H. end of Extension Chrome Capping, securing Chrome Strip, Cappings and Finger Pull Sliding Catch, securing Extension when raised Woodscrew, securing Catches Luggage Stop Arm Assembly		3 6 2 1 1 1 1 10 2	861099 and subs.
BD.24400 BD.13642/11 BD.23717 BD.24403 BD.24404 BD.24405 BD.24402 BD.711/16 BD.9395 BD.1499/6 BD.20135 BD.21798 BD.13642/11 BD.17503/2	Hinge, for Extension Screw, Set, securing Hinges to Extension Stud, fixing Extension in lowered position Chrome Strip, along edge of Extension Chrome Capping, at R.H. end of Extension Chrome Capping, at L.H. end of Extension Chrome Capping, as the edge of Extension Screw, Self-Tapping, securing Chrome Strip, Cappings and Finger Pull Sliding Catch, securing Extension when raised Woodscrew, securing Catches Luggage Stop Arm Assembly Cover Plate, over Luggage Stop Apertures Screw, Self-Tapping, securing Extension Hinges to Body		3 6 2 1 1 1 1 10 2 12 2 2 8	861099 and subs.
BD.24400 BD.13642/11 BD.23717 BD.24403 BD.24404 BD.24405 BD.24402 BD.711/16 BD.9395 BD.1499/6 BD.20135 BD.21798 BD.13642/11 BD.17503/2 BD.540/22	Hinge, for Extension Screw, Set, securing Hinges to Extension Stud, fixing Extension in lowered position Chrome Strip, along edge of Extension Chrome Capping, at R.H. end of Extension Chrome Capping, at L.H. end of Extension Chrome Capping, as the end of Extension Finger Pull, at centre of Extension Screw, Self-Tapping, securing Chrome Strip, Cappings and Finger Pull Sliding Catch, securing Extension when raised Woodscrew, securing Catches Luggage Stop Arm Assembly Cover Plate, over Luggage Stop Apertures Screw, Self-Tapping, securing Extension Hinges to Body Screw, Self-Tapping, securing Extension Hinges to Floor	49_4?	3 6 2 1 1 1 1 10 2 12 2 8	861099 and subs.
BD.24400 BD.13642/11 BD.23717 BD.24403 BD.24404 BD.24405 BD.24405 BD.711/16 BD.9395 BD.1499/6 BD.20135 BD.21798 BD.13642/11 BD.17503/2 BD.540/22 BD.23142	Hinge, for Extension Screw, Set, securing Hinges to Extension Stud, fixing Extension in lowered position Chrome Strip, along edge of Extension Chrome Capping, at R.H. end of Extension Chrome Capping, at L.H. end of Extension Chrome Capping, as the end of Extension Screw, Self-Tapping, securing Chrome Strip, Cappings and Finger Pull Sliding Catch, securing Extension when raised Woodscrew, securing Catches Luggage Stop Arm Assembly Cover Plate, over Luggage Stop Apertures Screw, Self-Tapping, securing Extension Hinges to Body Screw, Self-Tapping, securing Extension Hinges to Floor Striker Plate, on Wheel Arches, receiving Sliding Catches	49-42	3 6 2 1 1 1 1 10 2 12 2 2 8 9 9	861099 and subs. 888302 and subs.
BD.24400 BD.13642/11 BD.23717 BD.24403 BD.24404 BD.24405 BD.24405 BD.2111/16 BD.9395 BD.1499/6 BD.20135 BD.21798 BD.13642/11 BD.17503/2 BD.540/22 BD.23142 BD.1712/1	Hinge, for Extension Screw, Set, securing Hinges to Extension Stud, fixing Extension in lowered position Chrome Strip, along edge of Extension Chrome Capping, at R.H. end of Extension Chrome Capping, at L.H. end of Extension Chrome Capping, as t.H. end of Extension Finger Pull, at centre of Extension Screw, Self-Tapping, securing Chrome Strip, Cappings and Finger Pull Sliding Catch, securing Extension when raised Woodscrew, securing Catches Luggage Stop Arm Assembly Cover Plate, over Luggage Stop Apertures Screw, Set, securing Stop Arms and Cover Plates Screw, Self-Tapping, securing Extension Hinges to Body Screw, Self-Tapping, securing Extension Hinges to Floor Striker Plate, on Wheel Arches, receiving Sliding Catches Pop Rivet, securing Striker Plates		3 6 2 1 1 1 10 2 12 2 2 8 9 9	861099 and subs. 888302 and subs. Fitted to Chassis No. 860581 and subs.
BD.24400 BD.13642/11 BD.23717 BD.24403 BD.24405 BD.24405 BD.24405 BD.211/16 BD.9395 BD.1499/6 BD.20135 BD.21798 BD.13642/11 BD.17503/2 BD.540/22 BD.23142 BD.1712/1 BD.17712/1 BD.1604/7	Hinge, for Extension Screw, Set, securing Hinges to Extension Stud, fixing Extension in lowered position Chrome Strip, along edge of Extension Chrome Capping, at R.H. end of Extension Chrome Capping, at L.H. end of Extension Chrome Capping, at L.H. end of Extension Finger Pull, at centre of Extension Screw, Self-Tapping, securing Chrome Strip, Cappings and Finger Pull Sliding Catch, securing Extension when raised Woodscrew, securing Catches Luggage Stop Arm Assembly Cover Plate, over Luggage Stop Apertures Screw, Self-Tapping, securing Extension Hinges to Body Screw, Self-Tapping, securing Extension Hinges to Floor Striker Plate, on Wheel Arches, receiving Sliding Catches Pop Rivet, securing Striker Plates Rubber Beading, on Hinged Extension (7½" long)	49-42 49-43 49-44	3 6 2 1 1 1 1 10 2 12 2 2 8 9 9	861099 and subs. 888302 and subs. Fitted to Chassis No.
BD.24498 BD.24400 BD.13642/11 BD.23717 BD.24403 BD.24404 BD.24405 BD.24402 BD.711/16 BD.9395 BD.1499/6 BD.20135 BD.21798 BD.13642/11 BD.17503/2 BD.540/22 BD.33142 BD.11712/1 BD.604/7 BD.332/5 BD.104/3R BD.23144	Hinge, for Extension Screw, Set, securing Hinges to Extension Stud, fixing Extension in lowered position Chrome Strip, along edge of Extension Chrome Capping, at R.H. end of Extension Chrome Capping, at L.H. end of Extension Chrome Capping, as t.H. end of Extension Finger Pull, at centre of Extension Screw, Self-Tapping, securing Chrome Strip, Cappings and Finger Pull Sliding Catch, securing Extension when raised Woodscrew, securing Catches Luggage Stop Arm Assembly Cover Plate, over Luggage Stop Apertures Screw, Set, securing Stop Arms and Cover Plates Screw, Self-Tapping, securing Extension Hinges to Body Screw, Self-Tapping, securing Extension Hinges to Floor Striker Plate, on Wheel Arches, receiving Sliding Catches Pop Rivet, securing Striker Plates	49-43	3 6 2 1 1 1 1 10 2 12 2 2 8 9 9 2	861099 and subs. 888302 and subs. Fitted to Chassis No. 860581 and subs.

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.22476	SUPPORT RAIL ASSEMBLY FOR HINGED EXTENSION IN LOWERED POSITION		1	Fitted from Chassis No.
BD.19053 BD.1814/1	Spring Latch, receiving Studs of Hinged Extension Pop Rivet, securing Spring Latches		2	860001 to 860580. 885001 to 886092.
BD.1814/1 C.9743	Pop Rivet, securing Support Rail to Body Rubber Plug, seating Hinged Extension when lowered		19 4	
BD.22942	SUPPORT RAIL ASSEMBLY FOR HINGED EXTENSION IN LOWERED POSITION		1	
BD.23848 BD.1814/1	Clip, receiving Studs of Extension Pop Rivet, securing Clips		2	Fitted to Chassis No. 860581 and subs. 886093 and subs.
BD.17503/2	Screw, Self-Tapping, securing Support Rail		9	
	CARPETS FOR R.H. DRIVE CARS			
BD.20347 BD.20348 BD.22962 BD.22963 BD.20350 BD.20352 BD.20353 BD.20354 BD.20355	Carpet Assembly, on R.H. Front Floor Carpet Assembly, on L.H. Front Floor Carpet Assembly, on R.H. Front Floor Carpet Assembly, on L.H. Front Floor Carpet Assembly, on Toe Boards Carpet Assembly, R.H., for front of Tunnel Carpet Assembly, L.H., for front of Tunnel Carpet Assembly, L.H., for rear of Tunnel Carpet Assembly, L.H., for rear of Tunnel	50- 1 50- 2 50- 3 50- 4 50- 5 50- 6 50- 7	1 1 1 1 2 1 1	Fitted from Chassis No. 860001 to 860175. Fitted to Chassis No. 860176 and subs.
	CARPETS FOR L.H. DRIVE CARS			
BD.20347 BD.20349 BD.22962 BD.22964 BD.20350 BD.20352 BD.20353 BD.20354 BD.20355	Carpet Assembly, on R.H. Front Floor Carpet Assembly, on L.H. Front Floor Carpet Assembly, on R.H. Front Floor Carpet Assembly, on L.H. Front Floor Carpet Assembly, on Toe Boards Carpet Assembly, R.H., for front of Tunnel Carpet Assembly, L.H., for rear of Tunnel Carpet Assembly, L.H., for rear of Tunnel Carpet Assembly, L.H., for rear of Tunnel		1 1 1 1 2 1 1 1	Fitted from Chassis No. 885001 to 885503. Fitted to Chassis No. 885504 and subs.

Part No.	Description	Plate No.	No. per Unit	Remarks	,
	INSULATING FELTS FOR R.H. DRIVE CARS				
BD.20218 BD.20230 BD.20235	Rubberised Felt, on R.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, on L.H. Front Floor $(28'' \times 19\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle		1 1 1		
BD.20236	$(19'' \times 19'' \times \frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle		1		
BD.20237	$(18\frac{1}{2}" \times 10\frac{1}{2}" \times \frac{1}{2}")$ Rubberised Felt, under L.H. side of Scuttle		1		
BD.20220 BD.20221 BD.20205	(15"×8½"×½") Rubberised Felt, on R.H. Toe Board (14"×10"×½") Rubberised Felt, on L.H. Toe Board (14"×10"×½") Rubberised Felt, at front R.H. side of Gearbox Tunnel		1		
BD.20206	$(15" \times 11" \times \frac{1}{2}")$ Rubberised Felt, at front L.H. side of Gearbox Tunnel		1		
BD.21233	$(15'' \times 11'' \times \frac{1}{2}'')$ Rubberised Feit, at top of Gearbox Cover		. 1		
BD.20207	$(7'' \times 7'' \times \frac{1}{2}'')$ Rubberised Felt, at R.H. side of Gearbox Tunnel		1		
BD.20208	$(17'' \times 8'' \times \frac{1}{2}'')$ Rubberised Felt, at L.H. side of Gearbox Tunnel		1		
BD.20339 BD.20227	(17"×8"× $\frac{1}{4}$ ") Rubberised Felt, under Petrol Tank (6"×7"× $\frac{1}{2}$ ") Rubberised Felt, Gearbox Cover to Scuttle (11"×7"× $\frac{1}{2}$ ")		.1 ·1		
BD.20209 BD.20210 BD.539/4 BD.532/1 BD.20222 BD.20223 BD.20336 BD.20337 BD.20338	Hardura, under R.H. side of Scuttle Hardura, under L.H. side of Scuttle Screw, Self-Tapping, securing Hardura Cup Washer, on Self-Tapping Screws Hardura, on R.H. Toe Board (14"×10"×½") Hardura, on L.H. Toe Board (14"×10"×½") Hardura, under L.H. side of Scuttle (17"×18"×½") Hardura, under R.H. side of Scuttle (10"×19"×¼") Hardura, under centre of Scuttle (7"×8"×½")		1 1 10 10 10 1 1 1		
	INSULATING FELTS FOR L.H. DRIVE CARS				
BD.20218 BD.20219 BD.20220 BD.20221 BD.20224	Rubberised Felt, on R.H. Front Floor $(28''\times19\frac{1}{2}''\times\frac{1}{2}'')$ Rubberised Felt, on L.H. Front Floor $(28''\times19\frac{1}{2}''\times\frac{1}{2}'')$ Rubberised Felt, on R.H. Toe Board $(14''\times10''\times\frac{1}{2}'')$ Rubberised Felt, on L.H. Toe Board $(14''\times10''\times\frac{1}{2}'')$ Rubberised Felt, under R.H. side of Scuttle		1 1 1 1		
BD.20225	$(19'' \times 19'' \times \frac{1}{2}'')$ Rubberised Felt, under L.H. side of Scuttle		1		
BD.20226	$(18\frac{1}{2}" \times 10\frac{1}{2}" \times \frac{1}{2}")$ Rubberised Felt, under L.H. side of Scuttle		1		
BD.20227	$(15'' \times 8\frac{1}{2}'' \times \frac{1}{2}'')$ Rubberised Felt, Gearbox Cover to Scuttle		1		
BD.20205	$(11'' \times 7'' \times \frac{1}{2}'')$ Rubberised Felt, at front R.H. side of Gearbox Tunnel		. 1		
BD.20206	(15"×11"×½") Rubberised Felt, at front L.H. side of Gearbox Tunnel		1		
BD.20207	(15"×11"×\rbrace*") Rubberised Felt, at R.H. side of Gearbox Tunnel (17"×8"×\rbrace*")		1		
BD.20208	Rubberised Felt, at L.H. side of Gearbox Tunnel (17"×8"×4")		1		
BD.20339 BD.21233	Rubberised Felt, under Petrol Tank (6" \times 7" \times ½") Rubberised Felt, at top of Gearbox Cover (7" \times 7" \times ½")		1		
BD.20222 BD.20223 BD.20231 BD.20232 BD.20233	Hardura, on R.H. Toe Board $(14''\times10''\times\frac{1}{2}'')$ Hardura, on L.H. Toe Board $(14''\times10''\times\frac{1}{2}'')$ Hardura, under R.H. side of Scuttle $(17''\times18''\times\frac{1}{4}'')$ Hardura, under L.H. side of Scuttle $(10''\times19''\times\frac{1}{4}'')$ Hardura, under centre of Scuttle $(7''\times9''\times\frac{1}{4}'')$		1 1 1 1		

Part No.	Description	Plate No.	No. per Unit	Remarks
	ANTI-DRUM MATERIAL			
BD 20272			_	
BD.20272 BD.20273	Flintkote, on Door Panels $(9'' \times 24'')$ Flintkote, on Door Bottom Rails $(2'' \times 18'')$		2 2	
BD.20351	Flintkote, on Boot Lid Panel		î	
BD.20215	Flintkote, on Rear Floor Panel (184"×21")		2	
BD.20902	Flintkote, on Propeller Shaft Tunnel (16" × 18")		1	
BD.20422 BD.20217	Flintkote, top front, for Gearbox Cover		1 2	Fire d form Charle No.
30.20217	Flintkote, on Main Floors (19 $\frac{1}{2}$ " \times 27")		2	Fitted from Chassis No. 860001 to 860175.
				885001 to 885503.
BD.22965	Flintkote, on R.H. Front Floor		1	Fitted to Chassis No.
BD.22966	Flintkote, on L.H. Front Floor		1	860176 and subs.
BD.22965 BD.22967	Flintkote, on R.H. Front Floor		1	Fitted to Chassis No.
BD.20211	Flintkote, on L.H. Front Floor Flintkote, for R.H. side of Scuttle (13"×15")		1	∫ 885504 and subs.
BD.20212	Flintkote, for L.H. side of Scuttle (13"×15"		i	
	INTERIOR TRIMMING			
BD.20456/2 BD.20375	Face Piece (Rexine) on Screen Pillars, at side of Facias (3" × 5") Face Piece (Rexine) for P. H. side of Floor Grown Marshaul		2	
30.20373	Face Piece (Rexine) for R.H. side of Floor Cross Member (9"×24")		1	
3D.20376	Face Piece (Rexine) for L.H. side of Floor Cross Member (9" × 24")		1	
BD.20541	Face Piece (Vynide) (14"×36") for Door Sills		2	
BD.20913	Pad (Polyurethane) under Sill Face Pieces		2	
BD.20169	Face Piece (Moquette) on R.H. rear Wheel Arch		1	
BD.20170 BD.20173	Face Piece (Moquette) on L.H. rear Wheel Arch Felt Pad, on rear Wheel Arches		1 2	
BD.20209	Mat Assembly (Hardura) for R.H. side of Scuttle		1	
BD.20210	Mat Assembly (Hardura) for L.H. side of Scuttle		1	
BD.539/4	Screw, Self-Tapping, securing Mats		10	
BD.532/1	Cup Washer, on Self-Tapping Screws		10	
3D.20216 3D.20728	Mat Assembly (Hardura) on Rear Floor Panel Cover Assembly, protecting Wiring Harness at L.H.		2 1	
	side of Scuttle		'	
3D.1814/6	Pop Rivet, securing Cover		2	
	SEALING RUBBERS			
BD.21197	Sealing Rubber, on Door Sills	50- 8	2	SUPERSEDED BY BD.24789.
BD.24789	Sealing Rubber, on Door Sills	F0 -	2	SUPERSEDES BD.21197.
3D.21196	Sealing Rubber, for Door Shut Pillars	50- 9	2	
3D.18559 3D.18560	Sealing Rubber, lower, for R.H. "A" Post Sealing Rubber, lower, for L.H. "A" Post	50-10 50-11	1	
3D.19397/1	Sealing Rubber, lower, for L.H. A Post Sealing Rubber, in top channel of Door Light Frames	50–11	2	
SD.17071/2	Sealing Rubber, on Quarter Light Hinge Pillars, and Standing Pillar of Door Light Frame	50–12	4	
3D.20500/2	Sealing Rubber, for Cantrail (90" long)	50-13	2	
3D. 2 0500/1	Sealing Rubber, around Boot Lid aperture (126" long)	50–14	1	Fitted from Chassis No. 860001 to 860478.
				885001 to 886013.
20 22247/4	Sealing Bubban around Base Lidenamine (43/# 1)			
3D.23347/1	Sealing Rubber, around Boot Lid aperture (126" long)		1	Fitted to Chassis No. 860479 and subs. 886014 and subs
BD.23347/1 BD.20309	Sealing Rubber, around Boot Lid aperture (126" long) Sealing Rubber, around Boot Lid Glass		1	

Part No.	Description	Plate No.	No. per Unit	Remarks	
	SEAL RETAINERS				
BD.20497 BD.20498	Retainer, for R.H. Cantrail Seal (90" long) Retainer, for L.H. Cantrail Seal (90" long)		, 1	Fitted from Chassis No. 860001 to 860478. 885001 to 886013.	
BD.20803 BD.20804	Retainer, for R.H. Cantrail Seal (90" long) Retainer, for L.H. Cantrail Seal (90" long)		1 1	Fitted to Chassis No. 860479 and subs. 886014 and subs.	
BD.23654 BD.23653	Retainer, Lower, for R.H. "A" Post Seal Retainer, Lower, for L.H. "A" Post Seal		1 1)	




PLATE 46




PLATE 47




PLATE 48




PLATE 49




PLATE 50

TOOL KIT

Part No.	Description	Plate No.	No. per Unit	Remarks
C.4651 C.996 C.11753 C.5444 C.5587 C.993 C.4585 C.10155 C.4094 C.4096 C.2896 C.34 C.4595 C.4595 C.4596 C.4596 C.4638 C.3993 C.13620 C.992 2072 C.19524	Adjustable Spanner Pliers Tyre Pressure Gauge Screwdriver, for adjustment of Contact Breaker Points Feeler Gauge Extractor, for Tyre Valve Screwdriver Box Spanner, for Sparking Plugs and Cylinder Head Nuts Box Spanner (76"×4" S.A.E.) Box Spanner (4"×8" S.A.E.) Box Spanner (4"×8" S.A.E.) Tommy Bar (Long) for Box Spanners Tommy Bar (Short) for Box Spanners Open Ended Spanner (4"×8" A.F.) Open Ended Spanner (9"×8" A.F.) Open Ended Spanner (9"×8" A.F.) Open Ended Spanner (1"×8" A.F.) Valve Timing Gauge Grease Gun (Tecalemit GC.3020) Bleeder Tube, in Container (SYN.179) Hammer (Copper and Rawhide) Budget Lock Key Fan Belt		711111111111111111111111111111111111111	See "Combination Screwdriver" below.
C.18636 C.17822 C.17823	Special Wrench, for Handbrake adjustment Jack (complete with Operating Handle) Handle only, for Jack Operation		1 1 1	Fitted from Chassis No. 850001 to 850548. 875001 to 877518. 860001 to 860660. 885001 to 886246.
C.20661 BD.23688	Jack (complete with Integral Operating Handle) Container for Jack		1	Fitted to Chassis No. 850549 and subs. 877519 and subs. 860661 and subs. 886247 and subs.
C.5578 C.14927	Tool Roll Tool, for fitting and removing Hub Caps		1	FOR CARS EXPORTED TO GERMANY AND SWITZERLAND.
C.20482	Combination Screwdriver (Phillips Head/Conventional)		1	Fitted to Chassis No. 850648 and subs. 878937 and subs. 861071 and subs. 888139 and subs.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16054	DYNAMO (22531/A-C45.PVS/6)	51- 1	1	Fitted from Chassis No. 850001 to 850091. 875001 to 875385. 860001 to 860004. 885001 to 885020.
6502 7906 7907 8580 2754 8578 8578 8579 6508 5919 2757 8581 7514 8233 2789 7911	Cover Band (227015) Brush (54210090) Spring, for Brush Tension (54210091) Bracket, Commutator End (54211251) Bearing, for C.E. Bracket (189237) Thrust Spring, at Commutator End (238954) Thrust Screw, at Commutator End (238579) Distance Collar, at Commutator End (227532) Nut, on Commutator Shaft (180620) Washer, under Nut (185187) Bracket, Drive End (239012) Bearing, for D.E. Bracket (189308) Collar, for D.E. Bearing (238024) Retainer, for Bearing Ring (238824) Armature (239511) Field Coils (238820) Bolt, through fixing (272752)		1 set 1 set 1 set 1 set 1 set 1 set 1 set 1 set 1 set 1 set 2	
C.18286	DYNAMO (22902/A-C42)		1	Fitted to Chassis No. 850092 and subs. 875386 and subs. 860005 and subs. 885021 and subs.
8583 9017 8584 8881 9977 9364 8586 9365 8585 2756 9368 8582 9367 8587 8587 8587 8590 8590 8589	Brush (54213141) Spring, for Brush Tension (227542) Bracket, Commutator End (54213139) Bearing, for C.E. Bracket (54210144) Oiler, for Bearing (54211097) Thrust Washer, at Commutator End (164746) Nut, on Commutator Shaft (198800) Washer, under Nut (185085) Bracket, Drive End (54213140) Bearing, for D.E. Bracket (189307) Plate, for Bearing (229400) Collar, for D.E. Bearing (227532) Retainer, for Bearing Ring (227631) Armature (54210952) Field Coils (54210950) Bolt, through fixing (54210147) Terminal Set, Lucar Connections (54211890) Washer, Plain, at Dynamo mounting		1 set 1 set 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
C.14590	DYNAMO PULLEY	51- 2	1	Fitted from Engine No. R.1001 to R.1509.
C.18227	DYNAMO PULLEY		1	Fitted from Engine No. R.1510 to R.5249.
C.19520	DYNAMO PULLEY		1	Fitted to Engine No. R.5250 and subs.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.7428	FAN FOR DYNAMO PULLEY	51- 3	1	Fitted from Engine No. R.1001 to R.1509.
C.18300	FAN FOR DYNAMO PULLEY		1	Fitted to Engine No.
UCS.131/10R C.5454 FW.105/T	Screw, Set, securing Dynamo Belt Tension Nut, Self-Locking, on Setscrew Washer, Plain, under Nut		1 1 1	R.1510 and subs.
C.12679	STARTER MOTOR (26140/A-M.45G)	51- 4	1	
2804 2811 6653 2801 2813 2819 5923 2812 2803 2806	Brush (255659) Spring, for Brush Tension (270004) Bracket, Commutator End (271305) Bearing, for C.E. Bracket (255491) Armature (270482) Field Coils (271306) Bracket, Drive End (271458) Bearing, for D.E. Bracket (270038) Pinion and Sleeve (255649) Spring, retaining Pinion (255728)		1 set 1 set 1 1 1 1 set 1 1 1	
UFB.137/13R UFN.137/L FG.106/X	Bolt, securing Starter Motor Nut, on Bolts Washer, Spring, under Nuts		2 2 2	
C.19468	SOLENOID FOR STARTER MOTOR (76464/A2ST.)	51- 5	1	
8710 8713 8711 8712	Rubber Cap (760130) Lucar Blade (small cranked connector) for connection of Cable from Starter Switch (54190015) Lucar Blade (small stepped connector) for connection of Cable from Fuse Box (54190013) Lucar Blade (large stepped connector) for connection of Cable from Ammeter (54190014)		1 1 1	
C.17106 C.17107 UFN.125/L C.724	Bracket Assembly, for mounting of Solenoid Clamp, for Bracket Nut, securing Bracket to Side Member Washer, Shakeproof, under Nuts	51- 6 51- 7	1 1 2 2	
UFN.119/L C.723/A	Nut, securing Solenoid to Bracket Washer, Shakeproof, under Nuts		2 2	
C.8749	IGNITION COIL (45067/D-HA.12)	51- 8	1	
C.5451	Nut, in centre of Coil, for attachment of Ignition	51- 9	1	
C.5452	Cable (408120) Washer (Copper) for attachment of Ignition Cable		1	
6472 C.723/A	(185015) Terminal Nut (166043) Washer, Shakeproof, under Nuts		2 2	
8638	Lucar Blade, for connection of Switch and Contact Breaker Cables (54190096)	51–11	2	
C.8047	BRACKET ASSEMBLY, MOUNTING IGNITION COIL	51–12	1	
C.6558 UFN.125/L C.724 FW.104/T	Stud, in Engine Breather Housing, mounting Coil Nut, securing Coil Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		1 2 2 2	

C.18525 EXTENSION ASSEMBLY FOR COIL BRACKET Secretary Se	Part No.	Description	Piate No.	No. per Unit	Remarks
R.1001 to R.3999. R.1001 to R.3999. R.1001 to R.3999. R.1001 to R.3999. R.1001 to R.31381. FOR 8:1 OR 9:1 COMPRESSION Washer (Copper) for end of High Tension Cables 51-15	C.18525			1	850092 and subs. 875386 and subs. 860005 and subs.
C.11906 Nut. for connection of High Tension Cables (410600) 51-14 7 (185015) (185015	C.14269	DISTRIBUTOR (40617A/D-DMBZ.6A)	51–13	1	R.1001 to R.9999. RA.1001 to RA.1381. FOR 8:1 OR 9:1 COMPRESSION
Camping Plate (423605)		Washer (Copper) for end of High Tension Cables			KATIO.
Cap (418837) 51-16 1 6489		Clamping Plate (423605)			
6479 Brush and Spring, inside Cap (418856) 51-17 1 60600 Rotor (418726) 51-18 1 C.11990 Contact Set (42017) 51-19 1 Condesser (42017) 51-19 1 Condesser (42017) 51-19 1 Condesser (42017) 51-19 1 Condesser (42017) 51-20 1 Bearing, for Base Plate (420175) 6481 Bearing, for Base Plate (420175) 6482 Circlip, Ixing Base (496059) 6483 Circlip, Ixing Base (496059) 6484 Terminal Pin, Low Tension (407019) 6485 Insulating Bush, Low Tension Terminal (408927) 6486 Insulating Pin, Low Tension Terminal (408927) 6487 Insulating Pin, Low Tension Terminal (408927) 6488 Insulating Pin, Low Tension Terminal (408927) 6489 Lead, Earth (419027) 6491 Cam (496079) 6492 Lead, Earth (419027) 6493 Weight, Auto Advance (54410416) 6493 Weight, Auto Advance (4100315) 6495 Knurled Nut, adjusting Vacuum Control (419087) 6496 Knurled Nut, adjusting Vacuum Control (419087) 6497 Rathed (470873) 6498 Bush (419673) 6499 Bush (419673) 6499 Bush (419673) 6499 Bush (419673) 6499 Bush (419673) 6499 Bush (419673) 6499 Bush (419673) 6499 Bush (419673) 6490 Claipping Plate (423059) 6491 Claipping Plate (423059) 6492 Cap (54414989) 6493 Claipping Plate (423059) 6494 Claipping Plate (423059) 6495 Claipping Plate (423059) 6497 Return Spring, inside Cap (418856) 6499 Brush and Spring, inside Cap (418856) 6499 Brush and Spring, inside Cap (418856) 6490 Brush and Spring, inside Cap (418856) 6491 Insulating Bush, for Contact Breaker Lever (419950) 700 Condesser (42315) 700 Condesse			51–16		
Contack Set (420197) 51-19 1 Condenser (420197) 51-19 1 Condenser (4201871) 51-20 1 Base Plate (419980) 1 6480 Base Plate (419980) 1 6481 Bearing, for Base Plate (420375) 1 6482 Star Spring (496058) 1 6483 Circlip, Kxing Base (496059) 1 6484 Terminal Pin, Low Tension (407019) 1 6484 Insulating Bush, Low Tension Terminal (408217) 1 6485 Insulating Bush (419950) 1 6486 Insulating Bush (419950) 1 6487 Lead, Low Tension (419021) 1 6488 Lead, Low Tension (419021) 1 6489 Lead, Carth (419023) 51-22 1 6491 Cam (496079) 1 8235 Springs, Auto Advance (54410416) 1 6493 Weight, Auto Advance (41003375) 2 6694 Shaft and Action Plate (419741) 1 6495 Knurled Nut, adjusting Vacuum Control (419087) 1 6496 Spring Ratch (419023) 1 6497 Return Spring (4180475) 1 6498 Bush (419973) 1 6499 Bush (419973) 1 6499 Bush (419973) 1 6490 Bush (419973) 1 6491 Cip, securing Cap (421824) 2 6501 Oil Seal (418723) 1 6492 Distributor (40887A/B-22.D.6) 7 6493 Bush (419973) 1 6494 Clamping Plate (423053) 1 6495 Clamping Plate (423053) 1 6496 Clamping Plate (423053) 1 6497 Screw (415087) 1 6498 Bush (419873) 1 6499 Bush (419873) 1 6499 Bush (419873) 1 6490 Clamping Plate (423053) 1 6491 Clamping Plate (423053) 1 6492 Clamping Plate (423053) 1 6493 Clamping Plate (423053) 1 6494 Clamping Plate (423053) 1 6495 Clamping Plate (423053) 1 6496 Clamping Plate (423053) 1 6497 Screw (415087) 1 6499 Bush (415087) 1 6499 Bush (415087) 1 6499 Bush (415087) 1 6499 Bush (415087) 1 6499 Bush (415087) 1 6499 Bush (415087) 1 6499 Bush (415087) 1 6499 Bush (415087) 1 6499 Bush (415087) 1 6499 Bush (415087) 1 6499 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (415087) 1 6490 Bush (419087) 1 6490	6479	Brush and Spring, inside Cap (418856)			
C.11991 Condenser (433871) 51-20 1 6480 Base Plate (419980) 1 6481 Bearing, for Base Plate (420375) 1 6482 Circlip, fixing Base (420375) 1 6482 Circlip, fixing Base (420375) 1 6483 Circlip, fixing Base (420375) 1 6484 Circlip, fixing Base (420376) 1 6484 Circlip, fixing Base (420376) 1 6485 Circlip, fixing Base (420376) 1 6486 Insulating Bush (419950) 1 6486 Insulating Bush (419950) 1 6488 Lead, Low Tension (419021) 51-21 1 6488 Lead, Low Tension (419021) 51-22 1 6491 Cam (496079) 1 6492 Cam (496079) 1 6493 Weight, Auto Advance (5410416) 1 6494 Weight, Auto Advance (5410416) 1 6495 Spring Ratchet (421032) 1 6496 Spring Ratchet (421032) 1 6496 Spring Ratchet (421032) 1 6497 Return Spring (419086) 1 6498 Bush (419673) 1 6499 Bush (419673) 1 6490 Bush (419673) 1 6490 Bush (419673) 1 6491 Cilip, securing Cap (421824) 2 6491 Driving Dog (418601) 1 6492 Copper Washer, for end of H.T. Cables (185015) 7 6476 Clamping Plate (423605) 1 6477 Clamping Plate (423605) 1 6479 Brush and Spring, inside Cap (418856) 1 6479 Return Spring, inside Cap (418856) 1 6479 Return Spring, inside Cap (418594) 1 6479 Return Spring, for Vacuum Unit (419086) 1 6479 Return Spring, for Vacuum Unit (419086) 1 6470 Return Spring, for Vacuum Unit (419086) 1 6471 Return Spring, for Vacuum Unit (419086) 1 6472 Return Spring, for Vacuum Unit (419086) 1 6473 Return Spring, for Vacuum Unit (419086) 1 6474 Return Spring, for Vacuum Unit (419086) 1 6475 Return Spring, for Vacuum Unit (419086) 1 6476 Return Spring, for Vacuum Unit (419086) 1 6477 Return Spring, for Vacuum Unit (419086) 1 6478 Return Spring, for Vacuum Unit (419086) 1 6479 Return Spring, for Vacuum Unit (419086) 1 6470 Return Spring, for Vacuum Unit (419086) 1 6471 Return Spring for Vacuum Un					
Bearing, for Base Plate (42075) 1		Condenser (423871)	51-20	:	
6482 Star Spring (196058) 6483 Circlip, fixing Base (196059) 6484 Terminal Pin, Low Tension (407019) 6485 Insulating Bush, Low Tension Terminal (408927) 6486 Insulating Bush (197950) 6487 Insulating Bush (197950) 6488 Lead, Low Tension (1419021) 6489 Lead, Earth (197021) 6491 Cam (196079) 6492 Cam (196079) 6493 Spring Auto Advance (4100315) 6494 Shaft and Action Plate (1419741) 6495 Spring Ratchet (421825) 6496 Spring Ratchet (421825) 6497 Return Spring (19086) 8236 Vacuum Unit (54410415) 8236 Vacuum Unit (54410415) 8236 Vacuum Unit (54410415) 8236 Vacuum Unit (54410415) 8236 Vacuum Unit (5410610) 8243 Driving Dog (410601) C.20679 DISTRIBUTOR (40887A/B-22.D.6) 6476 Calamping Plate (41872) 6501 Oil Seal (418723) 7777 Cilip, securing Cap (421824) 6501 Oil Seal (418723) 7843 Driving Dog (410601) C.20679 DISTRIBUTOR (40887A/B-22.D.6) 6476 Calamping Plate (42365) 6477 Screw (415087) 6479 Brush and Spring, inside Cap (418856) 6477 Screw (415087) 6479 Brush and Spring, inside Cap (418856) 6470 Rotor (418726) 9331 Cap (54414989) 9331 Charact Set (423153) 934 Fush and Spring, inside Cap (418856) 6560 Rotor (418726) 937 Terminal Assembly (54413549) 938 Insulating Bush, for Contact Breaker Lever (419950) 939 Fush and Spring, inside Cap (418856) 931 Contact Set (423153) 933 Insulating Bush, for Contact Breaker Lever (419950) 934 Earth Lead (471086) 935 Prings, Auto Advance (54415804) 937 Weight, Auto Advance (54415804) 938 Oil Seal (188563) 939 Figs, Auto Advance (54415804) 939 Figs, Auto Advance (54615804) 930 Figs, Auto Advance (54615804) 931 Figs Auto Advance (54615804) 932 Figs Auto Advance (54615804) 933 Figs Auto Advance (54615804) 934 Figs Auto Advance (54615804) 935 Figs Auto Advance (54615804) 936 Figs Auto Advance (54615804) 937 Figs Auto Adv				1	
Head		Star Spring (496058)		i	
		Circlip, fixing Base (496059)		1	
6486 Insulating Pin, Low Tension Terminal (405319) 1 6487 Insulating Bush (419950) 1 6488 Lead, Low Tension (419021) 51-21 6489 Lead, Earth (419023) 51-22 6491 Cam (496079) 1 8235 Springs, Auto Advance (54410416) 1 set 6493 Weight, Auto Advance (410033)5) 2 6494 Shaft and Action Plate (41970) 1 6495 Knurled Nut, adjusting Vacuum Control (419087) 1 6496 Spring Ratchet (421825) 1 6497 Return Spring (419086) 1 8236 Vacuum Unit (54410415) 1 8236 Vacuum Unit (54410415) 1 8240 Puring Plate (41824) 1 8250 Puring Plate (41824) 2 8260 Puring Dog (410801) 1 8275 Bearing (18572) 1 8276 Puring Dog (410801) 1 8276 Puring Dog (410801) 1 8277 Puring Dog (410801) 1 8278 Puring Dog (410801) 1 8278 Puring Dog (410801) 1 8279 Puring Dog (410801) 1 8270 Puring Dog (410801) 1 8271 Puring Dog (410801) 1 8271 Puring Dog (42080) 1 8271 Puring Dog (42080) 1 8271 Puring Dog (420620) 1 8271 Puring Dog		Insulating Bush, Low Tension Terminal (408927)		i	•
Lead, Low Tension (419021) 51-21 1		insulating Pin, Low Tension Terminal (405319)			
Lead, Earth (419023) 51-22 1				1	
Springs, Auto Advance (3410416) 1 set	6489	Lead, Earth (419023)	51-22	-	
6493 Weight, Auto Advance (410033)5) 2 6804 Shaft and Action Plate (419741) 1 6495 Knurled Nut, adjusting Vacuum Control (419087) 1 6496 Spring Ratchet (421825) 1 6497 Return Spring (419086) 1 62755 Bearing (189272) 1 6499 Bush (419673) 1 6777 Clip, securing Cap (421824) 2 6501 Oil Seal (418723) 1 6777 Clip, securing Cap (421824) 2 6793 Driving Dog (410601) 1 C.20679 DISTRIBUTOR (40887A/B-22.D.6) 1 677 Clip, securing Cap (421824) 7 678 Server (41982) 1 679 Capper Washer, for end of H.T. Cables (410600) 7 679 Clamping Plate (423605) 7 677 Clamping Plate (423605) 1 677 Screw (415087) 1 677 Screw (415087) 1 677 Greaver (4168726) 1 677 Brush and Spring, inside Cap (418856) 1 677 Greaver (418726) 1 677 Groncate Set (423153) 1 677 Contact Set (423153) 1 677 Contact Set (423153) 1 678 Contact Set (423153) 1 67931 Contact Set (4231871) 1 67932 Terminal Assembly (54413549) 1 67933 Insulating Bush, for Contact Breaker Lever (419950) 1 679 Springs, Auto Advance (54415561) 1 679 Set (421088) 1 679 Springs, Auto Advance (54415561) 1 679 Set (421088) 1 679 Springs, Auto Advance (54415561) 1 679 Set (421088) 1 679 Springs, Auto Advance (54415561) 1 679 Set (421088) 1 679 Springs, Auto Advance (54415561) 1 679 Set (421088) 1 679 Springs, Auto Advance (54415561) 1 679 Set (421088) 1 679 Springs, Auto Advance (5441592) 2 679 Springs, Auto Advance (54415994) 1 67938 Oil Seal (188639) 1 67939 Oil Seal (188639) 1 67939 Oil Seal (188639) 1 67931 Oil Seal (188639) 1 67932 Oil Seal (188639) 1 67933 Oil Seal (188639) 1 67934 Oil Seal (188639) 1 67935 Oil Seal (188639) 1 67936 Vacuum Unit (54415894) 1 67937 Oil Seal (18864) 1 67938 Oil Seal (188639) 1 67939 Oil Seal (188639) 1 67939 Oil Seal (188639) 1 67939 Oil Seal (188639) 1 67939 Oil Seal (188639) 1 67939 Oil Seal (188649) 1 6		Cam (4960/9) Springs, Auto Advance (54410416)			
6495 Knurled Nut, adjusting Vacuum Control (419087) 1 6496 Spring Ratchet (421825) 1 6497 Return Spring (419086) 1 8236 Vacuum Unit (54410415) 1 6275 Bearing (189272) 1 6499 Bush (419673) 1 7177 Clip, securing Cap (421824) 2 6501 Oil Seal (418723) 1 72943 Driving Dog (410601) 1 C.20679 DISTRIBUTOR (40887A/B-22.D.6) 1 676 Nut, for connection of H.T. Cables (410600) 7 C.5452 Copper Washer, for end of H.T. Cables (185015) 7 6476 Clamping Plate (423605) 1 6477 Screw (415087) 1 6479 Brush and Spring, inside Cap (418856) 1 6479 Brush and Spring, inside Cap (418856) 1 6479 Brush and Spring, inside Cap (418856) 1 6470 Contact Set (423153) 1 6471 Contact Set (423153) 1 6472 Contact Set (423153) 1 6473 Insulating Bush, for Contact Breaker Lever (419950) 1 6474 Contact Set (423871) 1 6475 Springs, Auto Advance (54415561) 1 6476 Springs, Auto Advance (54415561) 1 6477 Return Springs, or Vacuum Unit (419086) 1 6477 Return Springs, for Vacuum Unit (419086) 1 6477 Return Springs, for Vacuum Unit (419086) 1 6476 Coli (199279) 1 6477 Return Springs, for Vacuum Unit (419086) 1 6477 Return Springs, for Vacuum Unit (419086) 1 6477 Return Springs, for Vacuum Unit (419086) 1 6476 Coli (199279) 1 6477 Return Springs, for Vacuum Unit (419086) 1 6477 Return Springs, for Vacuum Unit (419086) 1 6477 Return Springs, for Vacuum Unit (419086) 1 6478 Lucar Blade, for connection of "CB" Lead from Coli (199279)	6493	Weight, Auto Advance (410033/5)			
6496 6497 Return Spring (419086) 1 8236 Vacuum Unit (54410415) 1 6499 Bush (419673) 1 67177 Clip, securing Cap (421824) 6501 Oil Seal (418723) Driving Dog (410601) C.20679 DISTRIBUTOR (40887A/B-22.D.6) C.11906 Nut, for connection of H.T. Cables (410600) C.5452 Copper Washer, for end of H.T. Cables (185015) 6477 Screw (415087) 6479 Brush and Spring, inside Cap (418856) 6479 Brush and Spring, inside Cap (418856) 6931 Contact Set (423153) 1 Condenser (423871) Condenser (423871) Condenser (423873) 1 Condenser		Knurled Nut, adjusting Vacuum Control (419087)		-	
### State	6496	Spring Ratchet (421825)		1	
2755 Bearing (189272) 1 1 1 1 1 1 1 1 1		Vacuum Unit (54410415)		1	
Clip, securing Cap (421824) 2 2 2 2 2 2 2 2 2	2755	Bearing (189272)		1	
Oil Seal (418723)		Clip. securing Cap (421824)			
C.20679 DISTRIBUTOR (40887A/B-22.D.6) 1 Fitted to Engine No. RA.1382 and subs. FOR 8:1 OR 9:1 COMPRESSION RATIO. C.11906 Nut, for connection of H.T. Cables (410600) 7 Copper Washer, for end of H.T. Cables (185015) 7 Clamping Plate (423605) 1 Camping Plate (423605) 1 Cap (54414989) 1 Contact Set (423153) 1 Contact Set (423153) 1 Contact Set (423153) 1 Contact Set (423153) 1 Condenser (423871) 1 Condenser (423871) 1 Condenser (423871) 1 Cap (54413549) 1 Condenser (423871) 1 Condenser (423871) 1 Condenser (423871) 1 Condenser (421088) 1 Condenser (421088) 1 Condenser (421088) 1 Condenser (421088) 1 Condenser (54415561) 1 Set Weight, Auto Advance (54415561) 1 Set Weight, Auto Advance (54415894) 1 Condenser (54415894) 1 Condenser (54415894) 1 Condenser (6420620) 1 Coll (199279) 1 Coll (6501	Oil Seal (418723)			
RA.1382 and subs. FOR 8:1 OR 9:1 COMPRESSION C.11906 Nut, for connection of H.T. Cables (410600) 7 C.5452 Copper Washer, for end of H.T. Cables (185015) 7 6476 Clamping Plate (423605) 1 6477 Screw (415087) 1 9930 Cap (54414989) 1 6479 Brush and Spring, inside Cap (418856) 1 6060 Rotor (418726) 1 6060 Rotor (418726) 1 6060 Insulating Bush, for Contact Breaker Lever (419950) 1 6487 Insulating Bush, for Contact Breaker Lever (419950) 1 6487 Condenser (423871) 1 9932 Terminal Assembly (54413549) 1 9933 Insulating Washer, for Terminal (161353) 1 9934 Earth Lead (421088) 1 9967 Springs, Auto Advance (54415561) 1 set 9936 Weight, Auto Advance (54415922) 2 6497 Return Spring, for Vacuum Unit (419086) 1 9969 Vacuum Unit (54415894) 1 9938 Oil Seal (188639) 1 9253 Driving Dog (420620) 1 C.18916 Lucar Blade, for connection of "CB" Lead from 1 Coil (199279)	2943	Driving Dog (410601)	•	•	
C.5452 Copper Washer, for end of H.T. Cables (185015) 7 6476 Clamping Plate (423605) 1 6477 Screw (415087) 1 9930 Cap (54414989) 1 6479 Brush and Spring, inside Cap (418856) 1 6060 Rotor (418726) 1 69931 Contact Set (423153) 1 6487 Insulating Bush, for Contact Breaker Lever (419950) 1 C.11991 Condenser (423871) 1 9932 Terminal Assembly (54413549) 1 9933 Insulating Washer, for Terminal (161353) 1 9934 Earth Lead (421088) 1 9967 Springs, Auto Advance (54415561) 1 9968 Veight, Auto Advance (54413922) 2 6497 Return Spring, for Vacuum Unit (419086) 1 9969 Yacuum Unit (54415894) 1 99253 Driving Dog (420620) 1 C.18916 Lucar Blade, for connection of "CB" Lead from Coil (199279)	C.20679	DISTRIBUTOR (40887A/B-22.D.6)		1	RA.1382 and subs. FOR 8:1 OR 9:1 COMPRESSION
6476 6477 Screw (415087) 97930 Cap (54414989) 6479 Brush and Spring, inside Cap (418856) 6600 Rotor (418726) 97931 Contact Set (423153) 1 Condenser (423871) 97932 Terminal Assembly (54413549) 97933 Insulating Washer, for Terminal (161353) Insulating Washer, for Terminal (161353) Insulating Washer, for Terminal (161353) 1 9934 Earth Lead (421088) 9795 Springs, Auto Advance (54415561) 9796 Springs, Auto Advance (54413922) 6497 Return Spring, for Vacuum Unit (419086) 9798 Oil Seal (188639) 9798 Oil Seal (188639) 9799 CC.18916 Lucar Blade, for connection of "CB" Lead from Coil (199279)				7	
6477 Screw (415087) 1 9330 Cap (54414989) 1 6479 Brush and Spring, inside Cap (418856) 1 6060 Rotor (418726) 1 9931 Contact Set (423153) 1 6487 Insulating Bush, for Contact Breaker Lever (419950) 1 C.11991 Condenser (423871) 1 9932 Terminal Assembly (54413549) 1 9933 Insulating Washer, for Terminal (161353) 1 9934 Earth Lead (421088) 1 9967 Springs, Auto Advance (54415561) 1 9936 Weight, Auto Advance (54413922) 2 6497 Return Spring, for Vacuum Unit (419086) 1 9969 Yacuum Unit (54415894) 1 9938 Oil Seal (188639) 1 9253 Driving Dog (420620) 1 C.18916 Lucar Blade, for connection of "CB" Lead from 1 Coil (199279)				7 1	
6479 Brush and Spring, inside Cap (418856) 1 6060 Rotor (418726) 1 9931 Contact Set (423153) 1 6487 Insulating Bush, for Contact Breaker Lever (419950) 1 C.11991 Condenser (423871) 1 9932 Terminal Assembly (54413549) 1 9933 Insulating Washer, for Terminal (161353) 1 9944 Earth Lead (421088) 1 9967 Springs, Auto Advance (54415561) 1 set 9936 Weight, Auto Advance (54413922) 2 6497 Return Spring, for Vacuum Unit (419086) 1 9969 Vacuum Unit (54415894) 1 9938 Oil Seal (188639) 1 9253 Driving Dog (420620) 1 C.18916 Lucar Blade, for connection of "CB" Lead from 1 Coil (199279)				1	
6060 Rotor (418726) 1 9931 Contact Set (423153) 1 6487 Insulating Bush, for Contact Breaker Lever (419950) 1 C.11991 Condenser (423871) 1 9932 Terminal Assembly (54413549) 1 9933 Insulating Washer, for Terminal (161353) 1 9934 Earth Lead (421088) 1 9967 Springs, Auto Advance (54415561) 1 set 9936 Weight, Auto Advance (54413922) 2 6497 Return Spring, for Vacuum Unit (419086) 1 9969 Yacuum Unit (54415894) 1 9938 Oil Seal (188639) 1 9253 Driving Dog (420620) 1 C.18916 Lucar Blade, for connection of "CB" Lead from 1 Coil (199279)					
6487 Insulating Bush, for Contact Breaker Lever (419950) 1 C.11991 Condenser (423871) 1 9932 Terminal Assembly (54413549) 1 9933 Insulating Washer, for Terminal (161353) 1 9934 Earth Lead (421088) 1 9967 Springs, Auto Advance (54415561) 1 set 9936 Weight, Auto Advance (54413922) 2 6497 Return Spring, for Vacuum Unit (419086) 1 9969 Vacuum Unit (54415894) 1 9938 Oil Seal (188639) 1 9253 Driving Dog (420620) 1 C.18916 Lucar Blade, for connection of "CB" Lead from 1 Coil (199279)					
C.11991 Condenser (423871) 1 9932 Terminal Assembly (54413549) 1 9933 Insulating Washer, for Terminal (161353) 1 9934 Earth Lead (421088) 1 9967 Springs, Auto Advance (54415561) 1 set 9936 Weight, Auto Advance (54413922) 2 6497 Return Spring, for Vacuum Unit (419086) 1 9969 Vacuum Unit (54415894) 1 9938 Oil Seal (188639) 1 9253 Driving Dog (420620) 1 C.18916 Lucar Blade, for connection of "CB" Lead from Coil (199279)			1)	1	
9932 Terminal Assembly (54413549) 1 9933 Insulating Washer, for Terminal (161353) 1 9934 Earth Lead (421088) 1 9967 Springs, Auto Advance (54415561) 1 set 9936 Weight, Auto Advance (54413922) 2 6497 Return Spring, for Vacuum Unit (419086) 1 9969 Vacuum Unit (54415894) 1 9938 Oil Seal (188639) 1 9253 Driving Dog (420620) 1 C.18916 Lucar Blade, for connection of "CB" Lead from Coil (199279)		Condenser (423871)	,	i	
9934 Earth Lead (421088) 1 9967 Springs, Auto Advance (54415561) 1 set 9936 Weight, Auto Advance (54413922) 2 6497 Return Spring, for Vacuum Unit (419086) 1 9969 Vacuum Unit (54415894) 1 9938 Oil Seal (188639) 1 9253 Driving Dog (420620) 1 C.18916 Lucar Blade, for connection of "CB" Lead from Coil (199279)	9932	Terminal Assembly (54413549)			
9967 Springs, Auto Advance (54415561) 1 set 9936 Weight, Auto Advance (54413922) 2 6497 Return Spring, for Vacuum Unit (419086) 1 9969 Vacuum Unit (54415894) 1 9938 Oil Seal (188639) 1 9253 Driving Dog (420620) 1 C.18916 Lucar Blade, for connection of "CB" Lead from Coil (199279)					
6497 Return Spring, for Vacuum Unit (419086) 1 9969 Vacuum Unit (54415894) 1 9938 Oil Seal (188639) 1 9253 Driving Dog (420620) 1 C.18916 Lucar Blade, for connection of "CB" Lead from Coil (199279)	9967	Springs, Auto Advance (54415561)			
9969		weight, Auto Advance (59413922) Return Spring, for Vacuum Unit (419086)			
9253 Driving Dog (420620) 1 C.18916 Lucar Blade, for connection of "CB" Lead from Coil (199279) 1	9969	Vacuum Unit (54415894)		1	
C.18916 Lucar Blade, for connection of "CB" Lead from 1 Coil (199279)					
Coil (199279)				4	
	C.18916			1	•
	C.2607			7	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.12336	SUCTION PIPE FOR DISTRIBUTOR VACUUM UNIT	51–23	1	Fitted from Engine No. R.1001 to R.9999. RA.1001 to RA.1381.
C.21576	SUCTION PIPE FOR DISTRIBUTOR VACUUM UNIT		1	Fitted to Engine No. RA.1382 and subs.
C.21573	Neoprene Elbow, connecting Suction Pipe to Vacuum	Unit	1 .	TATION and Subs.
C.17 46 8	PETROL PUMP ASSEMBLY (78388/A-2.FP)	51-24	1 -	
8569 8570 8571 8572 8573 8574 C.17570 C.18919 8809 8811	End Plate (771373) Impeller and Driving Peg (54713567) Valve Cover (771408) Ball, for Valve (771333) Spring, behind Ball (771387) Grommet, for Pump mounting (771391) Outlet Union (771390) Washer (Fibre) on Outlet Union Petroflex Pipe, around Electrical Cables (54714650) Fibre Washer, at fixings of Petroflex Pipe (54140054)		1 1 1 1 1 2 1 1 1 2	Fitted from Chassis No. 850001 to 850091. 875001 to 875385. 860001 to 860004.
8810	Locknut, securing Petroflex Pipe to Pump Mounting		1	885001 to 885020.
8812	Bracket (54130820) Banjo Bolt, securing Petrol Pipe to Inlet side of		1	
8813	Pump (54710343) Washer, at each side of Banjo (54148514)		2	
UFB.125/8R C.8667/1 FW.104/T	Bolt, securing Petrol Pump to Mounting Bracket Nut, Self-Locking, on Bolts Washer, Plain, under Nuts		2 2 2	
C.17499	Bracket Assembly, for mounting of Petrol Pump	51 –25	1	
C.19919	PETROL PUMP ASSEMBLY (78387/D-2.FP)		1	
8569 8570 8571 8571 9978 8574 8809 8811 8810	End Plate (771373) Impeller and Driving Peg (54713567) Valve Cover (771408) Ball, for Valve (771333) Spring, behind Ball (54714439) Grommet, for Pump Mounting (771391) Petroflex Pipe, around Electrical Cables (54714610) Fibre Washer at fixing of Petroflex Pipe (54140054) Locknut, securing Petroflex Pipe to Pump Mounting Bracket (54130820)		1 1 1 1 2 1 2	Fitted to Chassis No. 850092 and subs. 875386 and subs. 860005 and subs. 885021 and subs.
C.18952 C.18953 C.8667/1	Special Washer, for Pump Mounting Special Washer, for Pump Mounting Self-Locking Nut, securing Pump		2 2 2	
C.18907	Bracket Assembly, for Mounting of Petrol Pump		1)	
C.16051	CONTROL BOX (37304A/B-RB.310)	51–26	1 }	Fitted from Chassis No.
7912 8554 8555 8556 8557	Cover (54380178) Resistance (54380858) Contact Set, for Cut-out (335766) Contact Set, for Voltage Regulator (335765) Contact Set, for Current Regulator (335764)		1 1 1 1	850001 to 850091. 875001 to 875385. 860001 to 860004. 885001 to 885020.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18287 8558 8559 8560	CONTROL BOX (37331A/RB.340) Cover (54381342) Resistance, Swamp, 55 ohms. (54380438) Resistance, Points, 40 ohms. (54380673)		1 1 1 1 1	Fitted to Chassis No. 850092 and subs. 875386 and subs. 860005 and subs. 885021 and subs.
C.17102 UFN.119/L C.723/A UFS.125/4R C.724	BRACKET ASSEMBLY FOR MOUNTING OF CONTROL BOX Nut, securing Bracket to Body Washer, Shakeproof, under Nuts Screw, Set, securing Control Box to Bracket Washer, Shakeproof, on Setscrews	51–27	1 4 4 3 3 3	Fitted from Chassis No. 850001 to 850091. 875001 to 875385. 860001 to 860004. 885001 to 885020.
C.18289 UFN.119/L C.723/A UFS.119/9R	BRACKET ASSEMBLY FOR MOUNTING OF CONTROL BOX Nut, securing Bracket to Body Washer, Shakeproof, under Nuts Screw, Set, securing Control Box to Bracket		1 3	Fitted to Chassis No. 850092 and subs. 875386 and subs. 860005 and subs. 885021 and subs.
C.16053 C.5638 8576	FUSE BOX (54038032-4.FJ) Fuse, 35 amp (188218) Terminal Screw (120650)	51-28	3 6 3	
C.17467 8577 C.13932 UFS.319/4H C.723/A	FUSE BOX (54038010-4.FJ) Fuse, 5 amp (188206) Fuse, 50 amp (188219) Screw, Set, securing Fuse Boxes to Dash Washer, Shakeproof, on Setscrews	51–28	1 1 1 4 4	
C.2532 3571 3586 C.18346 C.17435 BD.711/3 C.2796 UCN.113/L C.721 UCN.119/L	CONNECTOR AND TERMINAL BLOCKS Connector Block (37082/A-TB.8) Connector Block, for Screen Wiper Cable (850832) Connector Block, for Screen Wiper Cable (900288) Terminal Block, for Petrol Pump Harness Fixing Strap, for Screen Wiper Connector Block Screw, Self-Tapping, securing Strap Bracket, for Connector Block fixing Nut, securing Bracket and Connector Blocks Washer, Shakeproof, under Nuts Nut, securing Petrol Pump Connector Block	51–29 51–30 51–31 51–32	1 1 1 1 2 1 4 4 2	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16257	INSTRUMENT PANEL ASSEMBLY	52- 1	1	
C.18555	Face Panel, for Instrument Panel	52- 2		Fitted from Chassis No. 850001 to 850609. 875001 to 878301. 860001 to 860912.
C.20740	Face Panel, for Instrument Panel		1	885001 to 887131. Fitted to Chassis No. 850610 and subs. 878302 and subs. 860913 and subs. 887132 and subs.
UFS.419/2H C.723/A UCN.116/L	Screw, Set, for fixing of Cable Clips Washer, Shakeproof, on Setscrews Nut, for fixing of Switches, Fuel Indicator Plate and Earth		3 3 6	
BD.541/29 C.722 C.17473 C.15785	Connections Washer, Plain, under Nuts Washer, Shakeproof, under Nuts Fuse Indicator Plate Fixing Screw, for Instrument Panel		6 6 1 2	
BD.5453 C.16258 C.782 C.16318	Fibre Washer, on Fixing Screws Pivot Screw, for Instrument Panel Fibre Washer, under Head of Pivot Screws Nylon Bush, on Pivot Screws		2 2 2 2 2	
C.15289	LIGHT FILTER FOR INDICATOR STRIP	52- 3	1	
C.15916	CHROME FINISHER AT TOP OF INDICATOR STRIP	52- 4	1	
C.15609	INDICATOR STRIP, AT BOTTOM OF INSTRUMENT PANEL, DETAILING SWITCH POSITIONS (54850103)	52- 5	1	R.H. DRIVE CARS ONLY.
C.15610	INDICATOR STRIP, AT BOTTOM OF INSTRUMENT PANEL, DETAILING SWITCH POSITIONS (54850104)		1	L.H. DRIVE CARS ONLY.
BD.17503/2 C.15787	Screw, Self-Tapping, securing Indicator Strip Bulb (2 watt Lilliput) illuminating Indicator Strip		4 3	
C.15454	IGNITION SWITCH (31962/A-S.45)	52 6	1	
9401	Locking Ring (Chrome) (54130301)		1	
BD.10610 C.15667	Barrel, for Ignition Switch (WB.1/6545) Adaptor Plate, for fixing of Ignition Switch (54332197)	52- 7 52- 8	1	
C.20239	LOCK AND IGNITION SWITCH ASSEMBLY (NEIMAN) ON STEERING COLUMN		1	EXPORT GERMANY. Fitted from Chassis No. 876665 to 878036. 885567 to 886753.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.20171	LOCK AND IGNITION SWITCH ASSEMBLY (WASO WERKEN) ON STEERING COLUMN		1	EXPORT GERMANY. Fitted to Chassis No. 878037 and subs. 886754 and subs. IF REQUIRED MAY BE Fitted to Chassis No. 850588 and subs. 878037 and subs. 860863 and subs. 886754 and subs.
C.18188	ROAD LIGHTS SWITCH (34382/A-PRS.7)	52- 9	1	IRRESPECTIVE OF COUNTRY
C.15449	Escutcheon, for Road Lights Switch (54850094)	52–10	1	
C.15452 C.15451 C.15928	Hollow Bolt, securing Escutcheon (54332269) Nut, on Bolt (156574) Washer, under Nut (154604)	52-11 52-12 52-13	1 1 1	
C.15450	LEVER, OPERATING ROAD LIGHTS SWITCH (54332270)	52-1 4	1	
C.17513/1	Sleeve (Plastic) for Lever		1	
C.16072	STARTER SWITCH (34263/A-SS.5)	52–15	1	
C.15455	PANEL LIGHTS SWITCH (31963/A-57.SA)	52-16	1	
C.15589	HEATER FAN SWITCH (31960/A-57.SA)	52–17	1	
C.15456	WINDSCREEN WIPER SWITCH (31966/A-79.SA)		1	
C.15759	WINDSCREEN WASHER SWITCH (31984/A-65.SA)	52-19	1	
C.15760	MAP LIGHT SWITCH (31963/A-65.SA)	52-20	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.15760	INTERIOR LIGHT SWITCH (31963/A-65.SA)	52-21	1	
C.15457	AMMETER (36262/A-CZU.60)	52-22	1	
8057 8058	Connector (Lucar "M" Large) (199317) Connector (Lucar "M" Small) (199275)		2 2	
987 C.16897	Bulb, illuminating Ammeter (987) Bulb Holder (54947338)		1	
C.16896	PETROL GAUGE (BF.2200/01)	52-23	1	
987 C.16897	Bulb, for illumination of Petrol Gauge (987) Bulb Holder (54947338)		1	
C.15473	OIL PRESSURE GAUGE (PE.2300/01)	52-24	1	SUPERSEDED BY C.18641.
C.18641	OIL PRESSURE GAUGE (PE.2300/02)		2	SUPERSEDES C.15473.
C.15474 C.15288	Electric Element, for Oil Pressure Gauge (PT.1801/06) Lucar Blade, for cable connection to Oil Pressure	52-25 52-26	1	
987 C.16897	Gauge (54190107) Bulb, for illumination of Oil Pressure Gauge (987) Bulb Holder (54947338)		1	
C.15471	WATER TEMPERATURE GAUGE (BT.2200/00)	52-27	1	SUPERSEDED BY C.18640.
C.18640	WATER TEMPERATURE GAUGE (BT.2200/01)		1	SUPERSEDES C.15471.
C.16895	Electric Element, for Water Temperature Gauge (TT.4201/00)	52-28	1	
C.2296/1	Copper Washer, under Element	5 2–29	1	
987 C.16897	Bulb, for illumination of Water Temperature Gauge Bulb Holder (54947338)		1	
C.15485	VOLTAGE CONTROL UNIT AT BACK OF INSTRUMENT PANEL (BR.1300/01)	52-30	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17110	SPEEDOMETER (SN.6322/00) (CALIBRATED IN MILES)	52–31	1	FOR USE WITH 3.31 : 1 FINAL DRIVE RATIO.
C.17111	SPEEDOMETER (SN.6322/01) (CALIBRATED IN KILOS)		1	FOR USE WITH 3.31 : FINAL DRIVE RATIO. NOT FOR GERMANY OR ITALY.
C.17112	SPEEDOMETER (SN.6322/02) (CALIBRATED IN KILOS)		1	FOR USE WITH 3.31:1 FINAL DRIVE RATIO ON CARS EXPORTED TO GERMANY AND ITALY.
C.17113	SPEEDOMETER (SN.6322/03) (CALIBRATED IN MILES)	52-31	1	FOR USE WITH 3.54 : 1 FINAL DRIVE RATIO.
C.17114	SPEEDOMETER (SN.6322/04) (CALIBRATED IN KILOS)		1	FOR USE WITH 3.54:1 FINAL DRIVE RATIO. NOT FOR GERMANY OR ITALY.
C.17115	SPEEDOMETER (SN.6322/05) (CALIBRATED IN KILOS)		1	FOR USE WITH 3.54:1 FINAL DRIVE RATIO ON CARS EXPORTED TO GERMANY AND ITALY.
C.17116	SPEEDOMETER (SN.6322/06) (CALIBRATED IN MILES)	52-31	1	FOR USE WITH 2.93 : 1 FINAL DRIVE RATIO.
C.17117	SPEEDOMETER (SN.6322/07) (CALIBRATED IN KILOS)		1	FOR USE WITH 2.93:1 FINAL DRIVE RATIO. NOT FOR GERMANY OR ITALY.
C.17118	SPEEDOMETER (SN.6322/08) (CALIBRATED IN KILOS)		1	FOR USE WITH 2.93:1 FINAL DRIVE RATIO ON CARS EXPORTED TO GERMANY AND ITALY.
C.18970	SPEEDOMETER (SN.6322/09) (CALIBRATED IN MILES)	52–31	1	FOR USE WITH 3.07 : 1 FINAL DRIVE RATIO.
C.18971	SPEEDOMETER (SN.6322/10) (CALIBRATED IN KILOS)		1	FOR USE WITH 3.07:1 FINAL DRIVE RATIO. NOT FOR GERMANY OR ITALY.
	NOTE: To ensure that the correct Speedometer is supplied by Jaguar Spares Division IT IS IMPORTANT WHEN ORDERING, to quote the number printed on the dial of the displaced instrument.			
	On some specially calibrated instruments, the number is printed on the back of the Speedometer casing.			

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18972	SPEEDOMETER (SN.6322/11) (CALIBRATED IN KILOS)		1	FOR USE WITH 3.07 : 1 FINAL DRIVE RATIO. ON CARS EXPORTED TO GERMANY AND ITALY.
C.15468	REMOTE CONTROL OPERATING TRIP MILEAGE RECORDER ON SPEEDOMETER (41-741-152-01/9)	52-32	1	
8409	Screwed Escutcheon, securing Remote Control at winding end		1	
987	BULB (2.2 WATT M.E.S.) FOR ILLUMINATION OF SPEEDOMETER AND FOR IGNITION, LOW FUEL CONTENTS AND HEADLAMP MAIN BEAM WARNING LIGHTS (987)		5	
C.16898	Holder, for Speedometer Illumination Bulbs (54360731)		2	
C.17434	FLEXIBLE SPEEDOMETER CABLE COMPLETE (DF.1110/00/60)	52-33	1	
8681 8682	Inner Cable only (DI.1110/00/60) Outer Cable only (DO.1110/00/60)		1	
C.17087	RIGHT ANGLE GEARBOX FOR SPEEDOMETER CABLE DRIVE (BG.2402/02)	52-34	1	
C.16075	REV. COUNTER AND CLOCK (RV.7403/02)	52-35	1	Fitted from Chassis No. 850001 to 850288. 875001 to 876116.
8879 8260	Rev. Counter less Clock (RV.7403/03) Electric Clock only (CE.1111/00)		1	860001 to 860028. 885001 to 885205.
C.20085	REV. COUNTER AND CLOCK (RV.7413/03)		1	Fitted to Chassis No. 850289 and subs. 876117 and subs.
8985 8260	Rev. Counter less Clock (RV.7413/04) Electric Clock only (RV.1111/00)		1 1	860029 and subs. 885206 and subs.
987	Bulb (2.2 watt M.E.S.) for illumination of Rev. Counter (987)		2	
C.16898	Bulb Holder (54360731)		2	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.14996	GENERATOR FOR ELECTRIC REV. COUNTER (TV.1100/00)	52-36	1	
9993 9994 AS.306/2.5H AG.106/X	Connector Moulding Assembly (41-161-105-00) Gasket, under Moulding (31-754-707) Setscrew, securing Moulding (30-232-089-11) Washer, Spring, on Setscrews (30-282-010-11)		1 1 2 2	
C.17487	REMOTE CONTROL FOR CLOCK ON REV. COUNTER (41-741-127-04)	52-37	1	
8409	Screwed Escutcheon, securing Remote Control at winding end		1	
C.16079	THERMOSTATIC CIGAR LIGHTER COMPLETE (EL.2414/00)	52-38	1	Fitted from Chassis No. 850001 to 850168. 875001 to 875589.
C.16079/1 C.5631/2	Body only Element		1	860001 to 860009. 885001 to 885050.
C.18638	THERMOSTATIC CIGAR LIGHTER COMPLETE		. 1	Fitted to Chassis No.
C.18638/1 C.18638/2 C.18638/3	Body only Element Clamping Shell, for Cigar Lighter		1 1 1	850169 and subs. 875590 and subs. 860010 and subs. 885051 and subs.
C.15288 C.18916	Lucar Blade, for Cigar Lighter connection (54190107) Lucar Blade, for Cigar Lighter connection (199279)		1	J
C.16367	SWITCH, BEHIND DOOR HINGES, OPERATING MAP LIGHT ABOVE INSTRUMENT PANEL	52–39	2	
C.17337	HEADLAMP DIPPER SWITCH ON FACIA PANEL (80603/J)	52-40	1	
C.20305	ESCUTCHEON FOR HEADLAMP DIPPER SWITCH	52–41	1	
C.18981	SIDELAMP WARNING LIGHT (38232/A-WL.13)		1	FOR CARS EXPORTED TO ITALY.
8826 8827 8828 987	Shade (319222) Cover and Window Assembly (54360905) Bulbholder (54360731) Bulb (987)		1 1 1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16927	DIRECTION INDICATOR WARNING LIGHT ASSEMBLY (38221/A-5.WL)	52-42	1	
8641 8642	Window (54334281) Body (54334280)		1	
987	Bulb, for Warning Light (987)		2	
C.16661	WARNING LIGHT INDICATING HANDBRAKE "ON" POSITION AND LEVEL IN BRAKE FLUID CONTAINERS (38220/A-WL.3/1)	52-43	1	
8096 8638 8639 8640 987	Cover and Window (318896) Lucar Blade, for Cable connection (54190096) Insulator, for Blade (54360574) Lucar Blade, for Cable connection (54190574) Bulb (987)		1 1 1 1	
C.19637	ESCUTCHEON FOR HANDBRAKE AND FLUID LEVEL WARNING LIGHT	52-44	1	
C.16660	SWITCH, OPERATING HANDBRAKE AND FLUID LEVEL WARNING LIGHT (31893/A-12.SA)	52-45	1	
UFN.125/L	Nut, securing Switch		2	
C.11724	CHOKE CONTROL WARNING LIGHT ASSEMBLY (38147/A-WL.13)	52 -4 6	1	
6808 987 6806 6807 6809 6810	Bulb Holder (554734) Bulb (2.2 watt) (987) Cover (319306) Window (319305) Terminal Screw (100521) Washer, for Terminal Screw (185012)		1 1 1 1	
C.16899	Distance Piece, at Choke Warning Light mounting		1	
C.16660	SWITCH, OPERATING CHOKE CONTROL WARNING LIGHT (31893/A-12.SA)	52-47	1	
UFN.125/L	Nut, securing Switch		2	
C.17328	ESCUTCHEON FOR CHOKE CONTROL LEVER	52- 4 8	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
BD.11802	PLATE ("COLD" "HOT" "RUN") FOR CHOKE CONTROL LEVER	52-49	1	
UFN.119/L	Nut, securing Escutcheon, Plate and Mounting Bracket		2	
C.723/A	to Facia Washer, Shakeproof, under Nuts		2	
C.17909	LEVER, OPERATING CHOKE CONTROL	52–50	1	
C.17908 UFS.125/4R UFN.125/L C.724	Quadrant Plate, between Lever and Mounting Bracket Screw, Set, securing Quadrant Plate to Mounting Bracket Nut, on Setscrew Washer, Shakeproof, under Nut	52–51	1 1 1	
BD.11489 C.17910 C.17911 C.8737/2	Ball Bearing, between Lever and Quadrant Plate Leaf Spring, applying tension to Ball Bearing Pivot Bolt, for Choke Control Lever Nut, Self-Locking, on Pivot Bolt	52–52 52–53	1 1 1	
FW.105/T C.17912 UCS.311/2H	Washer, Plain, under Nut Knob, on Control Lever Screw, Set, securing Knob to Lever	52-54	1 1	
C.17928	BRACKET, MOUNTING CHOKE CONTROL LEVER	52-55	1	
UFB.131/12R C.17366 UFN.131/L FG.105/X	Bolt, securing Mounting Bracket to Facia Bracket Distance Piece, on Bolt Nut, on Bolt Washer, Spring, under Nut		1 1 1	
C.18126	INNER CABLE, OPERATING CHOKE LINKAGE ON CARBURETTERS	52-56	1	
BD.11721 UCS.113/2R C.8667/20 AW.104/T	Pin, securing Cable to Operating Lever Screw, Set, clamping Cable in Pin Nut, Self-Locking, securing Pin to Operating Lever Washer, Plain, under Self-Locking Nut	52–57	1 1 1	
C.18125	OUTER CASING FOR OPERATING CABLE	52-58	1	
C.18127	Insulating Sleeve, on Outer Casing	52–59	2	
C.15998	PIVOT FOR OUTER CASING	52-60	1	
UFS.119/4R C.5203/1 BD.1708/2	Screw, Set, securing Pivot Washer, Special, on Setscrew Washer, Double Coil Spring, on Setscrew		1 1 1	
BD.11524	Grommet, for Outer Casing through Dash	52-61	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16077	PETROL TANK ELEMENT UNIT (TF.1104/051)	52–6 2	1	
C.937	Gasket, for Element Unit	52-63	1	
C.15288	Lucar Blade, for Element Unit earth (54190107)		1	
C.16056	HEADLAMP, COMPLETE (58662/B-PL.700)		2	R.H. DRIVE CARS ONLY.
8077 8595	Plate, retaining Light Unit (554179) Rim, seating Light Unit (54520552)	53~ 1 53~ 2	2 2	
8173 8596	Spring, retaining Seating Rim (554180) Screw, securing Light Unit (186194)	53- 3	6	
8597 7765	Light Unit (556599) Spring, retaining Bulb (556442)	53- 4 53- 5	2 2	
7764 8518	Bulb Adaptor (553738) Bulb (416) (60/36 watt Clear)	53- 6 53- 7	2 2	
8599 8600	Trimmer Screw, for beam adjustment (554182) Spring, on Trimmer Screw (554202)	53- 8 53 - 9	4 4	
8598	Gasket, for Headlamp Body (554227)	53–10	2	
C.16057	HEADLAMP, COMPLETE (58663/B-PL.700)		2	L.H. DRIVE CARS ONLY, EXCEPT COUNTRIES SPECIALLY LISTED ON PAGES 289 AND 290.
8610	Light Unit (54520293)		2	ON TROES 207 AND 270.
8611	Bulb (417) (60/36 watt Clear) All other items are as for Headlamp C.16056		2	
C.16058	LIFADI AMD. COMPLETE		2	FOR EXPORT TO EUROPE, EXCEPT
C.16036	HEADLAMP, COMPLETE (58664/B-F.700)		2	COUNTRIES SPECIALLY LISTED BELOW.
7762 7763	Light Unit (556452) Bulb (410) (45/40 watt Clear)		2 2	
	All other items are as for Headlamp C.16056			
C.16795	HEADLAMP, COMPLETE (58665/B-F.700)		2	FOR EXPORT TO FRANCE.
7762 8612	Light Unit (556452) Bulb (411) (45/40 watt Yellow)		2 2	
	All other items are as for Headlamp C.16056			
C.16797	HEADLAMP, COMPLETE (58667/B-F.700)		2	FOR EXPORT TO AUSTRIA.
8613 7763	Light Unit (54520883) Bulb (410) (45/40 watt Clear)		2 2	
	All other items are as for Headlamp C.16056		_	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16796	HEADLAMP, COMPLETE (58666/B-F.700)		2	FOR EXPORT TO SWEDEN.
3680 7763	Light Unit (54520148) Bulb (410) (45/40 watt Clear)		2 2	
	All other items are as for Headlamp C.16056			
C.16059	HEADLAMP, COMPLETE (58439/D-F.700)		2	FOR EXPORT TO U.S.A.
	All details are as for Headlamp C.16056, except that LIGHT UNIT, RETAINING SPRING AND BULB ARE NOT SUPPLIED FOR U.S.A.			
UFS.319/3H C.723/A	Screw, Set, securing Headlamps Washer, Shakeproof, on Setscrews		8 8	
C.16080	R.H. SIDE/FLASHER LAMP (WHITE/AMBER) (52517/A-652)		1	NOT REQUIRED FOR U.S.A.
3604 3605 3606 5524 3607 3455 89 5538 5.9126	Lens (54572374) Bezel (54571889) Screw, securing Lens (106871) Washer, retaining Screws (161385) Gasket, sealing Lens (54571885) Bulbholder, Sidelamp (553780) Sidelamp Bulb (989) Bulbholder, Flasher (573832) Flasher Bulb (382) Base (54571965)	53-11 53-12 53-13 53-14 53-15 53-16 53-17 53-18	1 1 3 3 1 1 1 1 1	
8614	Gasket, seating Lamp (54572030)	53–19	1	
C.16081	L.H. SIDE/FLASHER LAMP (WHITE/AMBER) (52465/A-652)		. 1	NOT REQUIRED FOR U.S.A.
609	Base (54572000)		. 1	
608	Gasket, seating Lamp (54572031)		1	
	All other items are as for Lamp C.16080			
C.16082	R.H. SIDE/FLASHER LAMP (WHITE/WHITE) (52519/A-652)		1	FOR EXPORT TO U.S.A.
3616	Lens (54572375)		1	
	All other items are as for Lamp C.16080			

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16083	L.H. SIDE/FLASHER LAMP (WHITE/WHITE) (52518/A-652)		1	FOR EXPORT TO U.S.A.
8616 8609	Lens (54572375) Base (54572000)		1	
8608	Gasket, seating Lamp (54572031)		1	
	All other items are as for Lamp C.16080			
UFS.319/4H UFS.319/7H BD.18957/3 AG.102/X	Screw, Set, securing Side/Flasher Lamps Screw, Set, securing Side/Flasher Lamps Distance Piece (½" long) on Setscrews Washer, Spring, on Setscrews		2 4 4 4	
C.16084	R.H. STOP/TAIL/FLASHER LAMP (RED/AMBER) (53866/A-651)		1	OPEN CARS ONLY. NOT REQUIRED FOR U.S.A.
8617 8619 8606 6524 8620 6538	Lens (54572372) Chrome Strip, over joint in Lens (54571936) Screw, securing Lens (106871) Washer, retaining Screws (161385) Gasket, seating Lens (54571934) Interior Bulb Holder, Flasher (573832)	53-20 53-21 53-22 53-23 53-24	1 1 2 2 1	
C.9126 5311 C.9125 8084 8621 8622 8623	Bulb, Flasher (382) Interior Bulb Holder, Stop/Tail (573828) Bulb, Stop/Tail (380) Reflex Reflector (574914) Rubber Spacer, seating Reflector (54572032) Bracket, supporting Reflector (54571938) Screw, securing Support Bracket (198946)	53-25 53-26 53-27 53-28 53-29 53-30	1 1 1 1 1 1 2	
8627 8626	Base (54571939) Gasket, seating Lamp (54571935)	53–31 53–32	1	•
C.16085	L.H. STOP/TAIL/FLASHER LAMP		1	OPEN CARS ONLY.
	(RED/AMBER) (53820/A-651)			NOT REQUIRED FOR U.S.A.
8625	Base (54572040)		1	
8624	Gasket, seating Lamp (54572062)		1	
	All other items are as for Lamp C.16084			
C.16086	R.H. STOP/TAIL/FLASHER LAMP (RED/RED) (53868/A-651)		1	FITTED TO OPEN CARS EXPORTED TO U.S.A.
8512	Lens (54572373)		1	
	All other items are as for Lamp C.16084			

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16087	L.H. STOP/TAIL/FLASHER LAMP (RED/RED) (53867/A-651)		1	FITTED TO OPEN CARS EXPORTE TO U.S.A.
8512 8625	Lens (54572373) Base (54572040)		1 1	
8624	Gasket, seating Lamp (54572062)		1	
	All other items are as for Lamp C.16084			
C.17931	R.H. STOP/TAIL/FLASHER LAMP (RED/AMBER) (53948/A-651)		1	
8785	Base (54572887)		1	
	All other items are as for Lamp C.16084			FIXED HEAD MODELS ONLY.
				NOT REQUIRED FOR U.S.A. Fitted from Chassis No.
C.17932	L.H. STOP/TAIL/FLASHER LAMP (RED/AMBER) (53947/A-651)		1	860001 to 860478. 885001 to 886013.
8786	Base (54572888)		. 1	
	All other items are as for Lamp C.16084			
8624	Gasket, seating Lamp (54572062)		1 .	j
C.19854	R.H. STOP/TAIL/FLASHER LAMP (RED/AMBER) (54128/A-651)		1	
9322	Reflex Reflector (54573735)		1	
9325 9324	Screw, securing Support Bracket (54102090) Base (54573952)		2 1	
	All other items are as for Lamp C.16084			FIXED HEAD MODELS ONLY. NOT REQUIRED FOR U.S.A.
				Fitted to Chassis No. 860479 and subs.
C.19855	L.H. STOP/TAIL/FLASHER LAMP (RED/AMBER) (54129/A-651)		1	886014 and subs.
9322 9325 9323	Reflex Reflector (54573735) Screw, securing Support Bracket (54102090) Base (54573951)		1 2 1	
	All other items are as for Lamp C.16084			
8624	Gasket, seating Lamp (54572062)		1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17933	R.H. STOP/TAIL/FLASHER LAMP (RED/RED) (53950/A-651)		1	
8512 8785	Lens (54572373) Base (54572887)		1	
	All other items are as for Lamp C.16084			REQUIRED FOR FIXED HEAD MODELS EXPORTED TO U.S.A.
C.17934	L.H. STOP/TAIL/FLASHER LAMP (RED/RED) (53949/A-651)		1	Fitted from Chassis No. 860001 to 860478. 885001 to 886013.
8512 8786	Lens (54572373) Base (54572888)		1	
	All other items are as for Lamp C.16084			
8624	Gasket, seating Lamp (54572062)		1	J
C.19856	R.H. STOP/TAIL/FLASHER LAMP (RED/RED) (54130/A-651)		1	
8512 9322 9325 9324	Lens (54572373) Reflex Reflector (54573735) Screw, securing Support Bracket (54102090) Base (54573952)		1 1 2 1	
	All other items are as for Lamp C.16084			REQUIRED FOR FIXED HEAD MODELS EXPORTED TO U.S.A.
C.19857	L.H. STOP/TAIL/FLASHER LAMP (RED/RED) (54131/A-651)		1	Fitted to Chassis No. 860479 and subs. 886014 and subs.
8512 9322 9325 9323	Lens (54572373) Reflex Reflector (54573735) Screw, securing Support Bracket (54102090) Base (54573951)		1 1 2 1	
	All other items are as for Lamp C.16084			
8624	Gasket, seating Lamp (54572062)		1	J
BD.20092/2 BD.20092/6 BD.18957/1 AG.102/X	Screw, Set (½" long) securing Stop/Tail/Flasher Lamps Screw, Set (1" long) securing Stop/Tail/Flasher Lamps Spacer, on Setscrews Washer, Spring, on Setscrews		2 4 2 6	
C.16063	FLASHER UNIT (35011/A-FL.5)	53-33	1	
	, , ,			

Part No.	Description	Plate No.	No. per Unit	Remarks
C.18219	NUMBER PLATE ILLUMINATION LAMP (53993/A-L.705)		2	
8771 BD.1063 8772 8773 8774	Body and Bulb Holder Assembly (54573381) Bulb (207) Lens (54570704) Gasket, under Lens (54570706) Rim (54570708)	53-34 53-35 53-36 53-37 53-38	2 2 2 2 2	
8775 8776	Shield (54570705) Screw , securing Rim (54111081)	53-39 53-40	2	
BD.15746 BD.711/23 C.722	Gasket, under Number Plate Illumination Lamps Screw, Self-Tapping, securing Lamps Washer, Shakeproof, on Self-Tapping Screws	53-41	2 4 4	
C.18724	REVERSE LAMP (52567/A-L.549)		1	NOT REQUIRED FOR FRANCE.
8714 8715 8716 8718 6524 6538 C.9126 8064 8719 8720	Lens (576223) Rim, for Lens (576227) Gasket, seating Lens (576228) Screw, securing Lens (54111011) Washer, retaining Screws (161385) Bulbhoider (573832) Bulb (382) Terminal Sleeve (555910) Grommet, Cable entry (54572247) Body (54570992)	53-42 53-43 53-44 53-45 53-46 53-47 53-48 53-49	1 1 2 2 1 1 1 1	
8717	Gasket, seating Lamp (576229)	53–50	1	
C.18844	REVERSE LAMP (52570/A-L.595)		1	FOR EXPORT TO FRANCE ONLY.
8721	Lens (Amber) (54573097)		1	
	All other items are as for Reverse Lamp C.18724	ı		
UFS.419/3H C.723/A	Screw, Set, securing Reverse Lamp to Housing Washer, Shakeproof, on Setscrews		2 2	
BD.20754	HOUSING ASSEMBLY, MOUNTING REVERSE LAMP TO BODY		1	
BD.711/23 BD.8633/3	Screw, Self-Tapping, securing Housing to Body Spire Nut, on Self-Tapping Screws		2 2	
C.1083	SWITCH, IN GEARBOX TOP COVER, OPERATING REVERSE LAMP (31077/E-SS.10/1)	53~51	1	
C.4531	Gasket, under Switch (163682)	53-52	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17192	HORN (LOW NOTE) (69087/A-WT.618/U)	53-53	1	
5326 8483 8484 8485	Cover (702575) Bracket (707095) Contact Set (702687) Diaphragm (702836)		1 1 1 1	Final from Charle No.
				Fitted from Chassis No. 850001 to 850499. 875001 to 877154. 860001 to 860435.
C.17193	HORN (HIGH NOTE) (69090/A-WT.618/U)	53-53	1	885001 to 885970.
8486	Diaphragm (702851)		1	
	All other items are as for Horn C.17192			J
C.19080	HORN (LOW NOTE) (69127/A-WT.618/U)		1	
9979 8 48 3	Cover (54680655) Bracket (707095)		1 1	
8484 8485	Contact Set (702687) Diaphragm (702836)		i 1	Fitted to Chassis No. 850500 and subs. 877155 and subs. 860436 and subs.
C.19081	HORN (HIGH NOTE) (69128/A-WT.618/U)		1	885971 and subs.
8486	Diaphragm (702851)		1	
	All other items are as for Horn C.19080			
UFN.125/L C.724 C.17339	Nut, securing Horns Washer, Shakeproof, under Nuts Grommet, in Horns, for Cable entry		4 4 2	
C.17338	HORN RELAY (33209/B-6RA)	53-54	1	
UFS.419/3H UFN.119/L	Screw, Set, securing Horn Relay to L.H. Mudshield Nut, on Setscrews		2 2	
			2 2 2 2 2	
C.16070	STEERING COLUMN HORN PUSH (33570A/B-CC.5)	53-55	1	
8631 8632	Ring, Knob retaining (54300576) Plate, upper contact (54300575)		1	
8895	Cover and Lower Contact Plate		1	
8633	Assembly (54300754) Medallion (54300574)		1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16069	DIRECTION INDICATOR/HEADLAMP FLASHER SWITCH (34361/A-37.SA)	53–56	1	
8634 8635 7523 7521	Contact, Warning Light (54333162) Contact Switch (54332586) Spring, pawl centring (348323) Fixing Clip (54330333)		1 1 1	
8637 C.14307	Casing (54333059) Cover Assembly (comprising Front and Rear Covers)		1	
C.16451	STRIKER FOR RETURN OF DIRECTION INDICATOR CONTROL TO NEUTRAL POSITION		1	
C.14007/1 C.723/A C.3377	Screw, Set, securing Striker Washer, Shakeproof, on Setscrews Washer, Plain, under Shakeproof Washers		2 2 2	
C.16452	ELECTRIC MOTOR, DRIVING RADIATOR FAN (78378/B-3.GM)	53–57	1	
8643 8562 8563 8564 8565 8566 8567	Fixing Bolt (54100606) Cover and Bearing, Commutator End (745768) Brush Gear (54713564) Armature (54711120) Field Coil (54712958) Bearing Bracket (54712325) Dust Cover, for Bearing Bracket (54713890)		4 1 1 1 1 1	
C.18110 C.18123 C.8667/17 C.18111	Grommet, for mounting of Fan Motor (748843) Washer, below Grommets (134710) Nut, Self-Locking, securing Fan Motor Washer, under Nuts (131670)	53-58	4 4 4 4	
C.18559	THERMOSTAT, IN HEADER TANK, CONTROLLING FAN MOTOR		1	
C.2475 UFS.419/3H BD.5453 C.18916	Gasket, under Thermostat Screw, Set, securing Thermostat Fibre Washer, on Setscrews Lucar Blade, for Cable connection to Thermostat (199279)		1 3 3 1	
C.18122	RELAY FOR FAN MOTOR (33232/A-6.RA)	53-59	1	Fitted from Chassis No. 850001 to 850273.
UFS.119/3R UFN.119/L C.723/A AW.102/T	Screw, Set, securing Relay to Header Tank Bracket Nut, on Setscrews Washer, Shakeproof, under Nuts Washer, Plain, under Shakeproof Washers		2 2 2 2	875001 to 878020. 860001 to 861186. 885001 to 886748.
C.16062	SWITCH, FOR OPERATION OF STOP LAMPS (31802/B-HL.2)	53-60	1	

Part No.	Description	Plate No.	No. per Unit	Remarks
8575	WINDSCREEN WIPER MOTOR ASSEMBLY (75403D-DL.3)	5361	1	R.H. DRIVE CARS ONLY.
8644	Commutator End Cover, with Bearing (743653)		1	
3509	Brush Set (729367)		1	
6551 7400	Spring, tensioning Brushes (735631)		1	•
7189 8645	Armature (743929) Coil (54713957)		1 1	
8646	Shaft and Gear (54713379)		i	
8643	Bolt , through fixing (54100606)		2	
8594	WINDSCREEN WIPER MOTOR ASSEMBLY (75404D-DL.3)		1	L.H. DRIVE CARS ONLY,
	For individual items, refer to Motor 8575			
BD.16718	Gasket, at Wiper mounting	53-62	1	
UFS.125/4R	Screw, Set, securing Wiper Motor		4	
C.724 8660	Washer, Shakeproof, on Setscrews Plate, securing Motor to Link Set (54711590)		4 1	
8661	Rubber Seal, for Plate (54711593)		i	
8670	Cover, over Cam Mechanism (54712745)		1	
8636	WINDSCREEN WIPER LINK SET (54714605-DL.3)	53-63	1	
	(34714003-121.3)			
8683	Main Link Assembly (54710388)		2	
8651 8453	Spindle Assembly, L.H. (54710660)		1	
8652 8653	Spindle Assembly, R.H. (54710383) Spindle Assembly, centre (with switch) (54712765)		1	
B654	Contact Switch (54711260)		i	·
5219	Nut, securing Spindles (153511)		3	
8655 86 56	Front Bush (745128)		3 3	
8657	Rubber Washer, under Front Bushes (744551) Rear Bush (54710417)		3	
8658	Mounting Bracket (54710460)		3	
8659	Mounting Strip (54710461)		1	
8683	MAIN LINK ASSEMBLY (54710388)		2	
8684	Snanlock laint /54714147\		2	
8650	Snaplock Joint (54714167) Locknut (156610)		2	
8647	ROTARY LINK (54710596)		1	
24.40			4	
8648	PRIMARY LINK (54711297)		1	
8684 8650	Snaplock Joint (54714167) Locknut (156610)		1	4
		53–64	3	R.H. DRIVE CARS ONLY.

Part No.	Description	Plate No.	No. per Unit	Remarks
8662	ARM FOR WINDSCREEN WIPER (54712033)		3	L.H. DRIVE CARS ONLY.
3664	BLADE FOR WINDSCREEN WIPER ARMS (54711281)	53-65	3	
C.15 4 86	MAP LIGHT (52477/A-481)	53–66	1 ,	
989 806 4	Bulb (989) Terminal Sleeve (555910)		1	
BD.1814/2 C.1 7436	Pop Rivet, securing Map Light Insulator, for Map Light		1	
C.16498	INTERIOR LIGHT (56075/A-674)	53–67	1)
8602 8601 8603 C.9126	Lens (54571954) Gasket, seating Lens (54571955) Base (54571956) Bulb (382)		1 1 1	FITTED ONLY TO OPEN MODELS.
BD.1229/10 C.1094	Screw, Self-Tapping, securing Interior Light Distance Washer, on Self-Tapping Screws		2 2	
C.18347	INTERIOR LIGHT (60114)	53-6 8	1 .)
BD.14049/1 3703 989	Lens (01601) Backplate and Bulbholder (60114/A) Bulb (6 watt M.B.C.) (01607)		1 1 2	FITTED ONLY TO FIXED HEAD MODELS.
BD.540/3	Screw, Self-Tapping, securing Interior Light		2	Fitted from Chassis No. 860001 to 860478. 885001 to 886013.
BD.540/14 BD.8633/4	Screw, Self-Tapping, securing Interior Light Spire Nut, on Self-Tapping Screw		2 2	Fitted to Chassis No. 860479 and subs. 886014 and subs.
C.17757	INTERIOR MIRROR ASSEMBLY	53-69	1	REQUIRED ONLY FOR OPEN MODELS.
C.17757/1 C.17757/2	Mounting Boss, for Interior Mirror Mirror Head		1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
C.18343	INTERIOR MIRROR ASSEMBLY (62572/A-608)	53-69A	1	REQUIRED ONLY FOR FIXED HEAD
8722	Bracket, for Mirror (59610206)		1	MODELS from Chassis No. 860001 to 861056. 885001 to 888066.
BD.13642/5	Screw, Set, securing Interior Mirror		3)

Part No.	Description	Plate No.	No. per Unit	Remarks
C.20697	INTERIOR MIRROR ASSEMBLY		1]
C.20697/1 C.16407/2	Base only Head only		1 1	REQUIRED ONLY FOR FIXED HEAD MODELS at Chassis No. 861057 and subs.
C.20698 BD.13642/5 BD.13642/6	Packing, under Interior Mirror Screw, Set $(\frac{3}{4}'')$ long) securing Interior Mirror Screw, Set $(\frac{3}{8}'')$ long) securing Interior Mirror		1 1 2	888067 and subs.
C.16061	BATTERY (54028639-FRV.11/7A)	53–70	1	
C.16473	BATTERY TRAY	53–71	1	
C.10640/2	DRAIN TUBE FOR BATTERY TRAY (5" LONG)	53–72	1	
C.16474	BATTERY CLAMP	53–73	1	
C.17083	Rubber Pad, under corners of Clamp		4	Fitted from Chassis No. 850001 to 850572. 875001 to 877660. 860001 to 860722. 885001 to 886381.
C.19740	Rubber Pad, under end of Clamp		2	Fitted from Chassis No. 850210 to 850572. 875761 to 877660. 860013 to 860722. 885086 to 886381. May be fitted retrospectively if desired.
C.19506	Rubber Pad, for Battery Clamp		2	Fitted to Chassis No. 850573 and subs. 877661 and subs. 860723 and subs. 886382 and subs.
C.16475	ROD, THROUGH CLAMP SECURING BATTERY	53–74	2	
C.17084 FG.204/X	Wing Nut, on Rods Washer, Spring, under Wing Nuts	53-75	2 2	
C.16923	BATTERY CABLE (POSITIVE TO EARTH) (810707)		1	SUPERSEDED BY C.21517.
C.21517	BATTERY CABLE (POSITIVE TO EARTH) (810708)		1	SUPERSEDES C.16923.

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16924	BATTERY CABLE (NEGATIVE) (792908)		1	
C.2609 6826	Screw, securing Cables to Battery Posts (186111) Screw (Oversize) securing Cables to Battery Posts (186114)		2 2	REQUIRED ONLY WHEN HOLE IN BATTERY POST IS ENLARGED.
C.16912	FORWARD HARNESS (54947485)		1	R.H. DRIVE CARS ONLY. Fitted from Chassis No. 850001 to 850273. 860001 to 861186.
C.20650	FORWARD HARNESS (54932077)		1	R.H. DRIVE CARS ONLY. Fitted to Chassis No. 850274 and subs. 861187 and subs.
.C.17375	FORWARD HARNESS (54948224)		1	L.H. DRIVE CARS ONLY. Fitted from Chassis No. 875001 to 878020. 885001 to 886748.
C.20649	FORWARD HARNESS (54932078)		1	L.H. DRIVE CARS ONLY. Fitted to Chassis No. 878021 and subs. 886749 and subs.
C.16915	R.H. BODY HARNESS (54947738)		1	
C.17433	L.H. BODY HARNESS (54947737)		1	

Part No.	Description	Plate No.	No. per Unit	Remarks
C.16913	INSTRUMENT PANEL HARNESS (54947484)		1	R.H. DRIVE CARS ONLY.
C.16914	INSTRUMENT PANEL HARNESS (54948219)		1	L.H. DRIVE CARS ONLY.
	ELECTRICAL CABLES			
C.16911	Cable, Front Lamp connector (54947487)		1	Fitted from Chassis No. 850001 to 850499. 875001 to 877154. 860001 to 860435.
C.20332	Cable, Front Lamp connector (54931440)		1	885001 to 885970. Fitted to Chassis No. 850500 and subs. 877155 and subs. 860436 and subs. 885971 and subs.
C.16917 C.16920 C.16922 C.16925 C.18121 C.17356 C.17357 C.17376 C.17474 C.17474 C.17475 C.18725 C.18728	Cable, Rev. Counter and Instrument Light connector (54947491) Cable, Fluid Level Warning Light connector (54947480) Cable, Instrument Link (54947489) Cable, Instrument Link (54947496) Cable, Radiator Fan Motor connector (54948340) Cable, R.H. Sidelamp connector (54947494) Cable, L.H. Sidelamp connector (54947495) Cable, Heater Motor connector (54947486) Cable, Interior Light connector (54948356) Cable, Interior Light connector (54948216) Cable, Reverse Lamp Switch connector (54949135) Cable, Reverse Lamp connector (54949136)		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	R.H. DRIVE CARS ONLY. OPEN CARS ONLY. FIXED HEAD CARS ONLY.
C.18982 C.21141 C.20241	Cable, Sidelamps Warning Light connector (54949797) Cable, Starter Switch connector (54933183) Cable, Steering Column Lock Connector to Instrument Panel Wiring		1 1	REQUIRED FOR ITALY ONLY. GERMANY ONLY. Fitted from Chassis No. 876665 to 878036. 885567 to 886753. IF REQUIRED Fitted to Chassis No. 850588 and subs. 878037 and subs. 860863 and subs.
C.16921	CONNECTOR (8-PIN MALE) FOR FRONT LAMP HARNESS (54947492)		1	886754 and subs.
C.16997 UFS.125/3R C.724 C.17003 C.18175	Fixing Plate Assembly, for Male Connector Screw, Set, securing Connector to Bonnet Diaphragm Washer, Shakeproof, on Setscrews Washer (Sorbo) at Connector mounting Washer (Hard Rubber) at Connector mounting		1 3 3 1	

Part No.	Description	Plate No.	No. per Unit	Remarks		
	EARTH CABLES					
C.16919 C.16916 C.18699	Earth Cable, from Engine to Body (54947493) Earth Cable, for Instrument Panel (54947490) Earth Cable, for Cigar Lighter		1 1 1	FOR USE WITH	CIGAR	LIGHTER
C.18288	Earth Cable, for Control Box (54949797)		1	C.18638. Fitted to Chassis No. 850092 and subs. 875386 and subs. 860005 and subs. 885021 and subs.		
	EARTH CONNECTIONS AND FIXINGS					
C.15789 C.5204	Lucar Blade, for Earth connection of Instrument Panel. Screen Washer, Screen Wiper and Brake Fluid Level Warning Light (54190038) Earth Terminal, for Front Lamp Harness (860019)		2			
UFS.137/4R UFN.137/L FW.106/T C.726 UFS.419/3H UFS.419/4H UFN.119/L C.723/A	Screw, Set, securing Battery Earth Cable Nut, on Setscrew Washer, Plain, at Earth fixing Washer, Shakeproof, at Earth fixings Screw, Set, securing Wiper Earth Connection Screw, Set, securing Rear Lamp earth Nut, on Setscrews Washer, Shakeproof, under Nuts		1 1 1 2 1 2 2 2			
	CABLE SLEEVES					
C.2783 C.18718	Sleeve, for Headlamp Cables (859300) Sleeve, for Petrol Pump Harness		1 1			
	RUBBER GROMMETS					
C.2706	Grommet, for Interior Light Door Switch Cables, Screen Washer Tube, Headlamp Cable, Speedo Cable		See remarks	9 required for L.H 7 required for R.H		
C.2706	and Screen Wiper Park Cable (859059) Grommet, for Body Harness through Boot Front Panel (859059)		2	OPEN CARS ONL	Y.	
C.1426 C.2850	Grommet, for Forward Harness through Dash (858066) Grommet, for Heater Control Cables through Bulkhead		. 1 5			
C.975	and Reverse Lamp (859341) Grommet, for Body Harness and Number Plate Lamp Harness (54190324)		4	OPEN CARS ONL	Y.	
C.975 C.976 C.976	Grommet, for Number Plate Lamp Harness (54190324) Grommet, for Speedo Cable through Inner Dash (858) Grommet, for Speedo Cable through Inner Dash and for	064)	2 1 3	FIXED HEAD CAR OPEN CARS ONL FIXED HEAD CAR	Υ.	
C.977	Body Harness in Rear Quarters (858064) Grommet, for Body Harness through wheel arch		2	FIXED HEAD CAR	S ONL	Y.
C.977 C.17432	Diaphragms (858065) Grommet, for Number Plate Lamp Harness (858065) Grommet, for Handbrake and Speedo Cables (836123)		2 See remarks	OPEN CARS ONL 1 required for L.H 2 required for R.H	. Drive	
BD.11524	Grommet, for Fluid Level Warning Light Harness and Choke Control Cable Grommet, for Fan Motor Harness		See remarks	2 required for R.H 1 required for L.H	. Drive	Cars.

art No.	Description	Plate No.	No. per Unit	Remarks
	RUBBER PLUGS AND BOOTS			
C. 4 650	Rubber Boot, on Starter Motor and Solenoid Terminals (858266)		3	
.5648	Rubber Plug, sealing hole for Screen Washer tubing		1	R.H. DRIVE CARS ONLY.
C.5648 SD.14771 SD.4616	Rubber Plug, sealing hole for Speedo Cable Rubber Plug, sealing hole for Speedo Cable Rubber Plug, sealing hole for Brake Fluid Level Warn- ing Light Harness		1 1 1	L.H. DRIVE CARS ONLY. L.H. DRIVE CARS ONLY.
	CABLE STRAPPING			
.17001 .17002	Plastic Strapping, securing Cables, etc., to Front Frame Stud, for Strapping		1 42	
	CABLE CLIPS AND FIXINGS			
.1040/1	Clip, securing Front Lamp Harness to Bonnet Sides		5	
.1040/2	(187079) Clip, securing Forward Harness to Front Frame (187081)		1	
.1040/2 .1040/4	Clip, securing Rear Lamp Harness (187081) Clip, securing Forward Harness and Vacuum Hose		2 Se e	OPEN CARS ONLY. 1 required for R.H. Drive Cars.
	(187085)		remarks	4 required for L.H. Drive Cars.
.1040/5	Clip, securing Forward Harness at Heater Bracket (187044)		1	
.1040/8	Clip, securing Reversing Lamp Harness and Speedo Cable (187047)		See remarks	1 required for R.H. Drive Cars. 2 required for L.H. Drive Cars.
.1040/9	Clip, securing Petro! Pipe to Frame, Rear Lamp Harness in Boot, Front Lamp Harness to R.H. side of Bonnet and R.H. Body Harness to Peda! Housing (187052)		6	
.1040/12 .1040/13	Clip, securing Petrol Pipe to Reservac Tank (187042) Clip, securing Hydraulic Pipes to Toe Board (851536)		1 1	
1040/13	Clip, securing Brake Fluid Level Warning Light Harness to Bulkhead (851536)		1	R.H. DRIVE CARS ONLY.
1040/14	Clip, securing Screen Washer Harness to Bulkhead and		6	
.1040/16	Side Lamp Harness to Bonnet (900402) Clip, securing Panel Harness to Instrument Panel and		3	
.1040/17	Forward Harness to Pedal Housing (187005) Clip, securing Rear Lamp Harness at L.H. side of Boot		1	
.1040/18	(187048) Clip, securing Headlamp Harness to Bonnet sides		2	
.1040/20	(850358) Clip, securing Radiator Duct Shield to Front Sub-Frame		3	
.1040/24	(187034) Clip, securing Clutch Pipes and Vacuum Flexible Hose		See remarks	1 required for R.H. Drive Cars. 2 required for L.H. Drive Cars.
.18410 .18128	Clip, securing Forward Harness to Bonnet		1	L.H. DRIVE CARS ONLY.
18128	Clip, securing Speedo Cable Clip, securing Speedo Cable		1)
IFS.131/4R IFN.131/L	Screw, Set, securing Clip Nut, on Setscrew		1 1	R.H. DRIVE CARS ONLY.
2.725	Washer, Shakeproof, under Nut		1	1

Part No.	Description	Plate No.	No. per Unit	Remarks
	CABLE CLIPS AND FIXINGS (continued)			
UFS.419/4H	Screw, Set, securing Harness Clips to Bonnet		8	
UFN.119/L	Nut, on Setscrews		8	
C.723/A	Washer, Shakeproof, under Nuts		8	
UFS.119/3R	Screw, Set, securing Body Harness Clip to Pedal Housing		1	
UFN.119/L	Nut, on Setscrew		1	
C.723/A	Washer, Shakeproof, under Nut		1	
UFS.413/4H	Screw, Set, securing Rear Lamp Harness Clips in Boot		4	
UFN.113/L	Nut, on Setscrews		4	
C.721	Washer, Shakeproof, under Nuts		4	
BD.711/12	Screw, Self-Tapping, securing Fluid Level Warning Light Harness Clips to Bulkhead		1	R.H. DRIVE CARS ONLY.




PLATE 51




PLATE 52




PLATE 53

WINDSCREEN WASHER

Part No.	Description	Plate No.	No. per Unit	Remarks	
C.17004	WINDSCREEN WASHER UNIT COM- PLETE WITH TUBES, 'T' PIECE AND JETS (54071196-2.SJ)		1		
8408 8035 8036 8037	Motor, complete with Coupling (54711928) Pump Assembly (295194) Moulded Cover, for Reservoir (295138) Rubber Gasket, between Cover and Reservoir	54- 1 54- 2 54- 3 54- 4	1 1 1		
8038 8039 8040 8041	(295042) Rubber Filler Cap, in Cover (295043) Union, securing Motor to Pump (54715154) Glass Reservoir (295058) Bracket, holding Reservoir (295061)	54- 5 54- 6 54- 7 54- 8	1 1 1		
UFS.419/8H	Screw, Set, securing Windscreen Washer Bracket to Dash		3		
C. 723/A BD.18957/1	Washer, Shakeproof, on Setscrews Distance Piece, on Setscrews		3 3		
UFS.419/3H	Screw, Set, sealing redundant mounting holes		3		
8408	MOTOR COMPLETE WITH COUPLING (54711928)	54– 1	1	. •	
8042 8043 8044 8990	Contact Assembly, complete with Adjusting Screw Brush Set (295198) Armature (295023) Lucar Connector (54190172)		1 1 1 3		
C.15 64 3/1	SCREEN WASHER TUBE (70" LONG)	54- 9	1		
C.156 14	'T' PIECE AT JUNCTION OF FLUID TUBES (295091)	5 4 –10	1		
C.15645	JET ASSEMBLY (54711657)	54-11	2		




PLATE 54

OPTIONAL EXTRAS

Part No.	Description	Plate No.	No. per Unit	Remarks
C.17632	CAR RADIO ASSEMBLY (MKJA.09-500.TB)		1	LONG AND MEDIUM WAVEBANDS ONLY.
8264 8267 8673 8519 8674 8523 8524 8525 8675 8676 8677 8274 8272 8628 8629 8678	Control Unit (500.T) Amplifier Unit (RMH.98200/B) Aerial (AW.606/60) Aerial Bracket (RMO.3449/E) Bracket, mounting Amplifier Unit (RMO.3320/K) Loudspeaker (RMO.3776) Loudspeaker Lead (RMR.2056/12) Loudspeaker Lead (RMR.2081/48) Link Cable (RMR.2010/48) Battery Lead (RMR.2069/6) Jumper Lead (RMR.2069/6) Jumper Lead (RMR.2033/48) Cover, for Transistor (RMO.3743) Fuse (3 amp.) (RMH.38825/F) Sleeve, for Fuse (RMO.3383) Condenser, for Coil (RMO.1A/T.11) Condenser, for Oil Pressure Gauge Electric Element (RMO.1W/T.1)		1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
C.17633	CAR RADIO ASSEMBLY (MKJA.09-502.TB)		1	MEDIUM WAVEBAND ONLY.
8265	Control Unit (502.T)		1	
	All other items are as for Car Radio C.17632			
C.17634	CAR RADIO ASSEMBLY (MKJA.09-230.RB)		1	MEDIUM AND SHORT WAVEBANDS ONLY.
8266 C.12687 8489 8511 8673 8519 8523 8524 C.8525 8526 8542 5241 8272 8628 8629 C.5367 C.8630	Control Unit (230.R/VCO) Amplifier Unit (RMH.92450/RB) Bracket, mounting Amplifier Unit (RMO.3451/BA) Cover, for Amplifier Unit (RMO.3486/BA) Aerial (AW.606/60) Aerial Bracket (RMO.3449/E) Loudspeaker (RMO.3776) Loudspeaker Lead (RMR.2056/12) Loudspeaker Lead (RMR.2081/48) Loom Assembly (RMR.3597) Battery Lead (RMR.3597) Battery Lead (RMR.3596)6 Fuse, 5 amp. (RMH.38825/G) Sleeve, for Fuse (RMO.3383) Condenser, for Coil (RMO.1A/T.11) Condenser, for Dynamo and "D" Terminal on Control Box (RMO.1A/T.12) Condenser, for Oil Pressure Gauge Electric Element (RMO.1W/T.1) Condenser, for Control Box		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
C.16114	WING MIRROR		2	SUPERSEDED BY C.19909.
C.19909	WING MIRROR (MAGNATEX M2VC/6C)		2	SUPERSEDES C.16114.

OPTIONAL EXTRAS

Part No.	Description	Plate No.	No. per Unit	Remarks
C.12816	PETROL FILLER CAP (LOCKING TYPE) (WB.7/8653)		1	
9212	FRONT SEAT SAFETY BELT (LAP/DIAGONAL FITTING) COMPLETE WITH ATTACHMENT BOLTS AND EYE BOLTS		2	Fitted from Chassis No.
9213	REAR SEAT SAFETY BELT (DIAGONAL FITTING) COMPLETE WITH ATTACHMENT BOLTS AND EYE BOLTS		2	850301 and subs. 876359 and subs. 860113 and subs. 885318 and subs.
BD.22629	GLASS IN BOOT LID (CLEAR GLASS)		1 .	FOR USE WITH ELECTRICALLY HEATED BACK LIGHT FOR
BD.22741	GLASS IN BOOT LID ("SUNDYM" GLASS) ALTERNATIVE TO BD.22629.		1	from Chassis No. 860001 to 860478. 885001 to 886013.
BD.22740	GLASS IN BOOT LID (CLEAR GLASS)		1 •	
<i>DD.227</i> TO	GLASS IN BOOT LIB (CLLAN CLASS)			FOR USE WITH ELECTRICALLY HEATED BACK LIGHT FOR FIXED HEAD COUPE CARS
BD.22744	GLASS IN BOOT LID ("SUNDYM" GLASS)		1	from Chassis No. 860479 and subs. 886014 and subs.
	ALTERNATIVE TO BD.22740.		-	J
C.20124 C.20123 C.15639 C.18341 BD.22655 BD.711/5 C.20081 C.17001 C.17002	Fuse Connector Backlight Connector Grommet Grommet Clip, for Fuse Connector Screw, securing Clip Sail Eyelet, and Ring P.V.C. Strap, holding Cables (3½" long) Stud, for Straps		1 1 2 3 1 1 1 2 2	FOR USE WITH ELECTRICALLY HEATED BACKLIGHT.

OPTIONAL EXTRAS

Part No.	Description	Plate No.	No. per Unit	Remarks
5194	KEY FOB (11/721) (LEATHER) BEARING THE "JAGUAR" WINGS		1	
				PLEASE STATE COLOUR REQUIRED.
9036	KEY FOB (11/723) (LEATHER) WITH AN ENAMELLED "JAGUAR" BADGE		1	
BD.20687	DETACHABLE HARDTOP ASSEMBLY		1	FOR USE WITH
BD.22857 BD.22856 BD.20487/3 BD.21516/6 BD.541/31	Attachment Bracket, R.H. Attachment Bracket, L.H. Screw, Set, securing Attachment Brackets to Hardtop Washer, Shakeproof, on Setscrews Washer, Special, under Shakeproof Washers		1 1 4 4	Fitted to Chassis No. 850024 and subs. 875027 and subs.
				•
9222	HARDTOP FITTING KIT		1	}
BD.23760 BD.23761 BD.5552/8	Mounting Bracket, R.H. Mounting Bracket, L.H. Screw, Set (Countersunk Head) securing Mounting		1 1 4	
BD.20092/2 C.723/A	Brackets Screw, Set (Cheese Head) securing Mounting Brackets Washer, Shakeproof, on Setscrews		2 · 2	Fitted from Chassis No. 850024 to 850091. 875027 to 875385.
C.3562 BD.21191/1 BD.21191/2 BD.23469 BD.23762	Washer, Special, on Setscrews Tapped Plate Retainer, for Tapped Plate Spacer, for Hoodsticks Mounting Bolt, securing Hardtop	•	2 2 2 2	
9223	HARDTOP FITTING KIT		1	<u>)</u> .
BD.23760 BD.23761 BD.55552/8	Mounting Bracket, R.H. Mounting Bracket, L.H. Screw, Set (Countersunk Head) securing Mounting		1 1 4	Fitted from Chassis No.
BD.20092/2	Brackets Screw, Set (Cheese Head) securing Mounting Brackets		2	850092 to 850455. 875386 to 876974.
C.723/A C.3562 BD.23469 BD.23762	Washer, Shakeproof, on Setscrews Washer, Special, on Setscrews Spacer, for Hoodsticks Mounting Bolt, securing Hardtop		2 2 2 2	